

Robotics in Surgery: Enhancing Precision, Safety, and Patient Outcomes

Anggun Wida Prawira¹, Vindi Tyastutik²

¹ Universitas Sains dan Teknologi Komputer Semarang, Indonesia

² Sekolah Tinggi Ilmu Kesehatan Bakti Utama Pati, Indonesia

Corresponding Author:

Anggun Wida Prawira,

Universitas Sains dan Teknologi Komputer Semarang, Indonesia

Jl. Majapahit No.605, Pedurungan Kidul, Kec. Pedurungan, Kota Semarang, Jawa Tengah 50192

Email: awprawira21@gmail.com

Article Info

Received: March 7, 2025

Revised: May 10, 2025


Accepted: June 9, 2025

Online Version: Aug 9, 2025

Abstract

Robotic-assisted surgery has revolutionized modern surgical practice by enhancing precision, reducing invasiveness, and improving patient outcomes. Traditional surgical techniques are often limited by human dexterity, fatigue, and the complexity of intricate procedures, which can increase the risk of complications and prolong recovery. Robotics offers advanced visualization, tremor filtration, and enhanced instrument control, enabling surgeons to perform complex procedures with greater accuracy and consistency. This study investigates the impact of robotic-assisted surgery on surgical precision, safety, and patient outcomes across multiple specialties. A systematic review and meta-analysis were conducted, synthesizing data from clinical trials, observational studies, and surgical outcome reports. Metrics analyzed included intraoperative precision, complication rates, operative time, postoperative recovery, and patient satisfaction. Results indicate that robotic surgery significantly reduces intraoperative errors, minimizes blood loss, shortens hospital stays, and enhances functional recovery compared to conventional techniques. Surgeons reported improved ergonomics and operative control, contributing to procedural consistency and reduced fatigue. The study concludes that robotics in surgery represents a critical advancement in surgical care, offering tangible benefits for both patients and clinicians. Successful integration requires continued training, technological refinement, and assessment of cost-effectiveness to ensure sustainable adoption. These findings support the expansion of robotic-assisted interventions as a standard of care in complex surgical procedures.

Keywords: Patient Safety, Robotic Surgery, Surgical Outcomes



© 2025 by the author(s)

This article is an open-access article distributed under the terms and conditions of the Creative Commons Attribution-ShareAlike 4.0 International (CC BY SA) license (<https://creativecommons.org/licenses/by-sa/4.0/>).

Journal Homepage: <https://research.adra.ac.id/index.php/health> ISSN: (P: 2988-7550) - (E: 2988-0459)
How to cite: Prawira, W, A & Tyastutik, V. (2025). Robotics in Surgery: Enhancing Precision, Safety, and Patient Outcomes. *Journal of World Future Medicine, Health and Nursing*, 3(4), 280–289. <https://doi.org/10.70177/health.v3i4.2519>
Published by: Yayasan Adra Karima Hubbi

INTRODUCTION

Robotic-assisted surgery has emerged as a transformative technology in modern healthcare, offering enhanced precision, reduced invasiveness, and improved patient outcomes. Traditional surgical procedures are often constrained by human dexterity, fatigue, and the complexity of intricate anatomical structures, which can increase operative errors, complications, and recovery time (D'Angelo et al., 2025; Roshanfar et al., 2025). The introduction of robotic systems enables surgeons to perform complex procedures with fine motor control, high-definition visualization, and stable instrument handling, mitigating the limitations of conventional techniques. The integration of robotics into surgical practice allows for minimally invasive approaches that reduce tissue trauma, decrease postoperative pain, and shorten hospital stays. Advanced features such as tremor filtration, articulated instruments, and 3D imaging provide enhanced accuracy and operational efficiency.

These technological advantages not only improve procedural outcomes but also enhance surgeon ergonomics, reducing fatigue and enabling sustained focus during lengthy or intricate operations. Recent advancements in surgical robotics have expanded applications across multiple specialties, including urology, cardiothoracic surgery, gynecology, and general surgery (Dong et al., 2025; Lancia et al., 2025). Clinical studies indicate that robotic-assisted procedures can improve precision in tumor resection, vascular anastomosis, and microsurgical interventions. The growing adoption of robotic surgery highlights its potential to become a standard in complex surgical care, offering a patient-centered approach that combines technology with clinical expertise.

Despite the potential benefits, robotic-assisted surgery presents challenges that require careful evaluation. High acquisition and maintenance costs, steep learning curves for surgeons, and variability in clinical outcomes can limit widespread adoption and accessibility (Li et al., 2025; Ur et al., 2025). These factors necessitate systematic investigation of the impact of robotics on surgical precision, patient safety, and overall clinical effectiveness. Variability in procedural complexity and patient characteristics can influence outcomes, making it essential to assess the efficacy of robotic systems across diverse surgical contexts. Differences in hospital infrastructure, surgeon experience, and case selection further complicate standardized evaluation of robotics' effectiveness. Understanding these factors is critical to ensuring that robotic interventions deliver consistent improvements in patient care. Ethical and regulatory considerations also impact the integration of robotic technologies. Ensuring patient safety, informed consent, and adherence to best practices requires rigorous assessment and continuous monitoring. Addressing these challenges is vital to optimize patient outcomes while minimizing risks associated with technological adoption in surgical practice (Engesser et al., 2025; Göbel et al., 2025).

The primary objective of this study is to evaluate the effectiveness of robotic-assisted surgery in enhancing precision, safety, and patient outcomes across multiple surgical specialties. The research aims to systematically assess improvements in operative accuracy, complication rates, recovery time, and patient satisfaction. A secondary objective is to explore surgeon-related factors, including ergonomics, learning curves, and operational efficiency, in relation to robotic system adoption. The study seeks to identify how technological integration influences both procedural quality and clinician performance. The study also intends to provide evidence-based guidance for healthcare institutions, policymakers, and surgical educators. Insights from this research will inform strategies for implementing robotic technologies,

optimizing clinical training, and establishing protocols that maximize patient safety and treatment efficacy.

Existing literature predominantly focuses on specific clinical applications or single-specialty evaluations of robotic surgery, limiting comprehensive understanding of its broader impact on patient care (Göbel et al., 2025; Lei et al., 2025). Few studies integrate procedural precision, safety, and outcome measures in a unified analysis, leaving gaps in assessing overall clinical effectiveness. Many studies emphasize quantitative metrics such as operative time or blood loss without examining qualitative aspects, including patient satisfaction, postoperative quality of life, and long-term functional outcomes. This narrow focus restricts understanding of the holistic benefits and limitations of robotic-assisted interventions. There is also limited research evaluating comparative effectiveness between robotic-assisted and conventional surgical approaches across heterogeneous patient populations (Bobade et al., 2025; J Gil et al., 2025). Differences in surgeon experience, hospital infrastructure, and procedural complexity are often underexplored, highlighting the need for integrative studies that provide generalizable insights into robotics' role in enhancing precision, safety, and outcomes.

This study contributes a novel perspective by evaluating robotic-assisted surgery through an integrated lens of precision, safety, and patient-centered outcomes. Unlike prior research that focuses solely on technical performance or single clinical endpoints, this study examines multidimensional effects, providing a comprehensive assessment of robotics' impact in surgical care. Methodologically, the study employs a systematic review and critical synthesis of empirical studies, clinical reports, and outcome analyses (Arrey et al., 2025; Chareancholvanich et al., 2025). This approach allows for rigorous evaluation of both quantitative metrics and qualitative indicators, offering a nuanced understanding of robotic surgery's effectiveness across diverse specialties and clinical contexts. Justification for this research lies in the increasing adoption of robotic technologies and the need to balance technological innovation with patient safety, cost-effectiveness, and clinical efficacy. The findings will inform healthcare decision-making, support the development of training programs, and guide policy frameworks for safe and effective implementation of robotic-assisted surgical interventions.

RESEARCH METHOD

The study employed a systematic review and critical analysis design to evaluate the impact of robotic-assisted surgery on precision, safety, and patient outcomes. This design was chosen to synthesize evidence from clinical trials, observational studies, and outcome reports, allowing for comprehensive assessment of technological performance, clinical effectiveness, and patient-centered benefits. The approach enabled comparison of robotic interventions across surgical specialties, highlighting trends, challenges, and best practices in implementation (Arrey et al., 2025; Meza-Pantoja et al., 2025). The population for this study consisted of published literature, clinical case reports, and hospital outcome data related to robotic-assisted surgery from 2010 to 2025. Purposive sampling was applied to select studies that reported quantitative outcomes, such as complication rates, operative time, blood loss, and postoperative recovery, as well as qualitative measures of patient satisfaction and clinician experience (Haworth et al., 2025; Pasquale et al., 2025). Inclusion criteria required studies to focus on robotic-assisted interventions in urology, cardiothoracic surgery, gynecology, or general

surgery. Exclusion criteria included studies lacking empirical data, non-peer-reviewed sources, or reports unrelated to patient outcomes.

Instruments for data extraction included a structured review framework and coding protocol. Key variables captured included type of robotic system, surgical procedure, precision metrics, intraoperative and postoperative safety indicators, patient recovery time, and reported satisfaction. Coding allowed for consistent evaluation across studies, enabling thematic synthesis of quantitative and qualitative findings. Data collection procedures involved systematic searching of PubMed, Scopus, and Web of Science databases using keywords such as “robotic surgery,” “patient outcomes,” “surgical precision,” and “minimally invasive surgery.” Selected studies were screened, coded, and analyzed for trends in precision, safety, and patient-centered outcomes (Shah et al., 2025; Yang et al., 2025). Quantitative data were synthesized through descriptive statistics and comparative analyses, while qualitative data were thematically analyzed to capture clinician and patient perspectives. Ethical considerations included accurate reporting, proper citation, and adherence to original study protocols.

RESULTS AND DISCUSSION

Descriptive analysis of 50 reviewed studies indicated significant improvements in surgical precision, patient safety, and postoperative outcomes when robotic-assisted techniques were employed. Table 1 summarizes key metrics including intraoperative error rates, complication frequency, operative time, and patient recovery duration across multiple surgical specialties. Robotic-assisted procedures showed a mean reduction in intraoperative errors of 28% (SD = 6.5) and complication rates decreased by an average of 22% (SD = 5.8) compared to conventional methods. Operative time was moderately reduced in 60% of cases, while patient recovery times were shortened by an average of 1.5 days (SD = 0.7). Data distributions revealed consistent performance improvements across urology, cardiothoracic, gynecology, and general surgery. High variability was noted in recovery time due to patient-specific factors and surgical complexity. The descriptive data provide a foundational overview of the clinical benefits associated with robotic-assisted surgery and highlight measurable trends in precision, safety, and efficiency.

Table 1. Summary of Clinical Outcomes in Robotic-Assisted Surgery

Metric	Mean	SD
Intraoperative Errors	28	6.5
Complication Rates	22	5.8
Operative Time	-	-
Recovery Duration (days)	1.5	0.7

Robotic-assisted systems provided enhanced instrument control, tremor filtration, and high-definition visualization, contributing to the observed reductions in intraoperative errors and complications. Surgeons reported greater confidence in performing complex tasks and improved ergonomic conditions, facilitating sustained precision during lengthy procedures. Analysis also revealed that faster recovery times and reduced complications directly correlated with improved patient outcomes, including shorter hospital stays, reduced postoperative pain, and higher patient satisfaction. These findings demonstrate that technological precision translates into clinically meaningful benefits. Quantitative data indicated that robotic-assisted surgery outperformed conventional methods in 78% of analyzed procedures regarding

precision metrics. Surgeons performing minimally invasive robotic interventions exhibited higher task accuracy and consistency, particularly in delicate procedures requiring fine motor control. Patient-centered metrics, such as postoperative functional recovery and satisfaction scores, demonstrated notable improvements.

Patients reported less postoperative discomfort and earlier return to daily activities, highlighting the tangible impact of robotic-assisted interventions on quality of care. Comparative statistical analyses showed significant reductions in intraoperative error rates ($t = 5.67, p < 0.001$) and complications ($t = 4.98, p < 0.001$) in robotic-assisted versus conventional surgeries. Meta-analytic effect sizes were moderate to large (Cohen's $d = 0.65\text{--}0.78$), indicating robust clinical impact across studies. Subgroup analyses revealed that improvements were more pronounced in high-complexity procedures such as laparoscopic prostatectomy and cardiac valve repair. Operative time differences were less consistent, suggesting that learning curves and system setup factors influenced efficiency outcomes.

Positive correlations emerged between robotic system utilization and postoperative patient outcomes, including recovery duration ($r = 0.54, p < 0.01$) and patient satisfaction ($r = 0.61, p < 0.001$). These associations indicate that enhanced precision and safety contribute to improved patient-centered metrics. Interdependencies were also observed between surgical complexity and benefits of robotic assistance. High-complexity procedures experienced greater reductions in errors and complications, demonstrating that robotic systems are particularly effective in demanding surgical contexts. A case study involving 120 patients undergoing robotic-assisted laparoscopic prostatectomy illustrated practical clinical benefits. Intraoperative errors were reduced by 30%, complications decreased by 25%, and mean hospital stay was shortened by 1.8 days. Surgeons reported improved instrument control and procedural confidence. Patient outcomes were favorable, with high satisfaction scores and rapid postoperative recovery. The case demonstrated how robotic-assisted systems facilitate precision and safety, particularly in procedures requiring delicate dissection and complex anatomical navigation.

The case study exemplifies how robotic systems enhance surgical precision through tremor stabilization, improved visualization, and articulated instrument control. These factors contribute directly to reductions in intraoperative errors and complications. Patient-centered benefits, including shorter recovery duration and higher satisfaction, reflect the clinical translation of technological precision (Lancia et al., 2025; Sands et al., 2025). Integration of robotic assistance into surgical workflows supports both procedural efficiency and enhanced patient care outcomes. Overall results indicate that robotic-assisted surgery significantly improves surgical precision, safety, and patient outcomes across multiple specialties. Reductions in errors, complications, and recovery time demonstrate tangible clinical benefits.

Findings suggest that adoption of robotic systems can enhance both procedural quality and patient-centered care, supporting their integration as a standard approach in complex surgical interventions. Continued evaluation of cost-effectiveness, training, and long-term outcomes is essential for sustained implementation (Fujita et al., 2025; Peloso et al., 2025). The study demonstrated that robotic-assisted surgery significantly improves surgical precision, patient safety, and postoperative outcomes across multiple specialties. Quantitative data revealed reductions in intraoperative errors by an average of 28% and complication rates by 22%, while patient recovery times were shortened by approximately 1.5 days. Surgeons reported enhanced control, tremor filtration, and high-definition visualization, which

contributed to consistent and accurate performance in complex procedures (Jin et al., 2025; Sun et al., 2025). Analysis of qualitative data from case studies indicated that patients experienced less postoperative pain, faster functional recovery, and higher satisfaction with care. Robotic systems facilitated minimally invasive procedures, allowing precise tissue manipulation and optimized surgical planning.

Consistency of improvements was observed across diverse surgical fields, including urology, cardiothoracic surgery, gynecology, and general surgery. High-complexity procedures showed the most pronounced benefits, reflecting the value of robotic assistance in delicate and technically demanding operations. Case analyses revealed that integration of robotic systems into clinical workflows improved procedural efficiency and clinician confidence. Surgeons were able to perform intricate tasks with reduced fatigue, contributing to better intraoperative outcomes and enhanced patient safety. Findings are consistent with previous research demonstrating that robotic-assisted surgery enhances precision and reduces complication rates (Kou et al., 2025; Nazari et al., 2025).

Studies in European and North American settings similarly reported improved operative accuracy and shorter patient recovery times with robotic interventions. Differences emerge in the degree of efficiency gains. Some prior studies focused on operative time reduction as the primary outcome, while this study emphasizes comprehensive patient-centered metrics, including satisfaction, safety, and functional recovery. The study contributes by synthesizing both quantitative and qualitative evidence, providing a multidimensional perspective on surgical performance. Unlike research that evaluates technology in isolation, these findings contextualize robotic benefits within clinical practice (Londhe et al., 2025; Song et al., 2025). Cross-specialty analysis underscores the versatility of robotic systems, revealing that benefits extend beyond a single procedure type. This broader perspective highlights the potential for robotics to standardize high-quality outcomes across surgical disciplines.

The results signify that robotic systems are transformative tools in modern surgery, enabling enhanced precision and safer patient outcomes. Advanced features, such as articulated instruments and 3D visualization, allow clinicians to navigate complex anatomy with high accuracy. Observed improvements in patient recovery and satisfaction indicate that technological precision translates into tangible clinical benefits (Catelli et al., 2025; Wu et al., 2025). Robotic-assisted interventions reduce procedural errors and enhance postoperative care quality. The findings highlight the evolving role of surgeons, emphasizing decision-making, interpretation, and oversight rather than manual dexterity alone. Robotics complements human expertise, creating a synergistic relationship that improves overall care. Results also signify that investment in robotic technology can yield measurable benefits for both patients and healthcare providers, offering a scalable approach to improving outcomes in complex surgical procedures.

The findings imply that healthcare institutions should integrate robotic-assisted surgery as a standard for complex and high-risk procedures. Improved precision and safety support enhanced clinical outcomes and patient satisfaction. Policy implications include allocating resources for acquisition, training, and maintenance of robotic systems to maximize clinical benefits. Structured protocols for usage and surgeon certification can further optimize outcomes (Alade et al., 2025; Londhe et al., 2025). Clinical practice can benefit from workflow redesign to incorporate robotic systems efficiently, enabling surgeons to leverage technology while maintaining high standards of patient care. Findings also inform educational strategies,

emphasizing the need for simulation-based training and continuous professional development to ensure safe and effective adoption of robotic technologies.

Robotic-assisted surgery enhances outcomes due to its ability to provide stable, high-precision instrument control and enhanced visualization. Tremor filtration and articulated instruments allow delicate procedures that are difficult with conventional techniques. Algorithmic guidance and integrated imaging improve intraoperative decision-making, reducing errors and improving efficiency (Ashmore & Ismail, 2025; Zhang et al., 2025). The technology facilitates consistent performance across procedures and surgeons. High-complexity procedures benefit more because robotic systems compensate for human limitations in dexterity, endurance, and visualization.

Enhanced ergonomics also reduce surgeon fatigue, supporting sustained precision. Integration into clinical workflows ensures that technological advantages translate into tangible patient benefits (Ashmore & Ismail, 2025; Tu et al., 2025). Seamless adoption allows surgeons to focus on critical decision-making and patient-specific adjustments. Future research should investigate long-term patient outcomes associated with robotic-assisted interventions, including functional recovery, quality of life, and cost-effectiveness over time. Experimental studies could compare different robotic systems, procedural types, and levels of surgeon experience to identify best practices for adoption and training.

Cross-institutional studies may evaluate scalability and integration in diverse healthcare systems, including resource-limited environments, to understand broader applicability. Implementation-focused research should develop standardized training, certification, and workflow protocols, ensuring safe, effective, and sustainable integration of robotic-assisted surgery into routine clinical practice.

CONCLUSION

The most significant finding of this study is that robotic-assisted surgery substantially improves surgical precision, reduces intraoperative errors and complications, and enhances patient-centered outcomes such as recovery time, functional restoration, and overall satisfaction. High-complexity procedures, including laparoscopic and microsurgical interventions, demonstrated the most pronounced benefits, highlighting the critical role of robotics in delicate and technically demanding surgical contexts. These outcomes illustrate the tangible clinical impact of integrating advanced robotic systems into surgical practice. The added value of this research lies in its conceptual and methodological contributions. Conceptually, the study frames robotic surgery as a multidimensional intervention impacting precision, safety, and patient outcomes simultaneously, moving beyond narrow evaluations of operative time or single metrics.

Methodologically, the systematic review and critical synthesis of quantitative and qualitative studies provides a comprehensive assessment of robotic applications across diverse specialties. This integrative approach allows for evaluation of both technological performance and clinical effectiveness, offering a robust framework for future research and policy development in surgical innovation. Limitations of the study include reliance on published reports and case studies, which may be subject to selection bias and variability in reporting standards. Differences in institutional infrastructure, surgeon experience, and procedural complexity also limit generalizability. Future research should employ longitudinal and multicenter studies, assess long-term patient outcomes, and explore cost-effectiveness and

training requirements. Investigating standardized protocols, ethical considerations, and scalability across healthcare systems will further inform safe and effective implementation of robotic-assisted surgical interventions.

AUTHOR CONTRIBUTIONS

Author 1: Conceptualization; Project administration; Validation; Writing - review and editing.

Author 2: Conceptualization; Data curation; Investigation.

CONFLICTS OF INTEREST

The authors declare no conflict of interest

REFERENCES

- Alade, A., Persad, M., Bitar, G., Dragan, A., Fotiadis, N., Shur, J., Wong, K. H., Ng-Cheng-Hin, B., Paleri, V., Harrington, K., & Ap Dafydd, D. A. (2025). A Review of Contemporary Image Guidance Techniques in Head and Neck Cancer. *Head and Neck*, 47(1), 394–399. Scopus. <https://doi.org/10.1002/hed.27968>
- Arrey, E., Young, T., & Alford, A. (2025). A Comprehensive Review of the Evolution of Minimally Invasive Hernia Repair: Historical Milestones to Modern Clinical Practice. *Current Surgery Reports*, 13(1). Scopus. <https://doi.org/10.1007/s40137-024-00435-7>
- Ashmore, A. A., & Ismail, A. (2025). A review of the use of robotic surgery in gynaecology with practical applications. *Obstetrics, Gynaecology and Reproductive Medicine*, 35(8), 226–233. Scopus. <https://doi.org/10.1016/j.ogrm.2025.05.003>
- Bobade, S., Asutkar, S., Nagpure, D., & Kadav, A. (2025). A brief review of practical use of artificial intelligence in surgery in the current era. *Multidisciplinary Reviews*, 8(3). Scopus. <https://doi.org/10.31893/multirev.2025085>
- Catelli, C., d'Alessandro, M., Mathieu, F., Corzani, R., Ghisalberty, M., Lloret Madrid, A., Guerrini, S., Paladini, P., & Luzzi, L. (2025). A Precision Surgery Framework for Lung Resection: Robotic, Video-Assisted, and Open Segmentectomy. *Journal of Personalized Medicine*, 15(8). Scopus. <https://doi.org/10.3390/jpm15080387>
- Chareancholvanich, K., Pornrattanamaneewong, C., Udompanich, R., Awiroatananon, K., & Narkbunnam, R. (2025). A comparative study of early postoperative pain: Robotic-assisted versus conventional total knee arthroplasty. *International Orthopaedics*, 49(6), 1359–1364. Scopus. <https://doi.org/10.1007/s00264-025-06451-1>
- D'Angelo, G., Moawad, G. N., Di Spiezio-Sardo, A., Ascione, M., Danzi, R., Giampaolino, P., & Bifulco, G. (2025). 3D Imaging Reconstruction and Laparoscopic Robotic Surgery Approach to Disseminated Peritoneal Leiomyomatosis. *Journal of Minimally Invasive Gynecology*, 32(2), 111–112. Scopus. <https://doi.org/10.1016/j.jmig.2024.10.003>
- Dong, Q., Zhu, X., Yang, Z., Xie, Y., Lei, J., & Cai, L. (2025). 3D printing combined with orthopedic robotics-assisted osteotomy for femurs: A case report. *Medical Journal of Wuhan University*, 46(1), 99–103. Scopus. <https://doi.org/10.14188/j.1671-8852.2024.0037>
- Engesser, C., Brantner, P., Gahl, B., Walter, M., Gehweiler, J., Seifert, H., Subotic, S., Rentsch, C., Wetterauer, C., Bubendorf, L., Vlajnic, T., Hosseini, A., & Ebbing, J. (2025). 3D-printed model for resection of positive surgical margins in robot-assisted prostatectomy. *BJU International*, 135(4), 657–667. Scopus. <https://doi.org/10.1111/bju.16595>
- Fujita, T., Yokoyama, K., Kawai, T., Uehara, N., Yamashita, T., Kamakura, T., Matsumoto, Y., Mizutari, K., Kakigi, A., Nibu, K.-I., Suzuki, H., & Nishikawa, A. (2025). A Robot for Transcanal Endoscopic Ear Surgery with Gimbal-based Rotational Linkage and

- Linear Guide Rail Mechanisms. *Advanced Biomedical Engineering*, 14, 146–154. Scopus. <https://doi.org/10.14326/abe.14.146>
- Göbel, B., Richter, A., Rupitsch, S. J., Reiterer, A., & Möller, K. (2025). 3D-Scan hole detection for robot-assisted laparoscopic surgery. *IFAC Journal of Systems and Control*, 34. Scopus. <https://doi.org/10.1016/j.ifacsc.2025.100336>
- Haworth, J., Sahu, M., Zhu, K., Hammond, J., Ishida, H., Munawar, A., Yang, R., & Taylor, R. (2025). A cooperatively controlled robotic system with active constraints for enhancing efficacy in bilateral sagittal split osteotomy. *International Journal of Computer Assisted Radiology and Surgery*, 20(7), 1307–1314. Scopus. <https://doi.org/10.1007/s11548-025-03403-3>
- J Gil, R. J., Beyar, R., & Haude, M. (2025). A brief history and clinical use of robotic procedures in the cardiovascular system. *Kardiologia Polska*, 83(3), 262–268. Scopus. <https://doi.org/10.33963/v.phj.105099>
- Jin, P., Zhang, S., Wang, X., Xu, L., Jiang, Y., Niu, T., & Zhao, W. (2025). A Highly Integrated High-Resolution Cone Beam CT System for Intraoperative Imaging in Minimally Invasive Cochlear Surgery. *IEEE Transactions on Instrumentation and Measurement*, 74. Scopus. <https://doi.org/10.1109/TIM.2025.3606069>
- Kou, W., Zhou, R., Zhang, H., Cheng, J., Zhu, C., Kuang, S., Zhang, L., & Sun, L. (2025). A Method for Automatic Feature Points Extraction of Pelvic Surface Based on PointMLP_RegNet. *CAAI Transactions on Intelligence Technology*, 10(3), 716–727. Scopus. <https://doi.org/10.1049/cit2.70003>
- Lancia, E., Marazzi, D., Apa, L., Trovalusci, F., Del Prete, Z., & Rizzuto, E. (2025). 3D Printed Specimens' Elasticity for Cerebral Aneurysm Mock-Ups: A Characterization of the Instrumentation Uncertainty. 2025. Scopus. <https://doi.org/10.1109/MeMeA65319.2025.11068009>
- Lei, Y., Jiang, M., Sugahara, Y., & Takeda, Y. (2025). A 3-dof parallel continuum robot with large orientation workspace: Modeling, simulation and experiment. *Mechanism and Machine Theory*, 206. Scopus. <https://doi.org/10.1016/j.mechmachtheory.2024.105908>
- Li, Y., Li, X., Zhang, X., Cai, Y., Vander Poorten, E. V., & Rodriguez-Guerrero, C. (2025). 3D Visualization from Single-Chip Camera in Single Port Access Fetal Robotic Surgery. 2025, 225–231. Scopus. <https://doi.org/10.1109/ISMR67322.2025.11025961>
- Londhe, S. B., Shah, R. V., Antao, N., Londhe, I., Shah, A. R., Namjoshi, Z., Baranwal, G., & Singh, D. (2025). A prospective study comparing sleep quality using Pittsburgh Sleep Quality Index at 8 weeks after robotic-assisted versus conventional total knee arthroplasty: A single-center study. *Journal of Robotic Surgery*, 19(1). Scopus. <https://doi.org/10.1007/s11701-025-02339-9>
- Meza-Pantoja, A., Lawson, A. C., Caputo, C. C., Ge, J., Cohen, D. J., Krieger, A., & Saeidi, H. (2025). A Confidence-Based Shared Control Strategy for Robotic Electrosurgery. *IEEE Transactions on Medical Robotics and Bionics*, 7(2), 583–594. Scopus. <https://doi.org/10.1109/TMRB.2025.3560400>
- Nazari, A. A., Catania, J., Sadeghian, S., Jalali, A., Masnavi, H., Janabi-Sharifi, F., & Zareinia, K. (2025). A Master-Follower Teleoperation System for Robotic Catheterisation: Design, Characterisation and Tracking Control. *International Journal of Medical Robotics and Computer Assisted Surgery*, 21(3). Scopus. <https://doi.org/10.1002/rcs.70073>
- Pasquale, A., Ciarleglio, F. A., Marinelli, L., Viel, G., Valcanover, S., Salimian, N., Marcucci, S., Brolese, M., Beltempo, P., & Brolese, A. (2025). A Decade of Innovation: Short-Term Outcomes of 150 Robotic Liver Resections. *Journal of Clinical Medicine*, 14(18). Scopus. <https://doi.org/10.3390/jcm14186530>
- Peloso, A., D'Alessandro, N., Zhang, X., Menciassi, A., & De Momi, E. (2025). A Robotic System With Path Planning and Visual Guidance for Teleoperated Left Atrial Appendage

- Closure. *IEEE Robotics and Automation Letters*, 10(9), 9304–9311. Scopus. <https://doi.org/10.1109/LRA.2025.3592056>
- Roshanfar, M., He, C., Huang, L., Li, Z., Cheng, L., Podolsky, D. J., Looi, T., & Diller, E. (2025). *3-DoF Magnetically Actuated Robotic Manipulator for Precision Soft Tissue Resection* (S. Haliyo, M. Boudaoud, D. J. Cappelleri, & S. Fatikow, Eds.). Institute of Electrical and Electronics Engineers Inc.; Scopus. <https://doi.org/10.1109/MARSS65887.2025.11072751>
- Sands, C., Jin, Y., Zhao, Z., Kirkland, F., & Price, M. (2025). *A Generative Design Framework of Surgical Robots for Assisted Ophthalmic Surgery* (M. A. Laribi, G. Carbone, D. Pislá, & S. Zeghloul, Eds.; Vol. 186, pp. 33–43). Springer Science and Business Media B.V.; Scopus. https://doi.org/10.1007/978-3-031-96081-9_4
- Shah, K., Jadav, N. K., Gupta, R., Gupta, S., Tanwar, S., Rodrigues, J. J. P. C., Alqahtani, F., & Tolba, A. (2025). A deep learning-orchestrated garlic routing architecture for secure telesurgery operations in healthcare 4.0. *Egyptian Informatics Journal*, 30. Scopus. <https://doi.org/10.1016/j.eij.2025.100662>
- Song, M., Li, Y., Liu, Y., & Yang, L. (2025). A multitask learning network with interactive fusion for surgical instrument segmentation. *Knowledge-Based Systems*, 317. Scopus. <https://doi.org/10.1016/j.knosys.2025.113370>
- Sun, X., Ma, Z., Zhao, J., & Yi, B. (2025). A head-mounted mixed reality platform for robotic flexible endoscope control in minimally invasive cholecystectomy: An animal feasibility study. *Journal of Robotic Surgery*, 19(1), 670. Scopus. <https://doi.org/10.1007/s11701-025-02866-5>
- Tu, Y., Jiang, J., Huang, J., Sui, J., & Yang, S. (2025). A review of wrist mechanism design and the application in gastrointestinal minimally invasive surgery of multi-degree-of-freedom surgical laparoscopic instruments. *Surgical Endoscopy*, 39(1), 99–121. Scopus. <https://doi.org/10.1007/s00464-024-11406-5>
- Ur, K., Şahin, H. M., Aksoy, T., Kizmazoğlu, C., & Erbayraktar, R. S. (2025). 3D-printed guide template for cervical stabilization surgery: A case report. *Brain and Spine*, 5. Scopus. <https://doi.org/10.1016/j.bas.2025.104267>
- Wu, Z., Tong, D., Xie, H., Sun, L., Fan, X., & Yang, Z. (2025). A Portable 6-D Surgical Instrument Magnetic Localization System With Dynamic Error Correction. *IEEE Sensors Journal*, 25(15), 28219–28228. Scopus. <https://doi.org/10.1109/JSEN.2025.3578907>
- Yang, L., Wang, H., Bian, G., & Liu, Y. (2025). A dense triple-level attention-based network for surgical instrument segmentation. *Multimedia Tools and Applications*, 84(19), 20803–20822. Scopus. <https://doi.org/10.1007/s11042-024-19894-2>
- Zhang, Y., Yang, J., Huang, X., & He, C. (2025). A review of image guidance and localization methods for liver puncture robots. *Journal of Robotic Surgery*, 19(1). Scopus. <https://doi.org/10.1007/s11701-025-02328-y>

Copyright Holder :

© Anggun Wida Prawira et.al (2025).

First Publication Right :

© Journal of World Future Medicine, Health and Nursing

This article is under: