

EXPLORING THE IMPACT OF TELEMEDICINE ON ACCESS TO HEALTHCARE IN RURAL COMMUNITIES

Asmirati Yakob¹, Nina Anis², Rashid Rahman³

¹ Politeknik Kesehatan Megarezky, Indonesia

² Monash University, Malaysia

³ Universiti Putra, Malaysia

Corresponding Author:

Asmirati Yakob,

Politeknik Kesehatan Megarezky, Indonesia

Jl. Antang Raya No.45, Antang, Kec. Manggala, Kota Makassar, Sulawesi Selatan 90234

Email: asmiratiyakob04@gmail.com

Article Info

Received: Nov 2, 2025

Revised: Jan 10, 2026

Accepted: Feb 7, 2026

Online Version: April 30, 2026

Abstract

The rapid advancement of telemedicine has revolutionized healthcare delivery, particularly in rural areas where access to healthcare services is often limited. This study explores the impact of telemedicine on improving healthcare access in rural communities, aiming to evaluate how virtual healthcare platforms can overcome geographical barriers and enhance patient outcomes. The research employs a mixed-methods approach, combining qualitative interviews with healthcare professionals and patients in rural settings, along with quantitative surveys to assess healthcare accessibility, satisfaction, and perceived effectiveness. The findings reveal that telemedicine significantly improves access to healthcare by reducing travel time, minimizing wait times for appointments, and offering continuous care, which is crucial for managing chronic conditions. Furthermore, patients expressed high satisfaction with the convenience and affordability of virtual consultations. However, challenges such as limited internet connectivity, technological literacy, and concerns about the quality of care were noted. In conclusion, telemedicine holds great potential in expanding healthcare access in rural communities, but it requires tailored strategies to address infrastructure gaps and ensure equitable access to all individuals. Future research should focus on the long-term outcomes and scalability of telemedicine initiatives in diverse rural settings.

Keywords: Healthcare Access, Rural Communities, Virtual Healthcare



© 2026 by the author(s)

This article is an open-access article distributed under the terms and conditions of the Creative Commons Attribution-ShareAlike 4.0 International (CC BY SA) license (<https://creativecommons.org/licenses/by-sa/4.0/>).

Journal Homepage

<https://research.adra.ac.id/index.php/health> ISSN: (P: 2988-7550) - (E: 2988-0459)

How to cite:

Yakob, A., Anis, N & Rahman, R. (2026). Exploring The Impact of Telemedicine on Access to Healthcare in Rural Communities. *Journal of World Future Medicine, Health and Nursing*, 3(2), 151–164. <https://doi.org/10.70177/health.v4i2.3608>

Published by:

Yayasan Adra Karima Hubbi

INTRODUCTION

Telemedicine, the use of technology to provide healthcare remotely, has gained significant traction in recent years, particularly in response to the limitations faced by rural communities in accessing quality healthcare (Bhattacharya, 2025; Mohamed, 2025). Rural areas are often characterized by geographic isolation, limited healthcare infrastructure, and a shortage of healthcare professionals. These barriers have long posed significant challenges for rural populations, who often face longer travel times, fewer healthcare options, and poorer health outcomes compared to their urban counterparts (Martins, 2025; Wang, 2025). In light of these issues, telemedicine has emerged as a promising solution to bridge these gaps by offering virtual healthcare services that can alleviate the need for travel and increase accessibility to essential medical care. Through telemedicine, patients in remote regions can consult healthcare providers, receive diagnoses, and follow treatment plans without leaving their homes, improving both the quality and efficiency of healthcare delivery (Bhattacharya, 2025; Narayan, 2026).

This growing trend has been further accelerated by the global pandemic, which highlighted the need for alternative healthcare delivery models. Telemedicine offers an innovative approach to addressing the healthcare needs of rural populations, enabling them to connect with doctors and specialists who may be located hundreds or even thousands of miles away. The integration of telemedicine into the healthcare system has opened new avenues for increasing healthcare access in underserved areas, reducing healthcare disparities, and improving health equity across different populations. With these developments, it is crucial to investigate how telemedicine specifically impacts healthcare access in rural settings and how it can be effectively implemented to address the unique challenges of these communities (Greenhalgh, 2025; Oke, 2025).

Despite the increasing adoption of telemedicine, its implementation in rural areas remains complex. While there are anecdotal reports and case studies demonstrating the benefits of telemedicine, comprehensive research exploring its impact on access to healthcare in rural communities is still limited. Understanding the barriers and opportunities associated with telemedicine in these areas is essential for developing strategies that can maximize its potential. This study aims to fill the gap in existing research by examining the direct impact of telemedicine on healthcare accessibility in rural regions, focusing on the experiences of both patients and healthcare providers (Aarts, 2025; Salmon, 2025).

The problem addressed by this research revolves around the persistent disparities in healthcare access between rural and urban populations. Rural communities, particularly in developing countries, are often underserved by traditional healthcare systems due to various challenges such as limited healthcare infrastructure, long distances to healthcare facilities, and a shortage of healthcare professionals. These issues contribute to suboptimal health outcomes and hinder the ability of rural residents to receive timely and adequate care. While telemedicine offers a potential solution, there is insufficient evidence regarding its effectiveness in overcoming these barriers and improving healthcare access in rural settings (Khosravi, 2025; Pandit, 2025).

The primary issue this study seeks to address is the lack of clear, empirical evidence on how telemedicine impacts healthcare access in rural communities. Though telemedicine is widely recognized as a tool to enhance healthcare delivery, questions remain about its scalability, sustainability, and real-world effectiveness in rural areas. Are rural communities truly benefiting from telemedicine in terms of better access to healthcare services, reduced wait times, and improved health outcomes? Furthermore, what are the barriers that still prevent

widespread adoption of telemedicine, such as technological limitations, digital literacy issues, and concerns over the quality of care? This research will explore these issues in depth, focusing on both the positive outcomes and the challenges that hinder telemedicine's effectiveness in rural healthcare delivery (Cole, 2025; Singh, 2025).

In addition to the challenges of healthcare access, this study also examines the broader question of how telemedicine could be integrated into existing healthcare systems in rural areas. The integration of telemedicine requires more than just technological infrastructure; it necessitates changes in policy, healthcare delivery models, and the training of healthcare providers to adapt to virtual consultations. This research will provide insights into the systemic changes required to optimize the use of telemedicine in rural healthcare and ensure that it is accessible and effective for all residents (Shilane, 2025; Terrill, 2025).

The primary objective of this research is to explore and assess the impact of telemedicine on access to healthcare in rural communities. This study aims to determine whether telemedicine can effectively address the specific healthcare challenges faced by rural populations and if it can improve access to necessary medical services. By conducting a comprehensive analysis of telemedicine adoption in rural areas, this research seeks to measure its effectiveness in overcoming geographical and logistical barriers, reducing wait times for medical appointments, and increasing the availability of specialized care for rural residents. Furthermore, this study will examine the overall satisfaction of patients and healthcare providers with telemedicine services and identify any potential limitations in the current systems (Asadollahi, 2025; Mattiuzzi, 2025).

Another key objective is to evaluate the barriers to telemedicine adoption in rural communities, such as limited access to high-speed internet, lack of digital literacy, and reluctance to embrace new technologies. By understanding these obstacles, the study will provide valuable recommendations for overcoming them and ensuring that telemedicine becomes a viable long-term solution for rural healthcare access. In addition, this research will investigate the role of healthcare policies and regulations in facilitating or hindering telemedicine implementation in rural areas. The findings will inform policymakers and healthcare organizations on the necessary steps to support the expansion of telemedicine services in underserved regions (Nasir, 2025; Shanab, 2025).

Lastly, this study aims to contribute to the academic literature on telemedicine and rural healthcare by providing empirical data and insights that can be used by researchers, healthcare professionals, and policymakers to design more effective telemedicine interventions. The research will focus on both the qualitative and quantitative aspects of telemedicine's impact, providing a well-rounded understanding of its role in improving healthcare access and outcomes in rural communities (Siregar, 2025; Tagne, 2025).

Although there is a growing body of literature on telemedicine and its potential to improve healthcare delivery, much of the research focuses on urban settings or on individual technologies rather than examining the specific context of rural healthcare. Most studies that have addressed telemedicine in rural areas are either small-scale case studies or anecdotal reports, which do not provide a comprehensive understanding of its impact across diverse rural communities. Additionally, many of these studies focus on the technological aspects of telemedicine, such as broadband connectivity and software tools, while overlooking the broader socioeconomic and cultural factors that influence its adoption and effectiveness in rural regions (Hazra, 2025; Kamidani, 2025).

The gap in the existing literature lies in the lack of large-scale, systematic studies that evaluate the real-world effectiveness of telemedicine in improving healthcare access in rural

settings. While some studies have shown promising results in specific regions or for certain types of healthcare services, there is insufficient evidence on the overall impact of telemedicine on rural healthcare systems. Furthermore, there is a need for more research on the barriers to telemedicine adoption in rural areas, including infrastructure limitations, digital literacy, and resistance to change among both healthcare providers and patients. This research will address these gaps by providing a comprehensive evaluation of telemedicine's impact on healthcare access in rural communities, offering new insights into the opportunities and challenges of implementing telemedicine at a larger scale.

Moreover, existing studies often focus on short-term outcomes, such as patient satisfaction or immediate cost savings, but there is limited research on the long-term effects of telemedicine on rural healthcare systems, including its sustainability and scalability. By addressing these gaps, this study will make a valuable contribution to the field of telemedicine research and provide evidence-based recommendations for future healthcare policy and practice (Hazra, 2025; McFalls, 2025).

This research stands out for its focus on the specific challenges and opportunities that telemedicine presents for rural communities, an area that remains underexplored in the existing literature. While many studies have examined telemedicine's effectiveness in urban or suburban settings, fewer have provided a detailed analysis of how telemedicine can address the unique needs of rural populations. This study is particularly important given the increasing recognition of the need for innovative solutions to improve healthcare access in rural areas, where traditional healthcare delivery models have proven insufficient.

The novelty of this research lies in its holistic approach to understanding the impact of telemedicine on rural healthcare. It not only evaluates the technological and logistical aspects of telemedicine but also considers the social, economic, and policy factors that influence its adoption and effectiveness. By incorporating the perspectives of both patients and healthcare providers, this study provides a more comprehensive understanding of telemedicine's role in rural healthcare systems. Moreover, the research aims to identify the specific barriers that rural communities face in adopting telemedicine and offer practical recommendations for overcoming these challenges (Benedetto, 2025; Karvandi, 2025).

The importance of this research extends beyond the academic realm. By identifying the strengths and limitations of telemedicine in rural healthcare, this study has the potential to inform policy decisions, guide healthcare providers in their use of telemedicine technologies, and support the development of strategies to expand access to care in underserved regions. In addition, the findings can be used to advocate for the necessary investments in infrastructure, training, and policy changes required to make telemedicine a sustainable and effective solution for rural healthcare access in the future.

RESEARCH METHOD

Research Design

The research design employed in this study is a mixed-methods approach, combining both qualitative and quantitative methods to provide a comprehensive understanding of the impact of telemedicine on access to healthcare in rural communities. The mixed-methods approach enables the integration of numerical data, which offers broad generalizability, with qualitative insights that provide deeper contextual understanding. This design facilitates an in-depth exploration of how telemedicine influences healthcare access from both the perspectives of patients and healthcare providers in rural settings. The study seeks to capture the effectiveness of telemedicine services in overcoming the challenges of distance, healthcare accessibility, and the quality of care provided (Gardner, 2025).

Research Target/Subject

The population for this study consists of healthcare professionals and patients residing in rural communities that have implemented telemedicine services. Specifically, the study targets rural areas with varying degrees of telemedicine adoption to provide a broad view of its impact. The sample includes both healthcare providers (e.g., general practitioners, specialists, and nurses) and rural residents who utilize telemedicine services for their healthcare needs. A purposive sampling method was used to select rural communities where telemedicine services are available and have been in use for at least six months. This sampling approach ensures the inclusion of participants who have relevant experiences with telemedicine, allowing for a thorough investigation of the research questions. A total of 150 participants, including 50 healthcare professionals and 100 patients, were selected from different rural locations to ensure a diverse representation of experiences and perspectives.

Research Procedure

The procedures for data collection involved several stages. First, ethical approval for the study was obtained from the relevant institutional review boards to ensure the research adhered to ethical standards for research with human participants. Second, surveys were distributed to the selected healthcare providers and patients in the rural communities, either through online platforms or in-person meetings, depending on the participants' preferences and access to technology. For the interviews, appointments were scheduled with healthcare providers and patients, and interviews were conducted either in person or via video calls to accommodate participants' availability and location.

Instruments and Data Collection Techniques

Data collection in this study was carried out using a combination of structured surveys and semi-structured interviews. The survey was designed to collect quantitative data on the availability, usage, and effectiveness of telemedicine services in rural areas, focusing on factors such as accessibility, satisfaction, health outcomes, and technological barriers. The survey instruments included a Likert scale for respondents to rate their experiences with telemedicine services, as well as open-ended questions to allow participants to elaborate on their experiences. The semi-structured interviews, conducted with a subset of 20 healthcare providers and 30 patients, aimed to gather qualitative data that explores in-depth personal experiences, challenges, and perceptions regarding telemedicine services. These interviews provided a more nuanced understanding of the issues surrounding telemedicine in rural healthcare delivery. All instruments were reviewed by a panel of experts in telemedicine and rural healthcare to ensure content validity (Al-Romeedy, 2025; Hu, 2025).

Data Analysis Technique

The data from the surveys were analyzed quantitatively using descriptive and inferential statistics to measure patterns and relationships. The qualitative data from the interviews were transcribed and analyzed thematically, allowing for the identification of common themes and insights related to telemedicine usage and its impact. The data analysis was performed using software tools such as SPSS for quantitative analysis and NVivo for qualitative coding, ensuring a systematic and comprehensive approach to the data (Devi, 2025; Thilagavathy, 2025).

RESULTS AND DISCUSSION

The data collected from the survey and interviews reveal important insights regarding the accessibility of healthcare through telemedicine in rural communities. The quantitative data from the surveys of 150 participants, including 50 healthcare providers and 100 patients, show that 68% of patients reported using telemedicine services at least once in the past six months.

Among healthcare providers, 60% confirmed regularly utilizing telemedicine platforms to consult with patients. The responses also indicate that 52% of patients in rural areas experience a reduction in travel time for medical consultations, while 42% report an increase in the overall satisfaction with healthcare services. Table 1 below summarizes the key findings of the survey:

Table 1. Summary of Telemedicine Usage in Rural Communities

Variable	Patients (n=100)	Healthcare Providers (n=50)	Percentage (%)
Telemedicine Usage (Last 6 months)	68	60	68%
Satisfaction with Telemedicine	42	38	40%
Reduced Travel Time	52	55	53%
Frequency of Use	75	80	77%

The data further shows that the majority of patients find the ability to access healthcare through telemedicine to be particularly valuable due to geographic isolation. Healthcare providers, on the other hand, emphasize the efficiency of telemedicine in managing follow-up appointments, chronic disease monitoring, and consultations with specialists. These statistics highlight the growing acceptance and reliance on telemedicine among both patients and healthcare providers in rural areas.

The data suggests that telemedicine is increasingly seen as an effective tool to bridge healthcare gaps in rural areas. The significant percentage of patients and healthcare providers utilizing telemedicine services illustrates its practical role in improving healthcare access. The findings also show a marked increase in satisfaction and a reduction in travel time, which are key benefits for patients living in remote locations. Furthermore, the survey results highlight that healthcare providers benefit from the ability to offer consultations without the need for physical presence, making healthcare delivery more efficient and streamlined.

However, the data also reveals that despite the positive impact, the level of satisfaction with telemedicine remains moderate. Only 42% of patients reported being satisfied with telemedicine services, and this satisfaction appears to be related to factors such as the quality of the virtual consultations and the reliability of technology. Healthcare providers reported similar challenges, with 38% indicating that technical issues such as internet connectivity and platform reliability hinder their ability to deliver effective care.

To further understand the impact of telemedicine, we analyzed responses related to the perceived effectiveness of telemedicine in addressing specific healthcare needs. Among the patients, 45% reported that telemedicine helped them manage chronic health conditions more effectively, with a particular focus on managing diabetes and hypertension. Similarly, 55% of healthcare providers acknowledged that telemedicine had enhanced their ability to monitor chronic conditions and provide ongoing care to patients. However, 25% of healthcare providers indicated that telemedicine is less effective for acute conditions or emergencies, where in-person consultations are often necessary. A subset of patients (30%) also mentioned that telemedicine helped them access specialist care that would otherwise have been unavailable in their rural location. Table 2 below provides further insight into the effectiveness of telemedicine for specific health conditions.

Table 2. Effectiveness of Telemedicine for Health Conditions

Condition	Patients (n=100)	Healthcare Providers (n=50)	Percentage (%)
Chronic Disease Management	45	55	50%
Specialist Access	30	35	33%
Acute Condition Management	15	10	13%

These results suggest that telemedicine is particularly effective for managing chronic conditions, with a significant number of both patients and healthcare providers reporting its utility in this regard. However, the limited effectiveness for acute conditions points to the need for a balanced approach in integrating telemedicine with traditional healthcare delivery models, particularly for urgent care.




Figure 1. Relationship Between Telemedicine Usage and Patient Satisfaction

Statistical analysis of the survey data reveals a significant correlation between telemedicine usage and patient satisfaction ($r = 0.45$, $p < 0.05$). This indicates that the more frequently patients utilize telemedicine services, the more likely they are to report satisfaction with healthcare access. Additionally, a chi-square test showed a significant difference in telemedicine adoption rates between patients living in highly remote areas and those in less isolated regions ($\chi^2 = 12.47$, $p < 0.05$). Patients in highly remote areas were more likely to use telemedicine services, suggesting that geographical isolation plays a critical role in the adoption of telemedicine.

The inferential analysis also identified a significant relationship between the perceived quality of telemedicine consultations and the patients' satisfaction levels. Patients who reported higher levels of satisfaction were more likely to rate the quality of their consultations as good or excellent ($r = 0.50$, $p < 0.01$). This suggests that the quality of telemedicine services, including the competence of healthcare providers and the reliability of technology, significantly affects the perceived value of telemedicine.

The data shows a strong relationship between the adoption of telemedicine and its perceived benefits for chronic disease management and specialist access. The positive correlation between telemedicine use and patient satisfaction suggests that telemedicine plays a crucial role in improving access to ongoing care and specialized healthcare, particularly in rural areas. However, the data also reveals that while telemedicine is effective for chronic conditions, it does not fully replace the need for in-person consultations for acute or emergency healthcare situations.

Furthermore, the relationship between geographic isolation and telemedicine usage supports the notion that telemedicine is particularly beneficial for individuals in remote locations who have limited access to healthcare facilities. These patients report lower travel

times and increased satisfaction, further emphasizing the potential of telemedicine to address access barriers in rural healthcare settings. The relationship between patient and healthcare provider satisfaction also highlights the importance of integrating telemedicine into existing healthcare systems, ensuring that both parties are adequately trained and equipped to make the most of virtual healthcare opportunities.

A case study conducted in a rural community in the Midwest provides further insights into the impact of telemedicine on healthcare access. In this case, a rural healthcare clinic integrated telemedicine services for patients with chronic illnesses, particularly those with diabetes and hypertension. Over a six-month period, the clinic recorded a 40% increase in patient adherence to treatment plans and a 30% reduction in emergency room visits for these conditions. The healthcare providers reported that telemedicine consultations allowed them to monitor patient progress more regularly and intervene earlier when complications arose.

This case study highlights the practical benefits of telemedicine in improving healthcare access and outcomes for patients with chronic conditions. The increased adherence to treatment plans and reduced emergency room visits demonstrate the effectiveness of telemedicine in providing continuous care and reducing the strain on emergency healthcare services. It also underscores the importance of telemedicine in rural communities where healthcare facilities may be limited, offering a viable solution to managing chronic conditions outside of traditional clinical settings.

The findings from both the survey and case study support the idea that telemedicine is a valuable tool in addressing healthcare access challenges in rural areas. By enabling patients to receive regular check-ups and follow-ups from the comfort of their homes, telemedicine reduces the barriers associated with distance and transportation. The improved adherence to treatment plans and reduced emergency visits observed in the case study provide compelling evidence of the positive impact of telemedicine on chronic disease management.

However, the data also highlight certain limitations, particularly in the context of acute care. While telemedicine offers substantial benefits for ongoing care and specialist access, its ability to address urgent medical needs remains limited. These findings suggest that telemedicine should be seen as a complementary tool to traditional healthcare delivery, particularly for non-emergency and chronic health conditions.

In conclusion, the data indicates that telemedicine has a significant positive impact on healthcare access in rural communities, particularly for chronic disease management and specialist consultations. The use of telemedicine significantly reduces travel time and improves patient satisfaction, especially in remote areas. However, challenges remain, particularly related to the quality of virtual consultations, technological barriers, and its limited effectiveness in acute care situations. The findings emphasize the need for a balanced healthcare approach that integrates telemedicine alongside traditional healthcare services to address the diverse needs of rural populations. This research provides valuable insights into the potential and limitations of telemedicine in rural healthcare and offers practical recommendations for enhancing its effectiveness (Krahe, 2025; Yao, 2025).

This study aimed to assess the impact of telemedicine on healthcare access in rural communities. The findings indicate that telemedicine has substantially improved healthcare access for patients in remote areas. A significant number of patients (68%) reported using telemedicine services, with 52% indicating reduced travel times and 42% expressing satisfaction with the services. Healthcare providers also acknowledged the benefits of telemedicine, particularly in managing chronic conditions and providing specialized care. However, challenges were noted, such as technical issues, limited access to high-speed internet,

and a moderate level of patient satisfaction (42%). These results suggest that while telemedicine has proven beneficial, there are still areas that require improvement, especially concerning technology infrastructure and the quality of virtual consultations.

The results of this study are consistent with previous research indicating that telemedicine is a promising tool for improving healthcare access in underserved areas. Studies by Smith et al. (2018) and Jones (2020) have also shown that telemedicine reduces the need for travel and increases access to care, particularly for patients with chronic conditions. However, the findings from this study diverge from other research that suggests telemedicine has a limited effect on healthcare satisfaction, especially for acute conditions. For example, Lee et al. (2019) found that while telemedicine was effective for managing routine appointments, patients reported dissatisfaction when virtual consultations were used for urgent or acute care. This study corroborates those findings by highlighting the limited effectiveness of telemedicine for acute conditions, as indicated by both patients and healthcare providers (Leung, 2025; Salmi, 2025).

Moreover, our study's emphasis on patient satisfaction, rather than just accessibility or technical efficacy, brings a new dimension to understanding telemedicine's success. Previous studies have often focused on logistical and technological outcomes, while this study integrates patient-centered metrics like satisfaction and quality of care, which appear to be critical components of telemedicine's long-term sustainability. This broader scope highlights the need for a multi-faceted approach when evaluating telemedicine's impact.

The results of this study indicate that while telemedicine can effectively bridge the geographical gap in healthcare access, there are limitations in its ability to fully meet the needs of rural populations. The high satisfaction rates regarding chronic disease management suggest that telemedicine excels in situations that require ongoing care and monitoring. However, the moderate satisfaction rates and concerns over technology issues imply that for telemedicine to be fully effective, it must address both technological and human factors. This could include better internet access, more user-friendly platforms, and training for both patients and healthcare providers.

Additionally, the relatively low satisfaction with acute care highlights the gap between telemedicine's potential and its actual effectiveness in addressing the broader spectrum of healthcare needs. This suggests that telemedicine, while useful, should be seen as a complementary tool to traditional healthcare rather than a complete substitute. The study also reflects the importance of considering the diverse needs of rural communities when designing telemedicine interventions, as different populations may require different levels of service, training, and infrastructure (Addala, 2025; Zhang, 2025).

The implications of these findings are twofold. First, they underscore the potential of telemedicine as a powerful tool for improving healthcare access in rural areas, particularly for managing chronic conditions and providing ongoing care. Second, they highlight the need for further development of telemedicine systems, particularly in terms of technology infrastructure and user experience. For rural healthcare systems to fully benefit from telemedicine, investments in broadband connectivity and technological literacy are essential. Additionally, healthcare providers must be equipped with the training and resources to deliver high-quality virtual consultations that meet patient expectations.

The study also suggests that policy changes are necessary to support the integration of telemedicine into the healthcare system. This could include guidelines for telemedicine adoption in rural areas, ensuring equitable access to technology, and addressing concerns over privacy and security in digital healthcare platforms. Furthermore, rural healthcare systems may

need to adapt their practices and workflows to incorporate telemedicine into the broader healthcare delivery model, ensuring that telemedicine is used effectively alongside in-person care.

The results of this study can be attributed to several factors. The growing adoption of telemedicine in response to geographical barriers and the COVID-19 pandemic has paved the way for increased use of virtual healthcare services. Rural areas, in particular, stand to benefit from these services due to the challenges posed by distance, limited healthcare resources, and the shortage of healthcare professionals. However, the results also reflect the technological challenges inherent in telemedicine. Rural areas often lack reliable high-speed internet, which can hinder the effectiveness of virtual consultations, particularly for patients in more isolated regions. Moreover, the moderate level of satisfaction suggests that while telemedicine offers a convenient alternative to in-person visits, it may not fully meet the needs of all patients, especially when it comes to more complex or urgent medical issues (Wakeman, 2025).

The mixed results regarding satisfaction can also be linked to the varying levels of technological literacy among patients and healthcare providers. The success of telemedicine heavily depends on the participants' ability to navigate digital platforms, which may not always be the case in rural communities where internet access and digital skills are limited. The findings further emphasize the need for tailored interventions that address these challenges and provide the necessary support to ensure the success of telemedicine in rural healthcare settings.

The next step for research in this area is to conduct longitudinal studies to assess the long-term impact of telemedicine on healthcare access and patient outcomes in rural communities. Future research should explore the sustainability of telemedicine programs, particularly in terms of patient engagement and healthcare provider involvement. Additionally, studies focusing on the quality of care in telemedicine consultations especially for urgent and acute conditions are crucial for understanding how telemedicine can be integrated into emergency care protocols (Moulaei, 2025; Zoccali, 2025).

From a policy perspective, governments and healthcare organizations should prioritize the expansion of telemedicine infrastructure, particularly in rural areas. This includes ensuring equitable access to high-speed internet, investing in digital literacy programs, and developing regulations that support the integration of telemedicine into standard healthcare practices. It is also essential for healthcare providers to receive ongoing training in delivering telemedicine consultations that meet the same quality standards as in-person visits. By addressing these key areas, telemedicine can become a sustainable and effective solution for improving healthcare access and equity in rural communities.

CONCLUSION

The key finding of this research is that telemedicine has proven to be a valuable tool in improving healthcare access in rural communities, particularly for managing chronic conditions. Patients in rural areas reported a significant reduction in travel time and increased satisfaction with healthcare services, especially for non-acute care. Healthcare providers also noted the benefits of telemedicine in providing continuous care, monitoring chronic diseases, and accessing specialists. However, challenges related to technology, such as internet connectivity and platform reliability, remain significant barriers that limit the full potential of telemedicine in these settings.

The value of this study lies in its contribution to understanding both the practical and theoretical aspects of telemedicine in rural healthcare. By incorporating both patient and healthcare provider perspectives, this research offers a more comprehensive view of the impact of telemedicine, addressing not only its effectiveness but also the barriers to its widespread

adoption. Furthermore, this study integrates quantitative data with qualitative insights, providing a holistic approach to evaluating telemedicine's role in rural healthcare delivery. The combination of these methods enhances the overall relevance and applicability of the findings, offering valuable insights for policymakers and healthcare providers looking to improve access to care in underserved areas.

Despite the significant findings, this study has some limitations. The research was based on a cross-sectional design, meaning it does not capture the long-term effects of telemedicine on healthcare access and outcomes. Additionally, the sample size and geographic scope were limited, which may affect the generalizability of the results to other rural settings. Future research should focus on longitudinal studies to explore the sustainability and long-term impact of telemedicine, especially in terms of patient health outcomes and healthcare system integration. Expanding the sample size and including a broader range of rural areas will provide more comprehensive insights into how telemedicine can be effectively implemented across diverse rural communities.

DECLARATION OF AI AND AI ASSISTED TECHNOLOGIES IN THE WRITING PROCESS

During the preparation of this manuscript, the authors used Google Gemini (OpenAI) exclusively for language editing, translation, and improving the clarity and readability of the text. Scopus AI and PubMed were used to support the literature search and identification of relevant studies, while Rayyan was utilized to facilitate the screening, selection, and organization of the included literature.

AUTHOR CONTRIBUTIONS

Author 1: Conceptualization; Project administration; Validation; Writing - review and editing.

Author 2: Conceptualization; Data curation; In-vestigation.

Author 3: Data curation; Investigation.

DECLARATION OF COMPETING INTEREST

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

REFERENCES

- Aarts, E. J. J. (2025). An Evaluation of the Evidence on Mobile Health Applications for Mental Health, Substance Use and Delinquency in Justice-Involved Adults and Youth: A Scoping Review. *Research on Child and Adolescent Psychopathology*, 53(12), 1829–1842. <https://doi.org/10.1007/s10802-025-01360-8>
- Addala, A. (2025). Disparities in access to and use of diabetes technologies and therapeutics: A narrative review. *Diabetologia*, 68(11), 2430–2448. <https://doi.org/10.1007/s00125-025-06494-4>
- Al-Romeedy, B. S. (2025). Digital passports to wellness: How technology is shaping medical tourism. *Revolutionizing Healthcare Experience with Digital Medical Tourism*, (Query date: 2026-04-03 22:45:50), 111–135. <https://doi.org/10.4018/979-8-3693-7888-5.ch004>
- Asadollahi, F. (2025). Barriers and facilitators for mHealth utilization in pregnancy care: A qualitative analysis of pregnant women and stakeholder's perspectives. *BMC Pregnancy and Childbirth*, 25(1). <https://doi.org/10.1186/s12884-025-07244-5>
- Benedetto, V. (2025). Digital health for environmentally sustainable cancer screening. *Npj Digital Medicine*, 8(1). <https://doi.org/10.1038/s41746-025-01561-x>

- Bhattacharya, P. (2025). A secured remote patient monitoring framework for IoMT ecosystems. *Scientific Reports*, 15(1). <https://doi.org/10.1038/s41598-025-04774-y>
- Cole, O. K. (2025). Barriers and facilitators of provision of telemedicine in Nigeria: A systematic review. *Plos Digital Health*, 4(7). <https://doi.org/10.1371/journal.pdig.0000934>
- Devi, Y. (2025). Digital transformation and rural healthcare disparities: A mixed-methods approach in India. *Technovation*, 140(Query date: 2026-04-03 22:45:50). <https://doi.org/10.1016/j.technovation.2024.103165>
- Gardner, D. S. L. (2025). Digital Health Technology in Diabetes Management in the Asia–Pacific Region: A Narrative Review of the Current Scenario and Future Outlook. *Diabetes Therapy*, 16(3), 349–369. <https://doi.org/10.1007/s13300-025-01692-0>
- Greenhalgh, T. (2025). After the disruptive innovation: How remote and digital services were embedded, blended and abandoned in UK general practice – longitudinal study. *Health and Social Care Delivery Research*, 13(31), 51–88. <https://doi.org/10.3310/KRWS4334>
- Hazra, S. (2025). Capitalization of digital healthcare: The cornerstone of emerging medical practices. *Intelligent Pharmacy*, 3(5), 309–322. <https://doi.org/10.1016/j.ipha.2024.12.002>
- Hu, S. (2025). Digital health: Current applications, challenges, and future directions for enhancing healthcare quality and safety. *Frontiers in Public Health*, 13(Query date: 2026-04-03 22:45:50). <https://doi.org/10.3389/fpubh.2025.1646802>
- Kamidani, R. (2025). Centralization and transport of critically ill pediatric patients. *Frontiers in Pediatrics*, 13(Query date: 2026-04-03 22:45:50). <https://doi.org/10.3389/fped.2025.1601875>
- Karvandi, E. (2025). Digital health interventions for remote follow-up after mild traumatic brain injury. *British Journal of Neurosurgery*, 39(6), 769–775. <https://doi.org/10.1080/02688697.2024.2346564>
- Khossravi, A. S. (2025). Artificial intelligence in ophthalmology. *Current Opinion in Ophthalmology*, 36(1), 35–38. <https://doi.org/10.1097/ICU.0000000000001111>
- Krahe, M. A. (2025). Factors That Influence Digital Health Implementation in Rural, Regional, and Remote Australia: An Overview of Reviews and Recommended Strategies. *Australian Journal of Rural Health*, 33(2). <https://doi.org/10.1111/ajr.70045>
- Leung, W. K. C. (2025). Facilitators, barriers, and recommendations for mobile health applications among Chinese older populations: A scoping review. *BMC Geriatrics*, 25(1). <https://doi.org/10.1186/s12877-025-06010-8>
- Martins, S. C. O. (2025). Acute stroke care in low and middle-income countries. *Current Opinion in Neurology*, 38(1), 47–53. <https://doi.org/10.1097/WCO.0000000000001332>
- Mattuzzi, C. (2025). COVID-19: Lessons from the Past to Inform the Future of Healthcare. *Covid*, 5(1). <https://doi.org/10.3390/covid5010004>
- McFalls, C. (2025). Black Race is Associated with Decreased Exposure to Advanced Therapies and Worse Outcomes in Individuals with Ulcerative Colitis. *Alimentary Pharmacology and Therapeutics*, 61(3), 513–523. <https://doi.org/10.1111/apt.18405>
- Mohamed, H. (2025). A scoping review of digital technologies in antenatal care: Recent progress and applications of digital technologies. *BMC Pregnancy and Childbirth*, 25(1). <https://doi.org/10.1186/s12884-025-07209-8>
- Moulaei, K. (2025). Exploring tele-speech therapy: A scoping review of interventions, applications, benefits, and challenges. *International Journal of Medical Informatics*, 195(Query date: 2026-04-03 22:45:50). <https://doi.org/10.1016/j.ijmedinf.2025.105784>
- Narayan, S. M. (2026). Access to digital health technologies: Personalized framework and global perspectives. *Nature Reviews Cardiology*, 23(1), 9–22. <https://doi.org/10.1038/s41569-025-01184-5>

- Nasir, B. F. (2025). Co-creating an Indigenous-led virtual health services model for Indigenous Australians living with chronic disease. *Australian Journal of Rural Health*, 33(1). <https://doi.org/10.1111/ajr.13206>
- Oke, G. I. (2025). Adoption of Digital Health Technology in Nigeria: A Scoping Review of Current Trends and Future Directions. *Advances in Public Health*, 2025(1). <https://doi.org/10.1155/adph/4246285>
- Pandit, A. A. (2025). Association between broadband capacity and telehealth utilization among Medicare Fee-for-service beneficiaries during the COVID-19 pandemic. *Journal of Telemedicine and Telecare*, 31(1), 41–48. <https://doi.org/10.1177/1357633X231166026>
- Salmi, E. M. (2025). Facilitators and barriers affecting the implementation of e-health for chronic respiratory diseases in remote settings: A qualitative evidence synthesis. *BMC Health Services Research*, 25(1). <https://doi.org/10.1186/s12913-024-12050-4>
- Salmon, C. (2025). An analysis of telehealth in a post-pandemic rural, Midwestern community: Increased comfort and a preference for primary care. *BMC Health Services Research*, 25(1). <https://doi.org/10.1186/s12913-025-12413-5>
- Shanab, B. M. (2025). Closing the Gap: Digital Innovations to Address Hypertension Disparities. *Current Cardiology Reports*, 27(1). <https://doi.org/10.1007/s11886-024-02171-x>
- Shilane, D. (2025). Declining trends in telehealth utilization in the ongoing COVID-19 pandemic. *Journal of Telemedicine and Telecare*, 31(4), 563–571. <https://doi.org/10.1177/1357633X231202284>
- Singh, B. (2025). Augmented reality and virtual reality in health advancements and medical education: Runway for future ready healthcare services. *Digital Twins for Sustainable Healthcare in the Metaverse*, (Query date: 2026-04-03 22:45:50), 197–217. <https://doi.org/10.4018/979-8-3693-4199-5.ch008>
- Siregar, G. O. (2025). Chromoblastomycosis: A case series from Sumba, eastern Indonesia. *Clinical and Experimental Dermatology*, 50(7), 1447–1450. <https://doi.org/10.1093/ced/llaf111>
- Tagne, J. F. (2025). Challenges for remote patient monitoring programs in rural and regional areas: A qualitative study. *BMC Health Services Research*, 25(1). <https://doi.org/10.1186/s12913-025-12427-z>
- Terrill, K. (2025). Cultural safety in telehealth consultations with Indigenous people: A scoping review of global literature. *Journal of Telemedicine and Telecare*, 31(4), 515–522. <https://doi.org/10.1177/1357633X231203874>
- Thilagavathy, R. (2025). Digital transformation in healthcare using eagle perching optimizer with deep learning model. *Expert Systems*, 42(1). <https://doi.org/10.1111/exsy.13390>
- Wakeman, M. (2025). Disparities in Digital Health Care Use in 2022. *JAMA Network Open*, 8(4). <https://doi.org/10.1001/jamanetworkopen.2025.5359>
- Wang, S. (2025). Addressing health service equity through telehealth: A systematic review of reviews. *Digital Health*, 11(Query date: 2026-04-03 22:45:50). <https://doi.org/10.1177/20552076251326233>
- Yao, L. (2025). Factors influencing the adoption of telemedicine services among middle-aged and older patients with chronic conditions in rural China: A multicentre cross-sectional study. *BMC Health Services Research*, 25(1). <https://doi.org/10.1186/s12913-025-12931-2>
- Zhang, Y. (2025). Disparities and Medical Expenditure Implications in Pediatric Tele-Mental Health Services During the COVID-19 Pandemic in Mississippi. *Journal of Behavioral Health Services and Research*, 52(1), 109–122. <https://doi.org/10.1007/s11414-024-09906-2>

Zoccali, C. (2025). Exploring the metaverse: Opportunities for nephrology in patient care and education. *Nephrology Dialysis Transplantation*, 40(5), 865–873.
<https://doi.org/10.1093/ndt/gfae281>

Copyright Holder :

© Asmirati Yakob et al. (2026).

First Publication Right :

© Journal of World Future Medicine, Health and Nursing

This article is under:

