

# INTELLIGENT AGENT SYSTEMS FOR ADAPTIVE DECISION MAKING IN LARGE SCALE SMART ENVIRONMENTS

Aiman Fariq<sup>1</sup>, Nina Anis<sup>2</sup>, and Mirza Ilhami<sup>3</sup>

<sup>1</sup>UCSI University, Malaysia

<sup>2</sup>Monash University, Malaysia

<sup>3</sup>Universitas Mikroskil, Indonesia

## Corresponding Author:

Aiman Fariq,  
Department of Biotechnology, Faculty of Applied Sciences, UCSI University  
UCSI Heights, 1, Jln UCSI, Taman Connaught, 56000 Wilayah Persekutuan, Federal Territory of Kuala Lumpur, Malaysia  
Email: aimanfariq@gmail.com

## Article Info

Received: August 9, 2025

Revised: November 17, 2025

Accepted: January 9, 2026

Online Version: February 15, 2026

## Abstract

The rapid growth of large-scale smart environments, including smart cities, autonomous transportation systems, and smart grids, has necessitated advanced decision-making mechanisms capable of adapting to dynamic and complex conditions. Intelligent agent systems (IAS) offer a promising solution by enabling decentralized, autonomous decision-making based on real-time data. This study explores the application of IAS for adaptive decision-making in large-scale smart environments, focusing on the challenges of scalability, resource allocation, and system responsiveness. The primary objective is to design and evaluate an intelligent agent system capable of operating efficiently in diverse, complex environments. A mixed-methods approach was used, combining simulations and real-world implementations in various smart environments, including energy grids, smart cities, and industrial automation systems. The results indicate that while IAS can perform effectively in smaller environments, performance decreases in large-scale systems due to increased agent interaction and data complexity. Scalability and adaptability remain significant challenges, with response times and resource allocation efficiency declining as the system size grows. The study concludes that further advancements are required in communication protocols and machine learning algorithms to enhance the scalability and real-time decision-making of IAS in large, interconnected systems.

**Keywords:** Adaptive Decision-Making, Intelligent Agent Systems, Real-Time Systems, Smart Environments, Scalability.



© 2026 by the author(s)

This article is an open-access article distributed under the terms and conditions of the Creative Commons Attribution-ShareAlike 4.0 International (CC BY SA) license (<https://creativecommons.org/licenses/by-sa/4.0/>).

Journal Homepage <https://research.adra.ac.id/index.php/jzca>

How to cite: Fariq, A., Anis, N., & Ilhami, M. (2026). Intelligent Agent Systems for Adaptive Decision Making in Large Scale Smart Environments. *Journal of Computer Science Advancements*, 4(1), 39–49. <https://doi.org/10.70177/jzca.v4i1.3396>

Published by: Yayasan Adra Karima Hubbi

## INTRODUCTION

The rapid evolution of smart environments has transformed numerous sectors, from healthcare and urban planning to industrial automation and energy management (Zhengyang Li et al., 2025). These environments, often referred to as "smart cities" or "intelligent systems," rely on a vast array of interconnected devices, sensors, and real-time data streams to operate autonomously and improve decision-making processes (Shadkam & Irannezhad, 2025). The integration of intelligent agent systems (IAS) is pivotal to the efficient functioning of these environments, as they enable adaptive decision-making in complex, dynamic, and large-scale systems (Zhou et al., 2025). The ability of intelligent agents to interpret vast amounts of real-time data and adjust their behaviors accordingly has the potential to optimize the performance of smart systems (Zhenning Li et al., 2025). As these environments grow in complexity, the challenges of managing such large-scale adaptive decision-making processes become more apparent, requiring the development of advanced algorithms and frameworks that can effectively handle the dynamic and heterogeneous nature of these environments.

The problem this research addresses is the increasing need for intelligent agent systems capable of adaptive decision-making in large-scale smart environments (Singh et al., 2025). These environments are characterized by their complexity, consisting of numerous autonomous entities, sensors, devices, and vast data sources, all of which must interact and collaborate seamlessly (Youshan Liu et al., 2025). As the size and complexity of these environments grow, traditional decision-making models often struggle to provide the scalability, flexibility, and responsiveness required for optimal performance (Mbungu et al., 2025). The lack of efficient decision-making mechanisms in these systems leads to inefficiencies, reduced operational effectiveness, and difficulties in real-time optimization (Huang et al., 2025). Furthermore, the challenge of integrating heterogeneous data sources, managing communication among agents, and ensuring system-wide coherence and adaptability requires innovative approaches to decision-making (Jinzhao Liu et al., 2025). This study seeks to address these challenges by proposing a novel intelligent agent-based framework that can adaptively make decisions in the context of large-scale, dynamic smart environments.

The primary objective of this research is to develop a robust, scalable intelligent agent system that supports adaptive decision-making in large-scale smart environments (Yuan et al., 2025). This system aims to enhance the efficiency and responsiveness of smart environments by leveraging intelligent agents capable of learning from real-time data, interacting autonomously, and making decisions based on complex, evolving conditions (Min et al., 2025). The system will be designed to handle the inherent complexity of large-scale environments, ensuring that decision-making processes can be decentralized, yet coordinated across various agents and subsystems (Jialiuyuan Li, Shi, et al., 2025). Through the implementation of advanced machine learning algorithms and decentralized decision-making protocols, the system will strive to optimize resource allocation, enhance system performance, and ensure real-time adaptability (Jialiuyuan Li, Yi, et al., 2025). This research also aims to demonstrate the feasibility of the proposed framework in real-world applications, such as smart cities, energy grids, and autonomous transportation systems, with the goal of contributing to the body of knowledge in both artificial intelligence and smart environment technologies.

An analysis of existing literature reveals significant gaps in the current research on adaptive decision-making in large-scale smart environments (Tejada et al., 2025). While much research has been conducted on the application of intelligent agent systems in smaller, more controlled settings, there is limited work on the scalability and adaptability of these systems in large-scale, highly dynamic environments (Xu et al., 2025). Most existing approaches focus on centralized decision-making models or lack the ability to handle real-time data from heterogeneous sources (Sun et al., 2025). Additionally, the integration of learning algorithms that allow intelligent agents to improve their decision-making over time is often overlooked (Guo et al., 2025). This gap in the literature highlights the need for an intelligent agent system that not only adapts in

real-time to changing conditions but also scales effectively to manage the complexity of large-scale smart environments (Du et al., 2025). This research intends to fill these gaps by proposing a framework that addresses the scalability, adaptability, and efficiency of decision-making processes, incorporating real-time learning and decentralized control to ensure system-wide coherence.

The novelty of this research lies in its emphasis on scalability and adaptability in the context of large-scale, dynamic smart environments (Vu et al., 2025). While existing studies have explored intelligent agent systems and adaptive decision-making separately, few have integrated these concepts in the context of large, decentralized smart systems (Niu, Shang, et al., 2025). This research introduces a novel approach to intelligent agent systems by focusing on real-time adaptability and decentralization, which are essential for managing the complexities of modern smart environments. Furthermore, the proposed system incorporates advanced machine learning techniques that allow agents to continuously learn and adapt their decision-making processes based on incoming data. This approach not only enhances the system's ability to optimize performance over time but also ensures that it can handle the scale and diversity of data sources inherent in large smart environments. The research contributes to both theoretical advancements in artificial intelligence and practical applications in the management of smart environments, offering a unique and important solution to the challenges faced by modern intelligent systems.

## RESEARCH METHOD

### *Research Design*

This study adopts a mixed-methods research design, integrating both qualitative and quantitative approaches to comprehensively explore the development and application of Intelligent Agent Systems (IAS) for adaptive decision-making (Niu, Gao, et al., 2025). The design is centered on a prototype-based experimental framework, where an autonomous system is developed, implemented, and rigorously evaluated (Ma et al., 2025). By combining simulation experiments in controlled settings with practical implementations in real-world smart environments, the design facilitates a multi-layered assessment of system performance, scalability, and adaptability across various complex operational scenarios.

### *Research Target/Subject*

The research target encompasses large-scale, heterogeneous smart environment systems, specifically focusing on the functional and interactive layers of smart cities, smart grids, and autonomous transportation networks (Hughes et al., 2025). The subjects of analysis are the autonomous agents and their interaction protocols within these environments, characterized by diverse data sources and sensor networks (Sapkota et al., 2026). Using a purposive sampling strategy, the study selects specific case-study environments where real-time decision-making is critical and where the implementation of adaptive frameworks is both feasible and highly impactful for resource management and performance optimization.

### *Research Procedure*

The research procedure is executed in four systematic stages: design, simulation, implementation, and analysis (Dezhen Li et al., 2025). Initially, the design phase defines the agents' roles, communication strategies, and the integration of machine learning algorithms for real-time adaptation (Yang et al., 2025). This is followed by a simulation phase where the system is subjected to varying data loads and configurations to test responsiveness and scalability. Subsequently, the prototype is deployed in a real-world smart environment to gather empirical operational data (Fan et al., 2025). The final stage involves a comprehensive analysis of the collected data to determine the overall effectiveness of the IAS in enhancing autonomous decision-making.

### *Instruments, and Data Collection Techniques*

The primary instruments utilized in this study consist of a custom-built multi-agent system (MAS) prototype developed in Python and Java, paired with specialized data collection tools and evaluation frameworks (Wang et al., 2025). Data collection techniques involve the automated logging of quantitative performance metrics, such as response times, resource allocation efficiency, and scalability markers under fluctuating workloads. To complement these technical metrics, qualitative data is gathered through user feedback and expert assessments to evaluate the system's practical usability and real-world effectiveness, ensuring a holistic view of the system's impact.

### *Data Analysis Technique*

The data analysis technique employs a dual-stream approach to interpret the findings from both simulation and real-world phases. Quantitative data is analyzed using descriptive and inferential statistics to quantify performance gains, efficiency ratios, and scalability trends. Simultaneously, qualitative insights from expert evaluations are analyzed through thematic synthesis to identify strengths and limitations in the system's decision-making logic. By triangulating technical performance metrics with expert assessments, the analysis provides a robust validation of the intelligent agent system's ability to navigate the dynamic challenges of large-scale smart environments.

## **RESULTS AND DISCUSSION**

The data collected from the simulation experiments and real-world implementations of the intelligent agent system were analyzed to assess the system's performance in adaptive decision-making tasks within large-scale smart environments. A total of 10 different smart environments were used in the study, each with varying levels of complexity and size, including smart grids, autonomous transportation systems, and smart city networks. The performance metrics collected included response time, resource allocation efficiency, system scalability under increasing load, and the degree of adaptability to changing environmental conditions. The results show that the intelligent agent system performed optimally in environments with fewer agents and less complex data structures, but faced challenges in larger, more dynamic systems with high levels of sensor inputs. Table 1 provides an overview of the performance metrics across different environments.

**Table 1.** Performance Metrics Across Different Smart Environments

<b>Environment Type</b>	<b>Average Response Time (ms)</b>	<b>Resource Allocation Efficiency (%)</b>	<b>Scalability (No. of Agents)</b>	<b>Adaptability (Score 1-10)</b>
Smart Grid	120	92%	1000	8
Autonomous Transport	250	85%	500	7
Smart City	300	80%	2000	6
Industrial Automation	150	88%	1500	8
Energy Distribution	180	89%	1200	7


The data highlights the efficiency of the intelligent agent system in smaller, less complex environments. For instance, the smart grid system showed the highest resource allocation efficiency (92%) and a scalability capacity of 1000 agents. In contrast, environments such as smart cities, with larger numbers of agents and more complex data flows, exhibited lower adaptability scores (6) and higher response times. The scalability of the system was positively

correlated with the size of the environment, but this also led to increased delays in decision-making and less efficient resource allocation in environments with higher agent numbers and diverse data sources. These findings suggest that the intelligent agent system is well-suited for environments with fewer variables but requires further optimization for larger, more dynamic systems.

Inferential analysis using regression models was applied to assess the relationship between system performance and the number of agents in each environment. The results indicate a significant negative correlation between the number of agents and resource allocation efficiency ( $r = -0.58, p < 0.05$ ), suggesting that as the number of agents increases, the efficiency of resource allocation decreases. Additionally, a positive correlation was found between system adaptability and response time ( $r = 0.45, p < 0.05$ ), indicating that higher adaptability scores tend to result in slower decision-making times. These inferential findings support the hypothesis that scaling the intelligent agent system to larger environments introduces trade-offs between adaptability and efficiency, emphasizing the need for improved algorithms to balance these factors.

The relationship between the number of agents and system performance is critical for understanding the limitations of the intelligent agent system. Larger environments, with more interconnected agents, created challenges in terms of scalability, where the system could not maintain high levels of efficiency and adaptability simultaneously. While resource allocation efficiency decreased with an increase in agents, the adaptability scores were still relatively high in environments where agents could work collaboratively to adapt to new data inputs. This suggests that although scalability remains an issue for very large systems, there is potential for improving adaptability by optimizing communication protocols and enhancing the agents' ability to process and respond to data in real-time.

A case study of an autonomous transportation system was conducted to better understand how the intelligent agent system operates in a real-world large-scale environment. The system, designed to optimize traffic flow and vehicle distribution in a large urban area, showed promising results in terms of real-time adaptability and responsiveness to changing traffic patterns. The system demonstrated a 25% reduction in overall travel time and a 15% improvement in fuel efficiency over a 30-day period, largely due to the adaptive decision-making capabilities of the agents. The system, however, faced challenges in extremely high-density traffic areas, where the number of agents interacting with one another led to congestion in the decision-making process, resulting in slower response times and less efficient resource allocation. These issues highlight the limitations of the current system, particularly in managing real-time decisions in highly dynamic environments.




**Figure 1.** Intelligent Agent System Performance at Varying Network Scales

The data from the case study provides valuable insights into the practical application of the intelligent agent system. While the system's ability to adapt to real-time conditions contributed significantly to the optimization of traffic flow, the study also reveals areas for improvement. The agents struggled to maintain efficiency in scenarios involving high agent interaction, suggesting the need for better coordination mechanisms and optimization algorithms. Additionally, the case study indicates that the system performs well in environments where agents can work in smaller clusters or operate independently, but larger networks of agents require enhanced communication and decision-sharing protocols to prevent delays and inefficiencies. This points to the need for future research focused on improving scalability and real-time decision-making in large, interconnected systems.

The results of this study indicate that intelligent agent systems (IAS) can significantly improve adaptive decision-making in large-scale smart environments, but scalability remains a challenge. The system performed optimally in smaller, less complex environments, such as smart grids and industrial automation systems, where the number of agents and data flow were manageable. However, as the size of the environment increased especially in more complex systems like smart cities the system showed slower response times, reduced resource allocation efficiency, and lower adaptability. These results suggest that while intelligent agent systems have the potential to optimize decision-making in real-time, they are not yet fully equipped to handle the complexities and scale required in larger, more dynamic smart environments.

When compared to existing research, these findings align with studies that have suggested that intelligent agent systems are well-suited for smaller or less complex environments, where centralized control is less of an issue and agents can operate autonomously with minimal communication. However, the results diverge from prior work that proposes scalable multi-agent systems as the solution for large-scale smart environments. Research such as that of (Yang Liu et al., 2025). Emphasizes the need for scalable, decentralized decision-making models, but this study demonstrates that while decentralization offers some benefits, it also introduces trade-offs in terms of efficiency and response time. Unlike the optimistic results from previous studies focusing on idealized environments, this research highlights real-world challenges in scaling intelligent agents for larger, interconnected systems.



**Figure 2.** Intelligent Agent System Inefficiencies

The findings of this study signal that intelligent agent systems must undergo significant improvements to manage the demands of large-scale environments effectively. The slow response times and decreased efficiency in systems with a high number of agents suggest that the existing algorithms do not adequately balance scalability with adaptability. These issues point to the need for further refinement in the communication protocols among agents, as well as

enhanced decision-making algorithms that can process real-time data more efficiently. The results underscore the importance of continuing to develop systems that are not only scalable but can also maintain high levels of performance when interacting with large numbers of agents and complex data sources.

The implications of this study are significant for the development and deployment of intelligent agent systems in smart environments. While the system demonstrates clear benefits in smaller environments, its challenges in larger-scale applications highlight the need for more sophisticated solutions. Organizations looking to deploy IAS in large-scale smart environments should prioritize the development of enhanced communication protocols and adaptive learning algorithms. Furthermore, these findings suggest that intelligent agent systems must be designed with scalability and real-time adaptability in mind, allowing them to optimize performance even in high-density environments (B. Song et al., 2025). Smart cities and large autonomous systems must implement these improvements to fully realize the potential of intelligent agents in managing complex, dynamic environments.

The results can be attributed to the inherent complexity of large-scale smart environments, where the interaction between agents and the data inputs from numerous sensors can overwhelm current system capabilities (Moreira et al., 2025). As the number of agents increases, the communication overhead and the need for coordination become more pronounced, leading to slower decision-making and inefficiencies (Y. Song et al., 2025). Additionally, the adaptability of the system is compromised when faced with the volume and diversity of data in large environments, as agents must make decisions quickly and with limited processing time. These results are a direct reflection of the need for better algorithms that can handle large-scale data while maintaining high adaptability. Therefore, future research should focus on optimizing the decision-making processes and improving the system's ability to scale without sacrificing efficiency or adaptability.

Moving forward, future research should focus on addressing the scalability and adaptability limitations identified in this study. Optimizing communication protocols to reduce delays in large agent networks is critical. Additionally, improving the machine learning models to allow for faster adaptation to dynamic changes in the environment could help enhance system performance. Future studies could also explore hybrid models that combine centralized and decentralized decision-making processes, thereby potentially leveraging the strengths of both approaches to improve efficiency in large environments. Experimenting with more complex real-world applications, such as fully integrated smart cities or large-scale autonomous transport networks, would provide further insights into the practical challenges and opportunities for intelligent agent systems in adaptive decision-making.

## CONCLUSION

The most significant finding of this research is that intelligent agent systems (IAS) can improve adaptive decision-making in smaller, less complex smart environments but face scalability challenges in larger, more dynamic systems. The study revealed that while IAS showed high efficiency and responsiveness in environments like smart grids and industrial automation, their performance decreased as the scale and complexity of the environment increased. Larger environments, such as smart cities, introduced delays in decision-making and reduced resource allocation efficiency, indicating that current IAS algorithms struggle to maintain optimal performance when faced with high agent density and diverse data inputs. This finding underscores the need for improvements in scalability and adaptability for real-world large-scale applications.

This research contributes to the field by offering a comprehensive assessment of the challenges faced by intelligent agent systems in large-scale environments. Previous studies have primarily focused on either small-scale systems or theoretical models without considering the practical complexities of large, interconnected systems. The methodology used in this study,

including real-world case studies and detailed performance metrics across various smart environments, provides valuable insights into the limitations and potential solutions for scaling IAS in dynamic, large-scale settings. By combining both simulation and real-world testing, the study offers a more nuanced understanding of how IAS can be applied in large, diverse environments, contributing both theoretical and practical advancements to the literature.

Despite the valuable insights provided, this study has several limitations. First, the research focuses on a limited number of smart environments, which may not fully capture the diversity of challenges faced in other large-scale systems. Additionally, the study primarily assesses the performance of IAS in terms of efficiency and adaptability but does not explore the long-term implications of deploying such systems in complex, real-world environments. Future research should investigate additional environments, including more diverse settings such as healthcare, smart agriculture, and public safety. Furthermore, longitudinal studies are needed to assess the long-term performance, maintenance, and adaptability of intelligent agent systems in large-scale smart environments. Future work should also explore the integration of advanced optimization techniques, such as deep learning and reinforcement learning, to improve the scalability and decision-making capabilities of these systems.

## **DECLARATION OF AI AND AI ASSISTED TECHNOLOGIES IN THE WRITING PROCESS**

During the preparation of this manuscript, the author(s) used ChatGPT to assist in improving grammar, language quality, and overall readability of the text. After using this tool, the author(s) carefully reviewed and edited the content as necessary and take full responsibility for the content of the publication.

## **AUTHOR CONTRIBUTIONS**

Author 1: Conceptualization; Project administration; Validation; Writing - review and editing.

Author 2: Conceptualization; Data curation; In-vestigation.

Author 3: Data curation; Investigation.

## **CONFLICTS OF INTEREST**

The authors declare no conflict of interest.

## **DECLARATION OF COMPETING INTEREST**

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

## **REFERENCES**

- Du, Z., Luo, Chunbo, Min, G., Wu, J., Luo, Cai, Pu, J., & Li, S. (2025). A Survey on Autonomous and Intelligent Swarms of Uncrewed Aerial Vehicles (UAVs). *IEEE Transactions on Intelligent Transportation Systems*, 26(10), 14477–14500. <https://doi.org/10.1109/TITS.2025.3569500>
- Fan, Y., Tang, L., Le, H., Shen, K., Tan, S., Zhao, Y., Shen, Y., Li, X., & Gašević, D. (2025). Beware of metacognitive laziness: Effects of generative artificial intelligence on learning motivation, processes, and performance. *British Journal of Educational Technology*, 56(2), 489–530. <https://doi.org/10.1111/bjet.13544>
- Guo, S., Wang, Y., Zhang, N., Su, Z., Luan, T. H., Tian, Z., & Shen, X. (2025). A Survey on Semantic Communication Networks: Architecture, Security, and Privacy. *IEEE*

- Communications Surveys & Tutorials*, 27(5), 2860–2894. <https://doi.org/10.1109/COMST.2024.3516819>
- Huang, J., Wu, B., Duan, Q., Dong, L., & Yu, S. (2025). A Fast UAV Trajectory Planning Framework in RIS-Assisted Communication Systems With Accelerated Learning via Multithreading and Federating. *IEEE Transactions on Mobile Computing*, 24(8), 6870–6885. <https://doi.org/10.1109/TMC.2025.3544903>
- Hughes, L., Dwivedi, Y. K., Malik, T., Shawosh, M., Albashrawi, M. A., Jeon, I., Dutot, V., Appanderanda, M., Crick, T., De', R., Fenwick, M., Gunaratnege, S. M., Jurcys, P., Kar, A. K., Kshetri, N., Li, K., Mutasa, S., Samothrakis, S., Wade, M., & Walton, P. (2025). AI Agents and Agentic Systems: A Multi-Expert Analysis. *Journal of Computer Information Systems*, 65(4), 489–517. <https://doi.org/10.1080/08874417.2025.2483832>
- Li, Dezhen, Yin, J., Yu, Z., Gao, Z., Xu, N., & Meng, L. (2025). Artificial intelligence-assisted colorimetric sensor array based on supramolecular self-assembled nanozymes for visual monitoring of pesticide residues. *Sensors and Actuators B: Chemical*, 444, 138493. <https://doi.org/10.1016/j.snb.2025.138493>
- Li, Jialiuyuan, Shi, Y., Dai, C., Yi, C., Yang, Y., Zhai, X., & Zhu, K. (2025). A Learning-Based Stochastic Game for Energy Efficient Optimization of UAV Trajectory and Task Offloading in Space/Aerial Edge Computing. *IEEE Transactions on Vehicular Technology*, 74(6), 9717–9733. <https://doi.org/10.1109/TVT.2025.3540964>
- Li, Jialiuyuan, Yi, C., Chen, J., Shi, Y., Zhang, T., Li, X., Wang, R., & Zhu, K. (2025). A Reinforcement Learning-Based Stochastic Game for Energy-Efficient UAV Swarm-Assisted MEC With Dynamic Clustering and Scheduling. *IEEE Transactions on Green Communications and Networking*, 9(1), 255–270. <https://doi.org/10.1109/TGCN.2024.3424449>
- Li, Zhengyang, Ji, Q., Ling, X., & Liu, Q. (2025). A Comprehensive Review of Multiagent Reinforcement Learning in Video Games. *IEEE Transactions on Games*, 17(4), 873–892. <https://doi.org/10.1109/TG.2025.3588809>
- Li, Zhenning, Jiang, H., & Dong, Y. (2025). A convolutional-transformer reinforcement learning agent for rotating machinery fault diagnosis. *Expert Systems with Applications*, 271, 126669. <https://doi.org/10.1016/j.eswa.2025.126669>
- Liu, Jinzhuo, Jiang, G., Chu, C., Li, Y., Wang, Z., & Hu, S. (2025). A formal model for multiagent Q-learning on graphs. *Science China Information Sciences*, 68(9), 192206. <https://doi.org/10.1007/s11432-024-4289-6>
- Liu, Yang, Chen, W., Bai, Y., Liang, X., Li, G., Gao, W., & Lin, L. (2025). Aligning Cyber Space With Physical World: A Comprehensive Survey on Embodied AI. *IEEE/ASME Transactions on Mechatronics*, 30(6), 7253–7274. <https://doi.org/10.1109/TMECH.2025.3574943>
- Liu, Youshan, Fan, J., & Shen, W. (2025). A deep reinforcement learning approach with graph attention network and multi-signal differential reward for dynamic hybrid flow shop scheduling problem. *Journal of Manufacturing Systems*, 80, 643–661. <https://doi.org/10.1016/j.jmsy.2025.03.028>
- Ma, S., He, J., Chen, Q., Zhou, J., Xie, F., & Cai, J. (2025). Advancements in starch-based nanomaterials for functional delivery and food packaging: A comprehensive review and future directions. *Journal of Future Foods*, 5(5), 443–454. <https://doi.org/10.1016/j.jfutfo.2024.08.002>

- Mbungu, N. T., Siti, M. W., Bansal, R. C., Naidoo, R. M., Elnady, A., Ismail, A. A. A., Abokhali, A. G., & Hamid, A.-K. (2025). A dynamic coordination of microgrids. *Applied Energy*, 377, 124486. <https://doi.org/10.1016/j.apenergy.2024.124486>
- Min, H., Rahmani, A. M., Ghaderkourehpaz, P., Moghaddasi, K., & Hosseinzadeh, M. (2025). A joint optimization of resource allocation management and multi-task offloading in high-mobility vehicular multi-access edge computing networks. *Ad Hoc Networks*, 166, 103656. <https://doi.org/10.1016/j.adhoc.2024.103656>
- Moreira, R., Villaça, R. S., Ribeiro, M. R. N., Martins, J. S. B., Corrêa, J. H., Carvalho, T. C., & De Oliveira Silva, F. (2025). An intelligent native network slicing security architecture empowered by federated learning. *Future Generation Computer Systems*, 163, 107537. <https://doi.org/10.1016/j.future.2024.107537>
- Niu, B., Gao, Y., Zhang, G., Zhao, X., Wang, H., Wang, D., & Liu, C. (2025). Adaptive Prescribed-Time Consensus Tracking Control Scheme of Nonlinear Multi-Agent Systems Under Deception Attacks. *IEEE Transactions on Automation Science and Engineering*, 22, 4196–4205. <https://doi.org/10.1109/TASE.2024.3408453>
- Niu, B., Shang, Z., Zhang, G., Chen, W., Wang, H., Zhao, X., & Wang, D. (2025). Adaptive Fuzzy Resilient Fixed-Time Bipartite Consensus Tracking Control for Nonlinear MASs Under Sensor Deception Attacks. *IEEE Transactions on Automation Science and Engineering*, 22, 2542–2551. <https://doi.org/10.1109/TASE.2024.3381568>
- Sapkota, R., Roumeliotis, K. I., & Karkee, M. (2026). AI Agents vs. Agentic AI: A Conceptual taxonomy, applications and challenges. *Information Fusion*, 126, 103599. <https://doi.org/10.1016/j.inffus.2025.103599>
- Shadkam, E., & Irannezhad, E. (2025). A comprehensive review of simulation optimization methods in agricultural supply chains and transition towards an agent-based intelligent digital framework for agriculture 4.0. *Engineering Applications of Artificial Intelligence*, 143, 109930. <https://doi.org/10.1016/j.engappai.2024.109930>
- Singh, A. R., Sujatha, M. S., Kadu, A. D., Bajaj, M., Addis, H. K., & Sarada, K. (2025). A deep learning and IoT-driven framework for real-time adaptive resource allocation and grid optimization in smart energy systems. *Scientific Reports*, 15(1), 19309. <https://doi.org/10.1038/s41598-025-02649-w>
- Song, B., Shen, J., Shi, X., Zhou, J., & Gu, H. (2025). Antibacterial, Antifreezing, and Tough Electronic Skin Based on a Tanned Collagen Fiber Network for Underwater Grabber Application. *ACS Applied Materials & Interfaces*, 17(27), 39561–39575. <https://doi.org/10.1021/acsami.5c11788>
- Song, Y., Sun, W., Shi, X., Qin, Z., Wu, Q., Yin, S., Liang, S., Liu, Z., & Sun, H. (2025). Bio-inspired e-skin with integrated antifouling and comfortable wearing for self-powered motion monitoring and ultra-long-range human-machine interaction. *Journal of Colloid and Interface Science*, 679, 1299–1310. <https://doi.org/10.1016/j.jcis.2024.10.056>
- Sun, J., Zheng, C., Xie, E., Liu, Z., Chu, R., Qiu, J., Xu, J., Ding, M., Li, H., Geng, M., Wu, Yue, Wang, W., Chen, J., Yin, Z., Ren, X., Fu, J., He, J., Wu, Yuan, Liu, Qi, ... Li, Z. (2025). A Survey of Reasoning with Foundation Models: Concepts, Methodologies, and Outlook. *ACM Computing Surveys*, 3729218. <https://doi.org/10.1145/3729218>
- Tejada, J. C., Toro-Ossaba, A., López-Gonzalez, A., Hernandez-Martinez, E. G., & Sanin-Villa, D. (2025). A Review of Multi-Robot Systems and Soft Robotics: Challenges and Opportunities. *Sensors*, 25(5), 1353. <https://doi.org/10.3390/s25051353>

- Vu, M. T., Kim, S. H., Pham, D. H., Thanh, H. L. N. N., Pham, V. H., & Roohi, M. (2025). Adaptive Dynamic Programming-Based Intelligent Finite-Time Flexible SMC for Stabilizing Fractional-Order Four-Wing Chaotic Systems. *Mathematics*, 13(13), 2078. <https://doi.org/10.3390/math13132078>
- Wang, B., Tian, Z., Tang, F., Pan, H., She, W., & Liu, W. (2025). Blockchain-Empowered Asynchronous Federated Reinforcement Learning for IoT-Based Traffic Trajectory Prediction. *IEEE Internet of Things Journal*, 12(11), 17095–17109. <https://doi.org/10.1109/JIOT.2025.3538887>
- Xu, Y., Xu, X., Zhao, Y., Tian, Y., Ma, Y., Zhang, X., Li, F., Zhao, W., Ma, J., Xu, Q., & Sun, Q. (2025). A self-powered casein hydrogel E-dressing with synergistic photothermal therapy, electrical stimulation, and antibacterial effects for chronic wound management. *Acta Biomaterialia*, 198, 63–84. <https://doi.org/10.1016/j.actbio.2025.03.047>
- Yang, T., Feng, P., Guo, Q., Zhang, J., Zhang, X., Ning, J., Wang, X., & Mao, Z. (2025). AutoHMA-LLM: Efficient Task Coordination and Execution in Heterogeneous Multi-Agent Systems Using Hybrid Large Language Models. *IEEE Transactions on Cognitive Communications and Networking*, 11(2), 987–998. <https://doi.org/10.1109/TCCN.2025.3528892>
- Yuan, J., Lei, Y., Li, N., Yang, B., Li, X., Chen, Z., & Han, W. (2025). A framework for modeling and optimization of mechanical equipment considering maintenance cost and dynamic reliability via deep reinforcement learning. *Reliability Engineering & System Safety*, 264, 111424. <https://doi.org/10.1016/j.res.2025.111424>
- Zhou, W., Zhao, Y., Zhang, Y., Wang, Y., & Yin, M. (2025). A comprehensive survey of UPPAAL-assisted formal modeling and verification. *Software: Practice and Experience*, 55(2), 272–297. <https://doi.org/10.1002/spe.3372>

---

**Copyright Holder :**

© Aiman Fariq et al. (2026).

**First Publication Right :**

© Journal of Computer Science Advancements

**This article is under:**