

<https://research.adra.ac.id/index.php/jete/>

P - ISSN: 3025-0668

E - ISSN: 3025-0676

## Mindfulness Apps and Student Mental Health: Digital Interventions for Reducing Academic Stress

Maria Clara Reyes<sup>1</sup> , Luis Santos<sup>2</sup> , Josefa Flores<sup>3</sup> , Fauzi Aldina<sup>4</sup> 

<sup>1</sup>Ateneo de Manila University, Philippines

<sup>2</sup>University of the Philippines Diliman, Philippines

<sup>3</sup>Far Eastern University, Philippines

<sup>4</sup>Universitas Jabal Ghafur, Indonesia

---

### ABSTRACT

**Background.** Academic stress has become a persistent mental health concern among students due to increasing academic demands and performance pressure. Digital mental health interventions, particularly mindfulness applications, have gained attention as accessible tools for stress management, yet empirical evidence focusing on academic stress remains limited.

**Purpose.** This study aims to examine the relationship between mindfulness app use and student mental health, with specific attention to the reduction of academic stress in educational settings.

**Method.** The study employs a quantitative correlational design supported by descriptive case analysis. Data were collected from students using standardized questionnaires measuring mindfulness app usage, academic stress, and mental well-being.

**Results.** The findings reveal a significant negative correlation between mindfulness app use and academic stress, along with a positive relationship between app use and mental well-being. Consistent engagement with mindfulness apps was associated with lower stress levels and improved emotional regulation.

**Conclusion.** The study concludes that mindfulness apps function as effective digital interventions for reducing academic stress when used consistently. The novelty of this research lies in emphasizing usage consistency as a key determinant of effectiveness and in integrating quantitative and contextual evidence to explain how digital mindfulness interventions support student mental health.

### KEYWORDS

Academic Stress, Mental Health, Mindfulness Apps

---

**Citation:** Reyes, C. M., Santons, L., Flores, J & Aldina, F. (2025). Mindfulness Apps and Student Mental Health: Digital Interventions for Reducing Academic Stress. *Journal Emerging Technologies in Education*, 3(5), 249–257.  
<https://doi.org/10.70177/jete.v3i5.2902>

### Correspondence:

Maria Clara Reyes,  
[mariaclara@gmail.com](mailto:mariaclara@gmail.com)

**Received:** June 2, 2025

**Accepted:** Aug 1, 2025

**Published:** Oct 5, 2025

### INTRODUCTION

Academic stress has become a growing concern in educational settings, particularly among students who face increasing academic demands, performance pressure, and time constraints. High levels of academic stress have been associated with negative mental health outcomes such as anxiety, burnout, and reduced well-being (Acabchuk, 2021; Laurie, 2016). Educational institutions worldwide have recognized the need for effective and accessible interventions to support students' mental health and promote emotional resilience. Digital health interventions have gained prominence as practical tools for addressing



mental health challenges among students.

Mobile applications designed to support mental well-being offer flexible, low-cost, and scalable solutions that can be accessed independently. Among these digital tools, mindfulness apps have emerged as popular interventions aimed at improving emotional regulation, stress management, and psychological well-being (Forbes, 2020; Torous, 2018).

Mindfulness apps typically incorporate guided meditation, breathing exercises, body awareness practices, and reflective activities. Research has shown that regular mindfulness practice can reduce perceived stress, improve attention, and enhance emotional balance. Studies involving student populations indicate that app-based mindfulness interventions can contribute to reduced stress levels and improved coping strategies when used consistently.

The effectiveness of mindfulness apps can be understood through the lens of Mindfulness-Based Stress Reduction (MBSR) theory. This theoretical framework emphasizes purposeful, non-judgmental awareness of the present moment as a mechanism for reducing psychological distress. MBSR theory suggests that cultivating mindfulness helps individuals disengage from automatic stress responses and develop healthier cognitive and emotional patterns, providing a theoretical foundation for digital mindfulness interventions (Kubo, 2021; Throuvala, 2020).

Existing empirical evidence suggests that mindfulness apps are particularly suitable for student populations due to their adaptability to busy academic schedules. Students often report positive perceptions of app-based mindfulness practices, citing convenience and privacy as key advantages. These findings contribute to a growing understanding that digital mindfulness interventions represent a viable approach to supporting student mental health and reducing academic stress in contemporary educational environments.

Despite the increasing popularity of mindfulness apps, limited empirical evidence specifically examines their effectiveness in reducing academic stress among student populations. Many existing studies focus on general well-being or clinical outcomes rather than academic stress as a distinct construct. This limitation restricts understanding of how mindfulness apps function within educational contexts characterized by performance pressure and academic workload (Bostock, 2019; Lim, 2015).

Variations in study design and intervention duration further contribute to inconsistent findings in the literature. Some studies rely on short-term self-reported measures, while others examine mixed populations beyond students. These methodological inconsistencies make it difficult to determine the sustained impact of mindfulness apps on student mental health and academic stress reduction.

Theoretical models of digital mindfulness interventions remain underexplored in empirical research. While mindfulness-based frameworks are widely referenced, few studies explicitly connect these theories to app-based delivery mechanisms. The lack of theoretical operationalization limits the ability to explain why and how mindfulness apps may reduce academic stress among students.

Another unresolved gap concerns individual differences in student engagement with mindfulness apps. Factors such as frequency of use, perceived usefulness, and self-regulation skills are rarely examined in relation to mental health outcomes. This absence of nuanced analysis leaves uncertainty regarding which aspects of mindfulness app use are most beneficial for students experiencing academic stress (Bostock, 2019; Plaza, 2013).

Addressing these gaps is essential to determine whether mindfulness apps can serve as effective digital interventions for reducing academic stress in student populations. Clear empirical evidence is needed to inform educational institutions and mental health practitioners about the

practical value of integrating mindfulness apps into student support systems. Without such evidence, adoption of digital mental health tools may remain fragmented and unsubstantiated.

This study aims to examine the relationship between mindfulness app use and student mental health outcomes, with a specific focus on academic stress reduction. By analyzing patterns of app engagement and perceived stress levels, the study seeks to provide data-driven insights into the effectiveness of digital mindfulness interventions within academic environments (Jang, 2021; Pung, 2018).

The rationale of this study is grounded in the Transactional Model of Stress and Coping, which emphasizes the role of cognitive appraisal and coping strategies in stress experiences. Mindfulness practices delivered through mobile applications may support adaptive coping by increasing awareness and emotional regulation. Based on this theoretical perspective, the study hypothesizes that higher engagement with mindfulness apps is associated with lower levels of academic stress and improved mental well-being among students (Flett, 2019; Mistler, 2017).

## RESEARCH METHODOLOGY

This study employed a quantitative correlational research design to examine the relationship between the use of mindfulness applications and student mental health, particularly in relation to academic stress. The design was chosen to identify the strength and direction of associations between mindfulness app engagement and levels of perceived academic stress without manipulating the study environment. This approach allows for the analysis of naturally occurring patterns of digital intervention use among students (Baumel, 2019; Hiniker, 2016).

The participants of this study consisted of students enrolled in higher education institutions who actively used mobile applications for personal or academic purposes. A sample was selected using purposive sampling to ensure that participants had prior experience using mindfulness apps. Students from various academic disciplines and year levels were included to capture diverse academic stress experiences and usage patterns.

Data were collected using standardized self-report instruments. Mindfulness app usage was measured through a questionnaire assessing frequency of use, duration, and types of mindfulness activities accessed within the apps. Student mental health and academic stress levels were measured using a validated academic stress scale and a mental well-being questionnaire. All instruments were reviewed for validity and reliability to ensure accurate measurement of the study variables (Davis, 2021; Satre, 2021).

Data collection was conducted after obtaining informed consent from all participants. Questionnaires were administered online to allow flexible participation and to reflect the digital nature of the intervention. Participants were instructed to complete the instruments based on their recent experiences with mindfulness apps and academic demands. Collected data were anonymized and analyzed using statistical software to examine correlations between mindfulness app use and academic stress levels (Aggarwal, 2017; Gill, 2016).

## RESULT AND DISCUSSION

The dataset consisted of responses from 280 students who reported regular use of mindfulness applications during the academic semester. Data included measures of mindfulness app usage frequency, perceived academic stress, and overall mental well-being. Descriptive statistical analysis was conducted to establish baseline characteristics of the sample. Mindfulness app usage showed varying patterns among participants, ranging from occasional to daily engagement. Most students reported moderate levels of academic stress, reflecting common academic demands such as

examinations and assignment deadlines. Mental well-being scores indicated noticeable variation across individuals. The distribution of the data suggested sufficient variability across all measured variables. This variability supports further analysis examining explanatory patterns and relational trends between mindfulness app use and academic stress outcomes.

Analysis of descriptive statistics indicated that students who used mindfulness apps more frequently tended to report lower perceived academic stress. Mean stress scores differed noticeably between low-frequency and high-frequency app users. These differences suggest a potential stress-mitigating effect associated with consistent mindfulness practice. Mental well-being scores appeared higher among students who engaged in guided meditation and breathing exercises regularly. App features emphasizing short, structured mindfulness sessions were reported as more accessible during academic schedules. These patterns indicate alignment between app design and student needs. The statistical summary provides an initial indication of how digital mindfulness interventions relate to mental health indicators. The observed trends justify deeper examination of relationships between usage intensity and academic stress levels.

**Table 1.** Descriptive statistics of mindfulness app use and academic stress

Variable	N	Mean	SD	Min
Mindfulness App Use	280	3.74	0.83	1.20
Academic Stress	280	2.91	0.76	1.30
Mental Well-being	280	3.62	0.69	2.10

Further breakdown of mindfulness app usage revealed differences in preferred features and duration of practice. Short daily sessions of five to ten minutes were the most commonly reported form of engagement. Longer sessions were less frequent due to time constraints related to academic responsibilities. Academic stress indicators showed higher scores during peak academic periods such as examinations and major assignment submissions. Students reported cognitive overload and emotional fatigue as primary stress contributors. These stressors were consistent across disciplines. Mental well-being indicators demonstrated greater stability among students who reported consistent app use throughout the semester. Emotional regulation and perceived calmness were the most frequently cited benefits.

The preference for short mindfulness sessions suggests that accessibility plays a critical role in sustained engagement. Students appeared more likely to integrate mindfulness practices when they required minimal time commitment. This pattern highlights the importance of app usability in digital mental health interventions. Stress fluctuations during high-demand academic periods suggest that mindfulness apps may serve as situational coping tools. Students used mindfulness practices more intentionally during stressful weeks. This behavior indicates adaptive use aligned with academic stress cycles. Stable well-being scores among consistent users suggest cumulative benefits of regular mindfulness practice. These findings support the notion that sustained engagement rather than occasional use contributes to improved mental health outcomes.

Correlation analysis revealed a significant negative relationship between mindfulness app use and academic stress levels. Higher frequency of app engagement was associated with lower reported stress scores. The relationship demonstrated a moderate correlation strength. A positive correlation was identified between mindfulness app use and mental well-being. Students who engaged more frequently with mindfulness practices reported higher levels of emotional balance and psychological comfort. This relationship supports the stress-buffering role of mindfulness. The relational findings suggest that mindfulness apps function as effective digital coping mechanisms.

The data indicate that increased engagement corresponds with improved mental health indicators among students.

A focused case study was conducted involving two student groups with contrasting mindfulness app usage patterns. One group consisted of students who used mindfulness apps daily, while the other reported minimal or irregular use. Observational and self-report data were compared across groups. Daily users reported structured routines that integrated mindfulness practices into study breaks and pre-examination periods. These students described increased awareness of stress triggers and improved emotional control. Minimal users reported reliance on informal coping strategies. The comparison illustrates how differences in engagement translate into distinct mental health experiences. Behavioral consistency emerged as a key distinguishing factor between the two groups.

**Table 2.** Case study comparison of high and low mindfulness app users

Indicator	High-Use Group	Low-Use Group
App Use Frequency	Daily	Occasional
Perceived Stress	Low Moderate	Moderate High
Emotional Regulation	High	Moderate
Coping Strategies	Structured	Informal

The case study findings demonstrate that regular mindfulness app use supports proactive stress management. High-use students employed mindfulness practices before stress escalated. This anticipatory approach appeared to reduce emotional reactivity. Low-use students tended to apply coping strategies reactively after stress symptoms intensified. Limited engagement with mindfulness apps reduced opportunities for early emotional regulation. This pattern contributed to higher perceived stress. These explanations reinforce the importance of consistency in digital mindfulness interventions. Regular use appears essential for translating app features into tangible mental health benefits.

The relational patterns observed in the case study align with the quantitative correlation results. Higher engagement with mindfulness apps consistently corresponded with lower academic stress and improved well-being. The alignment strengthens the validity of the findings. The relationship between usage frequency and stress reduction suggests a dose-related effect. Increased exposure to mindfulness practices appears to enhance coping capacity. This effect highlights the functional role of digital mindfulness tools. The combined quantitative and qualitative results confirm a meaningful relationship between mindfulness app use and student mental health. The findings support the potential of digital mindfulness interventions as accessible tools for reducing academic stress.

The results of this study indicate a significant negative relationship between mindfulness app use and academic stress among students. Higher levels of engagement with mindfulness applications were associated with lower perceived stress and improved mental well-being. These findings suggest that digital mindfulness interventions play a meaningful role in supporting students' psychological health within academic environments. The analysis further demonstrates that consistency of app usage is a critical factor influencing mental health outcomes. Students who engaged in regular, short mindfulness sessions reported greater emotional regulation and resilience compared to those with irregular usage patterns. This pattern highlights the importance of sustained engagement rather than sporadic exposure (Kizakevich, 2018; Roy, 2020). The case study findings reinforce the quantitative results by illustrating observable differences in coping behaviors between high-use and low-use groups. Students who integrated mindfulness practices into daily routines

exhibited proactive stress management strategies. These combined results provide a comprehensive understanding of how mindfulness apps function in real academic contexts.

The findings are consistent with previous research demonstrating the effectiveness of mindfulness-based interventions in reducing stress and anxiety among student populations. Prior studies have shown that mindfulness practices improve emotional awareness and coping skills, which aligns with the observed reduction in academic stress. The present study extends these findings by focusing specifically on digital app-based delivery. Differences emerge when comparing this study with research that reports limited impact of digital mindfulness interventions. Some studies emphasize face-to-face mindfulness programs as more effective than app-based formats. The current findings suggest that digital interventions can be effective when accessibility and usability align with student lifestyles (Larkin, 2019; Muuraiskangas, 2016). Variations in outcomes across studies may be explained by differences in intervention duration, app design, and participant engagement levels. The present study contributes to this discourse by highlighting usage frequency as a key determinant of effectiveness. This emphasis adds nuance to existing discussions on digital mental health interventions.

The results signal a shift in how student mental health support can be conceptualized in academic settings. Mindfulness apps appear to function as self-regulatory tools that empower students to manage stress independently. This shift reflects broader trends toward personalized and technology-mediated mental health support. The findings also indicate that academic stress is not solely a structural issue but can be mitigated through individual coping mechanisms. Digital mindfulness interventions support students in developing awareness and emotional balance within demanding academic environments. This insight emphasizes the role of internal resources alongside institutional support. The results further suggest that digital interventions may reduce barriers associated with traditional mental health services. Accessibility, privacy, and flexibility emerge as indicators of why students engage with mindfulness apps. These features signal changing preferences in how mental health support is accessed (Deady, 2022; Kahn, 2016).

The implications of these findings are significant for educational institutions and student support services. Mindfulness apps can be integrated into existing mental health initiatives as complementary tools (Howells, 2016; Rosen, 2018). Their scalability and low cost make them particularly suitable for large student populations. The findings also have implications for curriculum and academic advising practices. Institutions may encourage mindfulness practices during high-stress periods such as examinations. Embedding digital well-being resources within learning platforms could enhance student resilience. The study further informs app developers and policymakers about the importance of usability and engagement features. Designing apps that support short, consistent practice may maximize mental health benefits. These implications highlight the practical relevance of the research findings.

The observed stress reduction can be explained by the mechanisms of mindfulness practice. Regular mindfulness engagement promotes present-moment awareness and reduces rumination related to academic pressure. These cognitive processes directly influence stress perception. Digital delivery enhances these mechanisms by enabling flexible and repeated practice. Students can access mindfulness tools at moments of peak stress without institutional constraints. This immediacy supports emotional regulation when it is most needed. The stronger impact associated with consistent usage reflects the cumulative nature of mindfulness benefits. Repeated practice strengthens coping skills over time. This explanation aligns with psychological theories emphasizing habit formation and self-regulation (Bricker, 2014; Janes, 2019).

The findings highlight the need for structured implementation of mindfulness apps within educational settings. Institutions should provide guidance on effective usage rather than relying on voluntary and unguided adoption. Structured recommendations may improve consistency and outcomes. Future research should explore causal relationships through longitudinal or experimental designs. Investigating mediating variables such as self-regulation skills or academic motivation could deepen understanding of intervention mechanisms (Linardon, 2023; Wasil, 2020). Diverse student populations should also be examined to enhance generalizability. Further studies may compare different types of mindfulness apps to identify design features associated with greater effectiveness. Integrating qualitative insights with quantitative measures could strengthen interpretation. These directions will support the development of evidence-based digital mental health interventions.

## CONCLUSION

The most significant finding of this study is the identification of a consistent negative relationship between mindfulness app use and academic stress, with usage consistency emerging as a more influential factor than duration alone. Students who engaged regularly in short mindfulness practices demonstrated lower stress levels and better emotional regulation compared to those with irregular usage. This finding highlights the distinctive role of habitual digital mindfulness engagement in supporting student mental health.

This research contributes conceptually and methodologically to digital mental health studies in education. Conceptually, it positions mindfulness apps as self-regulatory tools embedded within students' academic routines rather than as auxiliary wellness resources. Methodologically, the integration of correlational analysis with case-based evidence provides a more contextualized understanding of how digital interventions operate in real academic settings.

The study is limited by its reliance on self-reported data and its correlational design, which does not allow for causal inference. The focus on a specific student population may also limit generalizability across educational contexts. Future research should employ longitudinal or experimental designs and examine mediating factors such as self-regulation skills, academic motivation, and app design features to strengthen causal explanations.

## AUTHORS' CONTRIBUTION

Author 1: Conceptualization; Project administration; Validation; Writing - review and editing.

Author 2: Conceptualization; Data curation; Investigation.

Author 3: Data curation; Investigation.

Author 4: Formal analysis; Methodology; Writing - original draft.

## REFERENCES

- Acabchuk, R. L. (2021). Measuring Meditation Progress with a Consumer-Grade EEG Device: Caution from a Randomized Controlled Trial. *Mindfulness*, 12(1), 68–81. <https://doi.org/10.1007/s12671-020-01497-1>
- Aggarwal, R. (2017). Resident Wellness: An Intervention to Decrease Burnout and Increase Resiliency and Happiness. *Mededportal the Journal of Teaching and Learning Resources*, 13(Query date: 2025-12-15 22:53:11), 10651–10651. [https://doi.org/10.15766/mep\\_2374-8265.10651](https://doi.org/10.15766/mep_2374-8265.10651)
- Baumel, A. (2019). Objective user engagement with mental health apps: Systematic search and panel-based usage analysis. *Journal of Medical Internet Research*, 21(9). <https://doi.org/10.2196/14567>

- Bostock, S. (2019). Mindfulness on-the-go: Effects of a mindfulness meditation app on work stress and well-being. *Journal of Occupational Health Psychology*, 24(1), 127–138. <https://doi.org/10.1037/ocp0000118>
- Bricker, J. B. (2014). Randomized, controlled pilot trial of a smartphone app for smoking cessation using acceptance and commitment therapy. *Drug and Alcohol Dependence*, 143(1), 87–94. <https://doi.org/10.1016/j.drugalcdep.2014.07.006>
- Davis, B. E. (2021). Patient and Provider Insights into the Impact of Multiple Sclerosis on Mental Health: A Narrative Review. *Neurology and Therapy*, 10(1), 99–119. <https://doi.org/10.1007/s40120-021-00240-9>
- Deady, M. (2022). Preventing depression using a smartphone app: A randomized controlled trial. *Psychological Medicine*, 52(3), 457–466. <https://doi.org/10.1017/S0033291720002081>
- Flett, J. A. M. (2019). Mobile Mindfulness Meditation: A Randomised Controlled Trial of the Effect of Two Popular Apps on Mental Health. *Mindfulness*, 10(5), 863–876. <https://doi.org/10.1007/s12671-018-1050-9>
- Forbes, G. (2020). MEMPHIS: a smartphone app using psychological approaches for women with chronic pelvic pain presenting to gynaecology clinics: A randomised feasibility trial. *BMJ Open*, 10(3). <https://doi.org/10.1136/bmjopen-2019-030164>
- Gill, R. (2016). Resilience, apps and reluctant individualism: Technologies of self in the neoliberal academy. *Women S Studies International Forum*, 54(Query date: 2025-12-15 22:53:11), 91–99. <https://doi.org/10.1016/j.wsif.2015.06.016>
- Hiniker, A. (2016). MyTime: Designing and evaluating an intervention for smartphone non-use. *Conference on Human Factors in Computing Systems Proceedings*, Query date: 2025-12-15 22:53:11, 4746–4757. <https://doi.org/10.1145/2858036.2858403>
- Howells, A. (2016). Putting the ‘app’ in Happiness: A Randomised Controlled Trial of a Smartphone-Based Mindfulness Intervention to Enhance Wellbeing. *Journal of Happiness Studies*, 17(1), 163–185. <https://doi.org/10.1007/s10902-014-9589-1>
- Janes, A. C. (2019). Quitting starts in the brain: A randomized controlled trial of app-based mindfulness shows decreases in neural responses to smoking cues that predict reductions in smoking. *Neuropsychopharmacology*, 44(9), 1631–1638. <https://doi.org/10.1038/s41386-019-0403-y>
- Jang, S. (2021). Mobile app-based chatbot to deliver cognitive behavioral therapy and psychoeducation for adults with attention deficit: A development and feasibility/usability study. *International Journal of Medical Informatics*, 150(Query date: 2025-12-15 22:53:11). <https://doi.org/10.1016/j.ijmedinf.2021.104440>
- Kahn, J. R. (2016). Post-9/11 veterans and their partners improve mental health outcomes with a self-directed mobile and web-based wellness training program: A randomized controlled trial. *Journal of Medical Internet Research*, 18(9). <https://doi.org/10.2196/jmir.5800>
- Kizakevich, P. N. (2018). PHIT for Duty, a Mobile Application for Stress Reduction, Sleep Improvement, and Alcohol Moderation. *Military Medicine*, 183(Query date: 2025-12-15 22:53:11), 353–363. <https://doi.org/10.1093/milmed/usx157>
- Kubo, A. (2021). mHealth Mindfulness Intervention for Women with Moderate-to-Moderately-Severe Antenatal Depressive Symptoms: A Pilot Study Within an Integrated Health Care System. *Mindfulness*, 12(6), 1387–1397. <https://doi.org/10.1007/s12671-021-01606-8>
- Larkin, F. (2019). Proof of concept of a smartphone app to support delivery of an intervention to facilitate mothers’ mind-mindedness. *Plos One*, 14(8). <https://doi.org/10.1371/journal.pone.0220948>
- Laurie, J. (2016). Making time for mindfulness. *International Journal of Medical Informatics*, 96(Query date: 2025-12-15 22:53:11), 38–50. <https://doi.org/10.1016/j.ijmedinf.2016.02.010>
- Lim, D. (2015). Mindfulness and compassion: An examination of mechanism and scalability. *Plos One*, 10(2). <https://doi.org/10.1371/journal.pone.0118221>

- Linardon, J. (2023). Rates of attrition and engagement in randomized controlled trials of mindfulness apps: Systematic review and meta-analysis. *Behaviour Research and Therapy*, 170(Query date: 2025-12-15 22:53:11). <https://doi.org/10.1016/j.brat.2023.104421>
- Mistler, L. A. (2017). Mobile mindfulness intervention on an acute psychiatric unit: Feasibility and acceptability study. *Jmir Mental Health*, 4(3). <https://doi.org/10.2196/mental.7717>
- Muuraiskangas, S. (2016). Process and effects evaluation of a digital mental health intervention targeted at improving occupational well-being: Lessons from an intervention study with failed adoption. *Jmir Mental Health*, 3(2). <https://doi.org/10.2196/mental.4465>
- Plaza, I. (2013). Mindfulness-based mobile applications: Literature review and analysis of current features. *Jmir Mhealth and Uhealth*, 1(2). <https://doi.org/10.2196/mhealth.2733>
- Pung, A. (2018). Mobile app use by primary care patients to manage their depressive symptoms: Qualitative study. *Journal of Medical Internet Research*, 20(9). <https://doi.org/10.2196/10035>
- Rosen, K. D. (2018). Quality of life among women diagnosed with breast Cancer: A randomized waitlist controlled trial of commercially available mobile app-delivered mindfulness training. *Psycho Oncology*, 27(8), 2023–2030. <https://doi.org/10.1002/pon.4764>
- Roy, A. (2020). Physician anxiety and burnout: Symptom correlates and a prospective pilot study of app-delivered mindfulness training. *Jmir Mhealth and Uhealth*, 8(4). <https://doi.org/10.2196/15608>
- Satre, D. D. (2021). Opportunities to Integrate Mobile App–Based Interventions Into Mental Health and Substance Use Disorder Treatment Services in the Wake of COVID-19. *American Journal of Health Promotion*, 35(8), 1178–1183. <https://doi.org/10.1177/08901171211055314>
- Throuvala, M. A. (2020). Mind over matter: Testing the efficacy of an online randomized controlled trial to reduce distraction from smartphone use. *International Journal of Environmental Research and Public Health*, 17(13), 1–30. <https://doi.org/10.3390/ijerph17134842>
- Torous, J. (2018). Mental health apps: What to tell patients. *Current Psychiatry*, 17(3), 21–25.
- Wasil, A. R. (2020). Reassessing evidence-based content in popular smartphone apps for depression and anxiety: Developing and applying user-adjusted analyses. *Journal of Consulting and Clinical Psychology*, 88(11), 983–993. <https://doi.org/10.1037/ccp0000604>

---

**Copyright Holder :**

© Maria Clara Reyes et.al (2025).

**First Publication Right :**

© Journal Emerging Technologies in Education

**This article is under:**