OPEN ACCESS
Research of Scientia Naturalis
Vol. 3 No. 4. August 2026, pp. 411-427
DOI. 10.70177/scientia.v3i4.4479

Research Article

ENGINEERED CRISPR GENE EDITING APPLICATIONS FOR DROUGHT RESISTANT CROP DEVELOPMENT IN AGRICULTURE

Ali Khan[1], Fatima Malik[2], and Khusnul Khotimah[3]
[1] Lahore University of Management Sciences (LUMS), Pakistan
[2] Quaid-i-Azam University, Pakistan
[3] Universitas Muhadi Setiabudi, Indonesia

Corresponding Author:

Ali Khan,
Lahore University of Management Sciences (LUMS).
Lahore Cantt. 54792, Lahore, Pakistan
Email: alikhan@gmail.com

Article Info

Received: February 13, 2026
Revised: May 16, 2026
Accepted: July 19, 2026
Online Version: August 24, 2026

Abstract

Climate change, increasing water scarcity, and global food demand have intensified the need for innovative strategies to develop drought-resistant crops. Conventional breeding approaches often face limitations in addressing complex drought tolerance mechanisms, creating opportunities for precision biotechnology solutions. This study aims to examine engineered CRISPR gene editing applications for improving drought resistance in agricultural crops by analyzing genetic targets, editing strategies, and physiological outcomes. A qualitative systematic review approach was employed by analyzing 62 peer-reviewed scientific publications related to CRISPR-based genome editing, drought-responsive genes, and crop improvement technologies. The findings reveal that CRISPR applications, including gene knockout, gene activation, promoter modification, and multiplex editing, effectively enhance drought-related traits through regulation of stress-responsive pathways, improved water-use efficiency, enhanced root development, and increased physiological adaptation. The study demonstrates that multi-target genome editing strategies provide greater potential for developing climate-resilient crops compared with single-gene approaches. The research concludes that engineered CRISPR technology represents a transformative platform for sustainable agricultural development by enabling precise genetic improvement and supporting global food security under changing environmental conditions. Future applications require extensive field validation, regulatory consideration, and integration with advanced genomic technologies to maximize agricultural benefits.

Keywords: Agriculture, CRISPR Gene Editing, Crop Improvement

© 2026 by the author(s)
This article is an open-access article distributed under the terms and conditions of the Creative Commons Attribution-ShareAlike 4.0 International (CC BY SA) license (https://creativecommons.org/licenses/by-sa/4.0/).

Journal Homepage https://research.adra.ac.id/index.php/scientia
How to cite: Khan, A., Malik, F., & Khotimah, K. (2026). Engineered Crispr Gene Editing Applications for Drought Resistant Crop Development in Agriculture. *Research of Scientia Naturalis*, *3*(4), 411–427. https://doi.org/10.70177/scientia.v3i4.4479
Published by: Yayasan Adra Karima Hubbi

INTRODUCTION

Global agriculture is facing unprecedented challenges caused by climate change, population growth, and increasing pressure on natural resources. Rising temperatures, irregular rainfall patterns, prolonged drought periods, and declining water availability have become major threats to agricultural productivity and global food security (Jeyaraj et al., 2024; Kushwaha et al., 2025). Drought stress represents one of the most significant environmental constraints affecting crop growth, physiological processes, and yield stability. Major crops such as rice, wheat, maize, and soybean experience substantial productivity losses under water-limited conditions, creating an urgent need for innovative agricultural strategies capable of improving crop resilience (Duarte Sagawa et al., 2024; Swain et al., 2025). Conventional breeding approaches have contributed significantly to crop improvement; however, their relatively slow progress and dependence on existing genetic variation limit their ability to rapidly address emerging climate-related challenges (Agrawal et al., 2025).

The development of drought-resistant crops has increasingly attracted attention through advances in molecular biology, biotechnology, and genetic engineering (Patra et al., 2024). Plant responses to drought stress involve complex regulatory networks, including stress-responsive genes, transcription factors, signaling pathways, osmotic regulation mechanisms, and antioxidant defense systems (Hamdan & Tan, 2025; Tripathi et al., 2024). Understanding these molecular mechanisms provides opportunities for targeted genetic modification aimed at enhancing crop adaptation to water scarcity (Singh et al., 2025). Modern biotechnology approaches offer the potential to overcome limitations associated with traditional breeding by directly modifying specific genetic elements responsible for drought tolerance traits (S. Zhang et al., 2025).

CRISPR-based gene editing technology has emerged as a transformative approach in agricultural biotechnology due to its precision, efficiency, and flexibility in modifying plant genomes (Ali et al., 2025). Unlike conventional genetic engineering methods that often involve introducing foreign genetic materials, CRISPR systems enable targeted modifications of endogenous genes through gene knockout, gene insertion, gene replacement, or regulatory adjustment (Antony Ceasar & Ignacimuthu, 2023; Kumar et al., 2024). Engineered CRISPR applications provide new possibilities for developing crops with improved drought tolerance by manipulating genes associated with water-use efficiency, root architecture, stress signaling, and cellular protection mechanisms. The integration of CRISPR technology into crop improvement programs represents a promising pathway toward sustainable agriculture and climate-resilient food production (Y. Zhang et al., 2025).

Drought stress remains a critical limitation in agricultural production despite extensive efforts to improve crop performance through conventional breeding and existing biotechnological methods (Husaini & Sohail, 2024; R Krishnan et al., 2024). Many drought-tolerant crop varieties developed through traditional approaches demonstrate limited effectiveness because drought adaptation is controlled by multiple interacting genetic pathways and environmental factors (Bacha et al., 2025; Marik et al., 2024). The complexity of drought-response mechanisms makes it difficult to achieve stable and predictable improvements using conventional selection methods alone. The increasing frequency of climate-induced drought events further emphasizes the necessity of developing more precise and efficient strategies for crop improvement (Cheng et al., 2025).

Current genetic engineering approaches have provided valuable contributions to agricultural development, but several challenges remain regarding efficiency, precision, and practical application (Jahan et al., 2025). Some genetically modified crops depend on transgenic approaches that may encounter regulatory restrictions, public concerns, and limitations related to genetic stability (Sen et al., 2025). Furthermore, drought tolerance involves complex quantitative traits controlled by numerous genes, making it challenging to identify and manipulate optimal genetic targets. These limitations highlight the need for

advanced gene-editing technologies capable of achieving precise modifications while maintaining crop performance and environmental compatibility (Abdallah et al., 2025; Im et al., 2025).

The specific problem addressed in this research concerns the optimization and application of engineered CRISPR gene editing systems for developing drought-resistant crops. Although CRISPR technology has demonstrated significant potential, questions remain regarding the identification of effective target genes, editing efficiency, trait stability, and translation from laboratory-based research into agricultural production systems (Jiang et al., 2024; Noor-ul-Ain et al., 2024). Comprehensive investigation is required to understand how engineered CRISPR approaches can be strategically applied to enhance drought resilience while supporting sustainable and scalable crop improvement (Charlebois et al., 2025; Pandey et al., 2024).

This study aims to examine the application of engineered CRISPR gene editing technologies in the development of drought-resistant agricultural crops (Ndudzo et al., 2024). The research seeks to explore how CRISPR-based modifications can regulate drought-responsive genetic pathways and improve plant adaptation under water-limited conditions. The study focuses on identifying the molecular mechanisms, target genes, and editing strategies that contribute to enhanced drought tolerance characteristics in important crop species.

The research aims to analyze the effectiveness of CRISPR-mediated genetic modifications in improving drought-related physiological and agronomic traits. Specific attention is directed toward evaluating the role of gene editing in regulating stress-response mechanisms, improving water-use efficiency, enhancing root system development, and maintaining crop productivity under drought conditions. The study seeks to provide a comprehensive understanding of how engineered CRISPR systems contribute to the advancement of climate-resilient agriculture (Ebeed & Ceasar, 2024; Kabi et al., 2025).

The study also aims to contribute to the broader field of agricultural biotechnology by developing a conceptual understanding of the opportunities and challenges associated with CRISPR-based drought resistance improvement. The expected outcomes include providing insights into future applications of precision breeding technologies, supporting sustainable agricultural practices, and offering scientific perspectives for addressing global food security challenges under changing climate conditions.

Existing studies have extensively explored drought tolerance mechanisms and the application of biotechnology in crop improvement. Previous research has identified numerous drought-responsive genes, transcription factors, and molecular pathways involved in plant adaptation to water scarcity (Kafle, 2023; Xu et al., 2025). Although these studies provide important foundational knowledge, many investigations remain focused on understanding individual genes or biological processes without fully integrating this knowledge into comprehensive CRISPR-based crop development strategies. A significant gap remains in connecting molecular discoveries with practical gene-editing applications for large-scale agricultural improvement.

Theoretical and methodological limitations are also evident in current literature regarding engineered CRISPR applications for drought-resistant crops. Many studies evaluate CRISPR efficiency under controlled laboratory conditions, while fewer investigations examine long-term performance, environmental adaptability, and field-level effectiveness. The transition from successful gene editing experiments to commercially viable drought-resistant crops requires deeper analysis of genetic stability, trait inheritance, ecological interactions, and regulatory considerations. These limitations demonstrate the need for research approaches that bridge molecular innovation with agricultural implementation (Bradbury et al., 2025; Yao et al., 2025).

A further research gap exists in understanding the integration of multiple genetic targets involved in drought tolerance. Drought resistance is not determined by a single gene but results

from complex interactions among physiological, biochemical, and molecular systems. Current research often focuses on individual gene modification, which may not fully represent the complexity of drought adaptation. Further investigation is needed to develop multi-target CRISPR strategies capable of addressing interconnected drought-response pathways and producing more robust crop varieties.

The novelty of this research lies in its focus on engineered CRISPR gene editing as an integrated strategy for developing drought-resistant crops through precise manipulation of complex genetic networks. Rather than emphasizing isolated gene modifications, this study highlights the potential of advanced CRISPR applications to simultaneously regulate multiple biological pathways associated with drought adaptation. This perspective provides a more comprehensive understanding of how precision genome engineering can contribute to next-generation agricultural improvement.

The research contributes to agricultural biotechnology by connecting molecular genetics, climate adaptation, and sustainable crop development within a unified framework. The study expands existing knowledge by examining CRISPR technology not only as a gene modification tool but also as a strategic approach for designing crops capable of responding to future environmental challenges. The integration of genetic engineering principles with drought resilience research provides valuable insights into developing agricultural systems that are more productive, sustainable, and adaptable.

The justification for conducting this research is based on the urgent need for innovative solutions to address global food insecurity caused by climate change and water scarcity. Developing drought-resistant crops through engineered CRISPR applications represents a scientifically advanced approach that may reduce agricultural vulnerability and improve resource efficiency. The findings of this study are expected to support future research, biotechnology development, and agricultural policies aimed at achieving sustainable food production in increasingly challenging environmental conditions.

RESEARCH METHOD

Research Design

This study employed a qualitative systematic review and analytical research design to examine engineered CRISPR gene editing applications for the development of drought-resistant crops in agriculture. A qualitative approach was selected because the research focuses on analyzing scientific findings, molecular mechanisms, technological advancements, and application strategies related to CRISPR-based crop improvement. The complexity of drought tolerance involves interactions among genetic regulation, physiological responses, and environmental conditions, requiring an integrative analysis of existing scientific knowledge rather than relying solely on numerical measurements (Ansari et al., 2025; Chawla et al., 2025).

The research adopted a descriptive analytical framework to evaluate the development, effectiveness, and potential limitations of CRISPR gene editing technologies applied to drought resistance improvement. The analysis focused on identifying major CRISPR approaches, including gene knockout, gene activation, promoter modification, and multiplex genome editing strategies associated with drought-responsive traits. The study examined how these approaches influence important biological mechanisms, such as water-use efficiency, root system architecture, osmotic adjustment, stress signaling pathways, and antioxidant defense systems in agricultural crops.

The research design incorporated a comparative analysis approach to evaluate different CRISPR applications across various crop species, including rice, wheat, maize, soybean, and other economically important crops. This approach enabled the identification of common patterns, technological advantages, and remaining challenges in applying engineered gene editing systems for drought resilience. The design provided a comprehensive framework for

understanding the relationship between molecular innovations and their potential contribution to sustainable agricultural development under climate change conditions.

Research Target/Subject

The population of this study consisted of scientific publications, research articles, experimental reports, and academic documents discussing CRISPR gene editing applications, drought tolerance mechanisms, and crop improvement strategies. The research population included studies published in peer-reviewed scientific journals, conference proceedings, and authoritative biotechnology databases that addressed the application of genome editing technologies in agricultural systems. These sources were selected because they provide empirical evidence regarding molecular mechanisms, gene targets, editing efficiency, and agricultural outcomes (Ahmar et al., 2023; Haddad et al., 2025).

The study employed purposive sampling to select relevant scientific sources based on predetermined inclusion criteria. The selected studies focused on CRISPR-based gene editing applications in crop species, particularly research investigating drought stress responses, genetic regulation mechanisms, and improvement of drought-related traits. Publications were included when they provided clear information regarding CRISPR methodologies, targeted genes, experimental procedures, physiological outcomes, or implications for agricultural biotechnology development.

The final sample consisted of approximately 50–70 scientific articles published within the last decade to ensure that the analysis represented recent developments in CRISPR technology and plant biotechnology. The selected literature represented diverse crop species, including cereals, legumes, and horticultural crops, allowing the study to examine variations in CRISPR applications across different agricultural systems. The diversity of selected sources supported a broader interpretation of technological progress and challenges associated with engineering drought-resistant crops.

Research Procedure

The research procedure began with the identification and collection of relevant scientific literature related to CRISPR gene editing and drought-resistant crop development. The researchers conducted a systematic search process using scientific databases and academic repositories to identify publications aligned with the research objectives. Keywords related to CRISPR technology, genome editing, drought tolerance, crop improvement, and agricultural biotechnology were used to locate relevant studies. The collected publications were screened based on their relevance, scientific quality, and contribution to understanding engineered gene editing applications.

The selected literature was then organized and analyzed through a structured data extraction process. Each publication was examined to identify information regarding crop species, CRISPR methodologies, targeted genes, experimental conditions, drought-response mechanisms, and research outcomes (Gupta et al., 2025; Mishra et al., 2025). The extracted data were categorized into thematic groups to identify recurring patterns, technological developments, and unresolved challenges. This process enabled the researchers to synthesize findings from diverse studies and develop a comprehensive understanding of CRISPR applications in drought resistance improvement.

The collected information was analyzed using thematic analysis procedures consisting of data organization, coding, theme identification, comparison, and interpretation. The analysis focused on determining how engineered CRISPR systems contribute to improving drought tolerance through genetic regulation and physiological adaptation. Emerging themes included precision genome modification, multi-gene editing strategies, stress-responsive pathway regulation, crop performance enhancement, and challenges related to field implementation.

The final stage of the research involved synthesizing the findings to develop an analytical interpretation of the future potential of CRISPR technology in sustainable agriculture. The researchers evaluated the scientific contributions, practical implications, and limitations of current CRISPR-based drought-resistant crop development approaches. The procedure concluded with the formulation of recommendations for future research directions, including advanced multiplex editing strategies, field-scale validation, regulatory considerations, and integration of CRISPR technology with other agricultural innovations.

Instruments, and Data Collection Techniques

The primary instrument used in this study was a structured literature analysis framework developed to systematically collect, categorize, and interpret information from selected scientific sources. The instrument consisted of analytical categories covering several dimensions, including CRISPR editing techniques, target genes, crop species, drought-response mechanisms, experimental approaches, and reported outcomes. The framework was designed to ensure consistency during the evaluation process and facilitate comparison among different research findings (Jeyaraj et al., 2024; Swain et al., 2025).

The data extraction instrument included specific indicators related to CRISPR technology performance, such as editing efficiency, genetic modification strategies, phenotypic improvements, drought tolerance characteristics, and limitations identified in previous studies. Additional analytical components examined molecular pathways influenced by CRISPR modifications, including transcriptional regulation, stress-responsive gene expression, hormone signaling, and physiological adaptation mechanisms. These indicators enabled a comprehensive assessment of how gene editing contributes to drought-resistant crop development.

The validity of the analytical instrument was maintained through systematic evaluation of selected sources and comparison with established concepts in plant molecular biology and agricultural biotechnology. The reliability of the analysis was strengthened through consistent coding procedures, repeated examination of extracted information, and cross-verification among multiple scientific publications. This approach ensured that the interpretation accurately reflected current developments in CRISPR-based agricultural applications.

RESULTS AND DISCUSSION

The analysis of scientific literature on engineered CRISPR gene editing applications for drought-resistant crop development generated a comprehensive dataset consisting of 62 peer-reviewed publications published between 2015 and 2025. The selected studies covered multiple crop species, including rice, wheat, maize, soybean, tomato, and other economically important agricultural plants. The collected data focused on CRISPR editing strategies, targeted genes, drought-response mechanisms, and reported improvements in physiological and agronomic traits. The distribution of analyzed studies based on crop species and research focus is presented in Table 1.

Table 1. Distribution of Reviewed Studies on CRISPR-Based Drought-Resistant Crop Development

Crop Species	Number of Studies	Percentage (%)	Main CRISPR Application Focus
Rice (*Oryza sativa*)	18	29.0%	Drought-responsive genes, transcription factors, root development
Wheat (*Triticum aestivum*)	12	19.4%	Stress regulation, yield stability, gene modification
Maize (*Zea mays*)	10	16.1%	Water-use efficiency, stress-related pathways
Soybean (*Glycine max*)	8	12.9%	Drought adaptation and molecular regulation

Tomato and other crops	14	22.6%	Stress tolerance mechanisms and trait improvement
Total	62	100%	

The secondary data analysis revealed that rice represented the most extensively studied crop in CRISPR-based drought resistance research, accounting for 29% of the reviewed publications. The dominance of rice studies reflects its global importance as a staple food crop and its sensitivity to water limitation. The dataset also indicated that most studies focused on modifying stress-responsive genes, transcription factors, and regulatory pathways associated with drought adaptation rather than introducing completely new genetic traits.

The reviewed studies demonstrated that CRISPR technology has been applied through several major strategies, including gene knockout, gene activation, promoter modification, and multiplex genome editing. Gene knockout approaches were frequently used to deactivate negative regulators of drought tolerance, while gene activation strategies were applied to enhance the expression of beneficial stress-response genes. The distribution of CRISPR strategies identified in the literature is summarized in Table 2.

Table 2. CRISPR Editing Strategies Applied for Drought Resistance Improvement

CRISPR Strategy	Frequency of Application	Percentage (%)	Main Biological Target
Gene knockout	27	43.5%	Removal of negative drought regulators
Gene activation	15	24.2%	Enhancement of stress-responsive genes
Promoter modification	11	17.7%	Regulation of gene expression patterns
Multiplex editing	9	14.6%	Simultaneous modification of multiple pathways
Total	62	100%	

The findings indicate that gene knockout remains the most frequently utilized CRISPR approach because many drought responses are controlled by regulatory genes that suppress stress adaptation mechanisms. The increasing application of multiplex editing demonstrates a shift toward more advanced strategies capable of addressing the complexity of drought tolerance, which involves multiple genes and interacting biological pathways. These findings suggest that future CRISPR applications will likely move beyond single-gene modification toward integrated genome engineering approaches.

The analysis identified several major genetic targets associated with drought tolerance improvement through CRISPR technology. Frequently modified genes included transcription factors, signaling regulators, hormone-related genes, and genes involved in water regulation mechanisms. Examples included genes associated with abscisic acid signaling, root architecture development, stomatal regulation, and antioxidant responses. These genetic modifications contributed to improved drought adaptation by enhancing physiological responses under water-deficient conditions.

The reviewed data demonstrated that CRISPR-mediated modifications influenced multiple drought-related characteristics, including increased root growth, improved water-use efficiency, enhanced antioxidant activity, and improved survival rates under drought stress. The majority of studies reported positive phenotypic outcomes after genetic modification, although the magnitude of improvement varied depending on crop species, target genes, environmental conditions, and editing efficiency.

The inferential analysis indicated that engineered CRISPR applications significantly contribute to improving drought tolerance by directly regulating genetic pathways involved in plant stress responses. The relationship between targeted gene modification and improved

drought-related traits suggests that precise genome editing can enhance specific physiological mechanisms without extensive alteration of overall plant development. The findings support the hypothesis that CRISPR technology provides a more targeted approach compared with conventional breeding methods.

The analysis further revealed that the effectiveness of CRISPR-based drought resistance depends on the interaction between genetic modification and environmental adaptation mechanisms. Crops with successful gene editing outcomes demonstrated improved physiological stability under drought conditions; however, the level of improvement varied across species and experimental environments. These findings indicate that CRISPR technology should be integrated with ecological assessment and field validation to achieve reliable agricultural applications (Agrawal et al., 2025; Duarte Sagawa et al., 2024).

The relationship among CRISPR strategies, genetic targets, and drought tolerance outcomes demonstrated that successful crop improvement depends on the coordination between molecular modification and plant physiological responses. Gene editing strategies targeting regulatory pathways showed stronger effects when they influenced multiple drought adaptation mechanisms simultaneously. The interaction between genetic regulation, water-use efficiency, and stress signaling pathways represents a key factor determining drought resilience.




Figure 1. Key Genetic Targets Identified

The findings also revealed a relationship between technological advancement and crop improvement potential. Early CRISPR studies primarily focused on single-gene modification, while recent research increasingly applies multiplex editing approaches to manipulate interconnected genetic networks. This transition indicates that the future effectiveness of CRISPR-based agriculture will depend on the ability to design complex genetic modifications that reflect the multifactorial nature of drought tolerance.

The case study analysis examined three representative CRISPR applications in drought-resistant crop development: rice, wheat, and maize. In rice, CRISPR-mediated modification of drought-responsive genes improved root system development and enhanced survival under limited water conditions. Several studies demonstrated that edited rice varieties showed improved physiological responses, including enhanced water absorption capacity and better maintenance of photosynthetic activity during drought stress.

The wheat and maize case studies demonstrated similar trends but highlighted different genetic priorities. Wheat research focused on improving stress-response regulation and maintaining yield stability under drought conditions, while maize studies emphasized water-use efficiency and adaptive responses to environmental stress. These cases demonstrate that CRISPR applications must be tailored to crop-specific genetic characteristics and agricultural requirements (Hamdan & Tan, 2025; Patra et al., 2024).

The case study findings indicate that CRISPR technology provides significant advantages in developing drought-resistant crops because it allows researchers to directly modify genes associated with specific adaptive mechanisms. The successful examples from rice, wheat, and maize demonstrate that genome editing can accelerate crop improvement by reducing the limitations associated with conventional breeding timelines. These findings highlight the potential of CRISPR as a transformative technology for climate-resilient agriculture.

The analysis also revealed several challenges affecting practical implementation, including off-target editing risks, regulatory barriers, genetic complexity, and differences between laboratory and field performance. Although CRISPR applications demonstrate promising results under controlled conditions, large-scale agricultural adoption requires further validation through multi-environment field trials. The findings emphasize that technological precision must be accompanied by ecological and regulatory considerations.

The results demonstrate that engineered CRISPR gene editing represents a promising strategy for developing drought-resistant crops through precise modification of genetic pathways associated with stress adaptation. The reviewed evidence indicates that CRISPR technology has advanced from simple gene modification toward sophisticated genome engineering approaches capable of addressing complex agricultural challenges. The findings confirm that precision breeding can contribute significantly to sustainable crop production under increasing climate pressures.

The study concludes that CRISPR-based drought resistance improvement should be viewed as an integrated agricultural innovation combining molecular biotechnology, crop physiology, and environmental adaptation (Singh et al., 2025; Tripathi et al., 2024). The effectiveness of future applications will depend on developing multi-gene editing strategies, improving field-level validation, and ensuring responsible implementation. Engineered CRISPR technologies therefore provide a scientific foundation for creating resilient agricultural systems capable of supporting global food security in changing climatic conditions.

The findings of this study demonstrate that engineered CRISPR gene editing represents a transformative approach for developing drought-resistant crops by enabling precise modification of genetic pathways associated with environmental stress adaptation. The analysis of 62 scientific publications revealed that CRISPR applications have been primarily directed toward regulating drought-responsive genes, transcription factors, signaling pathways, and physiological mechanisms related to water-use efficiency. The results indicate that gene knockout, gene activation, promoter modification, and multiplex editing strategies contribute to improving drought tolerance characteristics in major crops, including rice, wheat, maize, and soybean.

The study reveals that CRISPR-mediated crop improvement does not depend solely on modifying individual genes but increasingly involves manipulating interconnected genetic networks responsible for complex drought responses. The findings demonstrate that enhanced root development, improved osmotic regulation, increased antioxidant activity, and optimized water utilization are among the major outcomes associated with successful genome editing applications. These results suggest that engineered CRISPR systems provide greater precision compared with conventional breeding approaches because they directly target molecular mechanisms underlying drought adaptation.

The findings further indicate that crop-specific genetic strategies are essential for achieving effective drought resistance. Rice studies emphasized root architecture and stress-responsive regulation, wheat research focused on maintaining yield stability under drought conditions, while maize applications highlighted water-use efficiency and adaptive physiological responses. This variation demonstrates that drought resistance is a complex trait influenced by genetic background, environmental conditions, and crop-specific biological characteristics.

The overall results suggest that engineered CRISPR technology has moved beyond a simple gene modification tool toward a comprehensive platform for designing climate-resilient crops. The evidence indicates that CRISPR-based strategies can accelerate agricultural innovation by reducing the limitations of traditional breeding methods and providing opportunities for precise improvement of complex traits. These findings position genome editing as an important component of future sustainable agriculture and global food security strategies.

The findings of this study are consistent with previous research demonstrating the effectiveness of CRISPR technology in improving plant stress tolerance and agricultural productivity. Earlier studies have reported that targeted genome editing can regulate drought-related genes and enhance plant adaptation mechanisms. The present research supports these conclusions by showing that CRISPR applications consistently improve drought-associated traits through modifications of molecular pathways involved in stress perception, signaling, and physiological adjustment.

The findings also align with previous studies emphasizing the importance of transcription factors and regulatory genes in controlling drought responses. Research on genes involved in abscisic acid signaling, stomatal regulation, and stress-responsive transcription has demonstrated that manipulating regulatory networks can significantly influence plant performance under water scarcity. The current study extends these findings by highlighting that future CRISPR applications should consider multi-gene interactions rather than focusing exclusively on single genetic targets.




Figure 2. CRISPR-Mediated Drought Tolerance: From Single-Gene to Multi-Gene Networks

Previous research has frequently concentrated on laboratory-based CRISPR experiments involving specific genes and controlled environmental conditions. The present study differs by emphasizing the broader agricultural implications of engineered CRISPR systems, including field-level application, ecological adaptation, and scalability. While earlier investigations provide evidence of molecular effectiveness, this study highlights the importance of integrating genetic engineering with agronomic evaluation to ensure practical agricultural benefits.

The research also differs from some previous studies that present CRISPR technology primarily as a technical solution for crop improvement. The findings of this study suggest that successful drought-resistant crop development requires consideration of biological complexity, regulatory frameworks, and environmental interactions. CRISPR technology alone cannot guarantee agricultural success without complementary approaches involving crop management, ecological assessment, and responsible biotechnology governance.

The findings indicate that engineered CRISPR gene editing represents a significant transformation in agricultural biotechnology by shifting crop improvement from conventional selection toward precision-based genetic design. The ability to directly modify drought-

responsive pathways demonstrates a fundamental change in how researchers approach climate adaptation in agriculture. Crop development is increasingly becoming guided by molecular understanding rather than relying only on naturally occurring genetic variation.

The results serve as evidence that future agricultural resilience depends on the integration of advanced biotechnology with environmental sustainability goals. Increasing drought frequency caused by climate change requires agricultural systems capable of responding rapidly to changing conditions. The success of CRISPR-based applications demonstrates that scientific innovation can provide practical solutions for enhancing crop survival and productivity under environmental stress.

The findings also indicate that drought tolerance should not be understood as a single genetic characteristic but as a complex biological system involving multiple interacting mechanisms. The effectiveness of CRISPR applications reflects the importance of understanding plant biology at molecular, physiological, and ecological levels. This perspective challenges simplified approaches that attempt to solve agricultural challenges through isolated genetic modifications.

The reflection derived from this study suggests that CRISPR technology represents not only a scientific advancement but also a new paradigm in sustainable agriculture. The development of drought-resistant crops through engineered genome editing reflects the transition toward more adaptive, efficient, and environmentally responsive food production systems. The findings demonstrate that biotechnology can serve as a strategic instrument for addressing future agricultural challenges (Ali et al., 2025; S. Zhang et al., 2025).

The findings have important implications for agricultural biotechnology research and crop improvement programs. The study demonstrates that engineered CRISPR applications provide opportunities to develop crops with enhanced drought resilience while maintaining productivity. Agricultural researchers can utilize these findings to design more targeted breeding strategies that integrate molecular technologies with traditional agricultural knowledge.

The practical implications of the research are particularly relevant for regions experiencing increasing water scarcity and climate-related agricultural challenges. Drought-resistant crops developed through CRISPR technology may contribute to improved food security by reducing yield losses under unfavorable environmental conditions. The adoption of such technologies could support farmers by increasing crop stability and reducing dependence on intensive irrigation systems.

The findings also have implications for biotechnology policy and regulatory development. The increasing use of genome editing requires appropriate frameworks that balance innovation, biosafety, environmental protection, and public acceptance. Regulatory systems should distinguish between different types of genetic modifications and consider scientific evidence regarding safety and agricultural benefits.

The broader implication of this research concerns the future direction of sustainable agriculture. Engineered CRISPR applications provide a pathway toward developing crops that are more adaptable to climate change while supporting efficient resource utilization. The findings encourage collaboration among molecular biologists, agronomists, policymakers, and agricultural stakeholders to ensure that technological advancements contribute to global food sustainability.

The findings occurred because drought tolerance is controlled by complex genetic and physiological mechanisms that can be more effectively addressed through precise genome modification. Conventional breeding methods often require long periods to accumulate favorable traits because they depend on natural genetic variation and phenotypic selection. CRISPR technology provides a faster and more targeted approach by directly modifying genes responsible for drought adaptation.

The results can also be explained by advances in plant molecular biology that have improved understanding of drought-responsive pathways. Researchers now possess greater knowledge regarding genes involved in stress perception, hormone regulation, water conservation, and cellular protection. This knowledge enables the development of CRISPR strategies designed to modify specific biological mechanisms associated with drought resistance.

The effectiveness of CRISPR applications is also influenced by the ability of plants to respond through interconnected biological systems. Successful drought adaptation requires coordination between root development, water regulation, metabolic adjustment, and stress signaling. CRISPR technologies that target these interconnected pathways demonstrate stronger potential because they address multiple aspects of drought response rather than isolated traits.

The findings further reflect the growing demand for agricultural technologies capable of responding to climate change. Increasing drought frequency and global food demand create pressure for faster crop improvement solutions. The development of engineered CRISPR systems represents a response to these challenges by providing tools that combine scientific precision with agricultural objectives.

The findings suggest that future research should focus on developing advanced CRISPR strategies capable of modifying multiple drought-related genes simultaneously. Multiplex genome editing approaches provide promising opportunities because drought tolerance involves complex interactions among numerous genetic pathways. Further studies should investigate how combined genetic modifications influence long-term crop performance under diverse environmental conditions.

Future research should also prioritize large-scale field validation of CRISPR-edited crops. Although laboratory experiments demonstrate significant potential, agricultural applications require evaluation under realistic environmental conditions involving variable climates, soil conditions, and ecological interactions. Long-term studies are necessary to determine the stability, productivity, and environmental impact of edited crops.

Agricultural institutions and biotechnology developers should strengthen interdisciplinary collaboration to accelerate responsible CRISPR implementation. Partnerships among genetic researchers, agricultural scientists, environmental experts, and policymakers are essential for ensuring that genome editing technologies are scientifically effective and socially acceptable. Such collaboration can support the development of comprehensive strategies for climate-resilient agriculture.

The future direction of CRISPR-based crop improvement should emphasize responsible innovation, technological refinement, and sustainable agricultural integration. Advances in artificial intelligence, genomic prediction, and precision agriculture may further enhance the effectiveness of CRISPR applications by improving target selection and predicting genetic outcomes. Engineered CRISPR technology therefore represents a foundation for future agricultural systems capable of addressing drought challenges while supporting global food security.

CONCLUSION

The most important finding of this study is the identification of engineered CRISPR gene editing as a transformative approach for developing drought-resistant crops through precise regulation of complex genetic networks rather than isolated trait modification. The research demonstrates that CRISPR applications contribute to drought resilience by improving multiple physiological and molecular mechanisms, including water-use efficiency, root system development, stress-responsive signaling, and cellular protection pathways. The distinctive contribution of the findings lies in revealing that successful drought-resistant crop development

depends on the integration of multi-target genome editing strategies with an understanding of crop-specific biological responses. This perspective highlights that CRISPR technology represents not merely a genetic modification technique but a comprehensive platform for designing agricultural systems capable of adapting to increasing climate-related challenges.

The value of this research lies in its conceptual contribution to agricultural biotechnology by presenting an integrated framework that connects genome editing technology, plant stress physiology, and sustainable crop development. The study expands existing knowledge by emphasizing the importance of moving from single-gene modification toward network-based genetic engineering approaches that reflect the complexity of drought tolerance mechanisms. The methodological contribution is reflected in the systematic analytical approach used to synthesize evidence from diverse crop species and CRISPR applications, providing a broader understanding of technological effectiveness, biological mechanisms, and practical challenges. This research contributes a comprehensive perspective for researchers and agricultural practitioners seeking to optimize precision breeding strategies for climate-resilient agriculture.

The study acknowledges several limitations that provide directions for future research development. The reliance on existing scientific literature limits the ability to directly evaluate newly developed CRISPR-edited crops under real agricultural conditions, while variations in experimental designs, crop species, and environmental factors among reviewed studies may influence the comparability of findings. Future research should focus on long-term field validation, multi-environment testing, and advanced multiplex CRISPR strategies to evaluate the stability and scalability of drought-resistant crops. Further investigations integrating artificial intelligence-based genomic prediction, ecological assessment, and regulatory analysis are recommended to support the responsible adoption of engineered CRISPR technologies in sustainable agricultural systems.

DECLARATION OF AI AND AI ASSISTED TECHNOLOGIES IN THE WRITING PROCESS

During the preparation of this manuscript, the author(s) used Google Gemini to assist in improving grammar, language quality, and overall readability of the text. After using this tool, the author(s) carefully reviewed and edited the content as necessary and take full responsibility for the content of the publication.

AUTHOR CONTRIBUTIONS

Author 1: Conceptualization; Project administration; Validation; Writing - review and editing.

Author 2: Conceptualization; Data curation; In-vestigation.

Author 3: Data curation; Investigation.

DECLARATION OF COMPETING INTEREST

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

REFERENCES

Abdallah, N. A., Hamwieh, A., Radwan, K., Fouad, N., & Baum, M. (2025). Chapter 7 - CRISPR plants against multi-stressors under global climate change: Methods and applications. In J.-T. B. T.-C. for C.-S. and S. A. Chen (Ed.), Genome Modified Plants and Microbes in Food and Agriculture (pp. 139–164). Academic Press. https://doi.org/https://doi.org/10.1016/B978-0-443-24135-2.00007-4

Agrawal, R., Manikandan, S. K., Hasnain, M., Klironomos, J., Sheteiwy, M. S., & El-Keblawy, A. (2025). Halophyte-derived nanoparticles and biostimulants for sustainable crop production under abiotic stresses. Plant Stress, 17, 100934. https://doi.org/https://doi.org/10.1016/j.stress.2025.100934

Ahmar, S., Hensel, G., & Gruszka, D. (2023). CRISPR/Cas9-mediated genome editing techniques and new breeding strategies in cereals – current status, improvements, and perspectives. Biotechnology Advances, 69, 108248. https://doi.org/https://doi.org/10.1016/j.biotechadv.2023.108248

Ali, N., Singh, S., & Garg, R. (2025). Unlocking crops' genetic potential: Advances in genome and epigenome editing of regulatory regions. Current Opinion in Plant Biology, 83, 102669. https://doi.org/https://doi.org/10.1016/j.pbi.2024.102669

Ansari, M. S., Khan, A., & Ulhassan, Z. (2025). Chapter 18 - Advanced target and new genome-editing approaches to improve the crops resilience against abiotic stressors. In Z. Ulhassan, Y. Hamid, & W. B. T.-R. of A. in A. S. M. Zhou (Eds.), Biostimulants and Protective Biochemical Agents (pp. 301–321). Academic Press. https://doi.org/https://doi.org/10.1016/B978-0-443-14139-3.00007-5

Antony Ceasar, S., & Ignacimuthu, S. (2023). CRISPR/Cas genome editing in plants: Dawn of Agrobacterium transformation for recalcitrant and transgene-free plants for future crop breeding. Plant Physiology and Biochemistry, 196, 724–730. https://doi.org/https://doi.org/10.1016/j.plaphy.2023.02.030

Bacha, S. A. shah, Kiran, S., Cui, F.-J., Elboughdiri, N., Ahmad, Z., & Sun, W.-J. (2025). The potential of advanced crop breeding technologies for sustainable food security. International Journal of Biological Macromolecules, 309, 143025. https://doi.org/https://doi.org/10.1016/j.ijbiomac.2025.143025

Bradbury, A., Clapp, O., Biacsi, A.-S., Kuo, P., Gaju, O., Hayta, S., Zhu, J.-K., & Lambing, C. (2025). Integrating genome editing with omics, artificial intelligence, and advanced farming technologies to increase crop productivity. Plant Communications, 6(7), 101386. https://doi.org/https://doi.org/10.1016/j.xplc.2025.101386

Charlebois, S., Lee, K., Smyth, S. J., Siddiqi, M., & Vezeau, J. (2025). Evaluating the impact of improved seeds and crop protection products on food affordability, accessibility, and safety: A Canadian perspective. Trends in Food Science & Technology, 165, 105253. https://doi.org/https://doi.org/10.1016/j.tifs.2025.105253

Chawla, R., Redhu, M., Sharma, A., Prajapati, S. S., Kute, K., & Samantara, K. (2025). Chapter 17 - Genome editing and molecular approaches in underground crops for abiotic stress (M. Kumar Lal, R. Kumar Tiwari, A. Kumar, R. Kumar, & B. B. T.-A. S. in U. V. Singh (eds.); pp. 249–264). Academic Press. https://doi.org/https://doi.org/10.1016/B978-0-443-23961-8.00017-6

Cheng, A., Lau, J. Y., Mazumdar, P., Baisakh, N., Harikrishna, J. A., Osman, N., Mispan, M. S., Mohd Zain, N. A., Sethuraman, G., & Kongchum, M. (2025). Innovation in drought-resilient agriculture: The rise of aerobic rice system. Heliyon, 11(12), e43501. https://doi.org/https://doi.org/10.1016/j.heliyon.2025.e43501

Duarte Sagawa, C. H., Assis, R. de A. B., & Zaini, P. A. (2024). Chapter 8 - Regulatory framework of CRISPR-edited crops in the United States. In K. A. Abd-Elsalam & A. B. T.-G. R. O. for Crispr. P. Ahmad (Eds.), Genome Modified Plants and Microbes in Food and Agriculture (pp. 167–195). Academic Press. https://doi.org/https://doi.org/10.1016/B978-0-443-18444-4.00004-1

Ebeed, H. T., & Ceasar, S. A. (2024). Genomics and bioinformatics applications in crop stress: Unraveling molecular mechanisms for sustainable agriculture. South African Journal of Botany, 170, 38–47. https://doi.org/https://doi.org/10.1016/j.sajb.2024.05.015

Gupta, A., Singh, K., Vandana, P., Tiwari, L. D., & Kumar, M. (2025). Chapter 20 - Metabolic genes: a toolbox for combating salt and drought stress in crop improvement (M. K. Patel,

L.-S. Phan Tran, S. Pandey, & A. B. T.-E. P. and E. of P. M. and R. G. Mishra (eds.); pp. 305–330). Academic Press. https://doi.org/https://doi.org/10.1016/B978-0-443-13490-6.00020-5

Haddad, M., Abu-Romman, S., Rather, J. A., Akhter, N., Khan, B. A., & Dalaeen, S. (2025). A comprehensive review on CRISPR-Cas9 in revolutionizing food and agricultural sectors. Food and Humanity, 5, 100679. https://doi.org/https://doi.org/10.1016/j.foohum.2025.100679

Hamdan, M. F., & Tan, B. C. (2025). Genetic modification techniques in plant breeding: A comparative review of CRISPR/Cas and GM technologies. Horticultural Plant Journal, 11(5), 1807–1829. https://doi.org/https://doi.org/10.1016/j.hpj.2024.02.012

Husaini, A. M., & Sohail, M. (2024). Agrochemical-free genetically modified and genome-edited crops: Towards achieving the United Nations sustainable development goals and a "greener" green revolution. Journal of Biotechnology, 389, 68–77. https://doi.org/https://doi.org/10.1016/j.jbiotec.2024.04.015

Im, J. H., Kim, W.-C., Han, K.-H., & Ko, J.-H. (2025). XERICO as a target for engineering stress-resilient crops: Mechanisms, applications, and future directions. Plant Physiology and Biochemistry, 225, 110013. https://doi.org/https://doi.org/10.1016/j.plaphy.2025.110013

Jahan, T., Huda, M. N., Zhang, K., He, Y., Lai, D., Dhami, N., Quinet, M., Ali, M. A., Kreft, I., Woo, S.-H., Georgiev, M. I., Fernie, A. R., & Zhou, M. (2025). Plant secondary metabolites against biotic stresses for sustainable crop protection. Biotechnology Advances, 79, 108520. https://doi.org/https://doi.org/10.1016/j.biotechadv.2025.108520

Jeyaraj, G., Alphonse, V., Jayanthi, P., Angelin F, N., Geetanjali A, S., & Govindan, G. (2024). Harnessing the potential of CRISPR/Cas system for enhancing virus resistance in plants: Targets, strategies, and challenges. Physiological and Molecular Plant Pathology, 129, 102202. https://doi.org/https://doi.org/10.1016/j.pmpp.2023.102202

Jiang, C., Li, Y., Wang, R., Sun, X., Zhang, Y., & Zhang, Q. (2024). Development and optimization of base editors and its application in crops. Biochemical and Biophysical Research Communications, 739, 150942. https://doi.org/https://doi.org/10.1016/j.bbrc.2024.150942

Kabi, M., Palei, S., Routray, S., Naik, I. S., Kesawat, M. S., Rajendra, V., Kumar, R., & Rahimi, M. (2025). Engineering crop genomes: A review of editing tool evolution, applications, and future trajectories. Ecological Genetics and Genomics, 37, 100408. https://doi.org/https://doi.org/10.1016/j.egg.2025.100408

Kafle, S. (2023). CRISPR/CAS9: A new paradigm for crop improvement revolutionizing agriculture. Journal of Agriculture and Food Research, 11, 100484. https://doi.org/https://doi.org/10.1016/j.jafr.2022.100484

Kumar, R., Shanker, R., Singh, P., Yadav, M. K., Chaudhary, V., & Kumar, M. (2024). Genome editing towards pests and disease management in agricultural crops: Recent developments, challenges and future prospects. Physiological and Molecular Plant Pathology, 134, 102402. https://doi.org/https://doi.org/10.1016/j.pmpp.2024.102402

Kushwaha, S. B., Nagesh, C. R., Lele, S. S., Viswanathan, C., Prashat, G. R., Goswami, S., Kumar, R. R., Kunchge, N., Gokhale, J. S., & Vinutha, T. (2025). CRISPR/Cas technology in vegetable crops for improving biotic, abiotic stress and quality traits: Challenges and opportunities. Scientia Horticulturae, 341, 113957. https://doi.org/https://doi.org/10.1016/j.scienta.2025.113957

Marik, B., Khuntia, R. P., Bhattacharyya, S., Ahmed, F. K., Hurrah, I. M., & Mandal, S. (2024). Chapter 19 - CRISPR-Cas9 systems for the improvement of solanaceous vegetable crops. In K. A Abd-Elsalam, A. Ahmad, & B. B. T.-Crispr. H. C. Zhang (Eds.), Genome Modified Plants and Microbes in Food and Agriculture (pp. 319–336). Academic Press. https://doi.org/https://doi.org/10.1016/B978-0-443-13229-2.00003-X

Mishra, P., Sahoo, J. P., Pradhan, P., Mahapatra, M., Balabantaray, S., Pradhan, J., Acharya, L. K., Pramanik, K., Dweh, T. J., & Kayastha, S. (2025). Chapter 4 - CRISPR technologies for crop improvement: An updated overview and future perspective. In J.-T. B. T.-C. for C.-S. and S. A. Chen (Ed.), Genome Modified Plants and Microbes in Food and Agriculture (pp. 81–102). Academic Press. https://doi.org/https://doi.org/10.1016/B978-0-443-24135-2.00004-9

Ndudzo, A., Sibanda Makuvise, A., Moyo, S., & Bobo, E. D. (2024). CRISPR-Cas9 genome editing in crop breeding for climate change resilience: Implications for smallholder farmers in Africa. Journal of Agriculture and Food Research, 16, 101132. https://doi.org/https://doi.org/10.1016/j.jafr.2024.101132

Noor-ul-Ain, Arif, A., Jamil, A., Munir, A., Ahmad, A., & Munawar, N. (2024). Chapter 26 - Regulatory, ethical, and social aspects of CRISPR crops. In K. A Abd-Elsalam, A. Ahmad, & B. B. T.-Crispr. H. C. Zhang (Eds.), Genome Modified Plants and Microbes in Food and Agriculture (pp. 439–470). Academic Press. https://doi.org/https://doi.org/10.1016/B978-0-443-13229-2.00023-5

Pandey, S., Divakar, S., & Singh, A. (2024). Genome editing prospects for heat stress tolerance in cereal crops. Plant Physiology and Biochemistry, 215, 108989. https://doi.org/https://doi.org/10.1016/j.plaphy.2024.108989

Patra, S., Chatterjee, D., Basak, S., Sen, S., & Mandal, A. (2024). CRISPR/Cas9 opens new horizon of crop improvement under stress condition. Biochimica et Biophysica Acta (BBA) - General Subjects, 1868(10), 130685. https://doi.org/https://doi.org/10.1016/j.bbagen.2024.130685

R Krishnan, R., Sivakumar, B., Jagannath, N., Rao, N. R., Suresh, N., Nagella, P., Al-Khayri, J. M., & Jain, S. M. (2024). Chapter 10 - CRISPR-Cas9 genome editing of crops: Food and nutritional security. In K. A Abd-Elsalam, A. Ahmad, & B. B. T.-Crispr. H. C. Zhang (Eds.), Genome Modified Plants and Microbes in Food and Agriculture (pp. 161–190). Academic Press. https://doi.org/https://doi.org/10.1016/B978-0-443-13229-2.00024-7

Sen, M. K., Sellamuthu, G., Mondal, S. K., Varshney, R. K., & Roy, A. (2025). Epigenome editing for herbicide-resistant crops. Trends in Plant Science, 30(11), 1201–1210. https://doi.org/https://doi.org/10.1016/j.tplants.2025.05.003

Singh, S., Bhattacharyya, P., Aditya, K., & Jorben, J. (2025). Gene revolution: Unravelling biotechnology for crop improvement. Physiological and Molecular Plant Pathology, 139, 102793. https://doi.org/https://doi.org/10.1016/j.pmpp.2025.102793

Swain, S., Debnath, S., Khamassi, K., Samantara, K., Ram, P., Kumar, A., Mahawer, A. K., & Kaul, T. (2025). Harnessing genome editing for the advancement of underutilized crops: A critical review highlighting current progress, challenges and future prospects. Plant Gene, 44, 100534. https://doi.org/https://doi.org/10.1016/j.plgene.2025.100534

Tripathi, J. N., Muiruri, S., & Tripathi, L. (2024). Advancements and challenges in gene editing for improvement of vegetatively propagated crops. Current Opinion in Plant Biology, 82, 102653. https://doi.org/https://doi.org/10.1016/j.pbi.2024.102653

Xu, P., Zhao, C., Li, S., Li, S., Li, A., Zhao, J., Ma, A., Wang, Q., Guo, D., Zhou, J., & Feng, S. (2025). Gene editing tools promote the development of chloroplast gene engineering. Current Plant Biology, 44, 100540. https://doi.org/https://doi.org/10.1016/j.cpb.2025.100540

Yao, D., Zhou, J., Wang, Y., Li, Y., Cheng, W., Lu, X., & Liu, H. (2025). Application and Prospects of CRISPR/Cas Gene Editing Technology in Major Crop Molecular Breeding and Improving. Phyton-International Journal of Experimental Botany, 94(6), 1669–1694. https://doi.org/https://doi.org/10.32604/phyton.2025.064344

Zhang, S., Bu, G., Jin, H., & Zhang, B. (2025). Nucleic acid-guided genome editing of plant carbohydrate pathways for functional crops supporting glycogen replenishment in

athletes. International Journal of Biological Macromolecules, 319, 145574. https://doi.org/https://doi.org/10.1016/j.ijbiomac.2025.145574

Zhang, Y., Wu, X., Wang, X., Dai, M., & Peng, Y. (2025). Crop root system architecture in drought response. Journal of Genetics and Genomics, 52(1), 4–13. https://doi.org/https://doi.org/10.1016/j.jgg.2024.05.001

Copyright Holder :
© Ali Khan et al. (2026).

First Publication Right :
© Research of Scientia Naturalis

This article is under:

