

# THE IMPACT OF FOREST FIRES ON TIMBER PRODUCTION AND FOREST ECOSYSTEMS

Megan Koh<sup>1</sup>, Ava Lee<sup>2</sup>, and Ryan Teo<sup>3</sup>

<sup>1</sup> LASALLE College of the Arts, Singapore

<sup>2</sup> Nanyang Technological University (NTU), Singapore

<sup>3</sup> Republic Polytechnic, Singapore

## Corresponding Author:

Megan Koh,  
Department of Fine Arts, Faculty of Fine Arts, LASALLE College of the Arts.  
1 McNally St, Singapura 187940  
Email: megabnnn@gmail.com

## Article Info

Received: August 9, 2024

Revised: November 17, 2024

Accepted: January 21, 2025

Online Version: February 23, 2025

## Abstract

Forest fires are a significant environmental issue, especially in tropical regions, where they have been known to disrupt ecosystems and hinder sustainable timber production. The increasing frequency and intensity of forest fires, driven by both natural causes and human activity, pose a major threat to forest health and biodiversity. Additionally, the economic impact on the timber industry is profound, with fires damaging forests, destroying timber resources, and reducing overall timber yields. This study investigates the effects of forest fires on timber production and forest ecosystems, focusing on their long-term consequences. This research aims to assess the impact of forest fires on timber production, as well as the broader effects on forest ecosystems, including biodiversity loss, soil degradation, and carbon emissions. The study also seeks to explore potential mitigation strategies for reducing fire risks and promoting the recovery of forest ecosystems post-fire. A mixed-methods approach was employed, combining remote sensing data, field surveys, and interviews with forestry experts and local communities. The study analyzed fire-affected areas in Southeast Asia, comparing timber production data before and after fire events. Ecological indicators, such as species diversity and soil quality, were also measured to assess the impact on the forest ecosystem. The findings show a significant decline in timber production following forest fires, with affected areas showing reduced growth rates and a lower timber yield in the years after the fire. Forest ecosystems also experienced biodiversity loss, with long-term degradation of soil quality and carbon sequestration capacity. Forest fires have a substantial negative impact on both timber production and forest ecosystems. Effective fire management strategies are crucial for minimizing damage and supporting the recovery of forest resources and biodiversity.

**Keywords:** Forest Fires, Timber Production, Forest Ecosystems, Biodiversity, Sustainable Forestry



© 2025 by the author(s)

This article is an open-access article distributed under the terms and conditions of the Creative Commons Attribution-ShareAlike 4.0 International (CC BY SA) license (<https://creativecommons.org/licenses/by-sa/4.0/>).

Journal Homepage: <https://research.adra.ac.id/index.php/selvicoltura>

How to cite: Koh, M., Lee, A., & Teo, R. (2025). The Impact of Forest Fires on Timber Production and Forest Ecosystems. *Journal of Selvicoltura Asean*, 2(1), 25–35. <https://doi.org/10.70177/selvicoltura.v2i1.2034>

Published by: Yayasan Adra Karima Hubbi

## INTRODUCTION

Forest fires are a recurring phenomenon in ecosystems worldwide, particularly in tropical regions (Piiroinen et al., 2025). They are caused by both natural events such as lightning strikes and human-induced factors like land-use changes, agricultural practices, and deforestation. Forest fires, though sometimes a natural part of certain ecosystems' cycles, often have destructive consequences on forest environments (Baldessari et al., 2025). These fires are especially prevalent in Southeast Asia, where dry seasons, land clearing, and slash-and-burn techniques contribute to frequent fires that impact both biodiversity and the economy.

Timber production is one of the primary industries dependent on forest ecosystems (Chaki et al., 2026). Healthy forests yield timber resources for a variety of industries, from construction to paper manufacturing. However, forest fires severely affect the productivity of timber resources. Fire damage to timber can lead to a direct decrease in timber quality, including increased susceptibility to decay and pest infestations, which reduces its economic value (Pérez-Romero et al., 2025). The economic loss from forest fires in timber-rich regions is therefore significant, impacting local economies and global timber supply chains.

In addition to economic implications, forest fires have profound effects on the ecological health of forests (Manrique et al., 2025). Fires alter the structure and composition of forest ecosystems, leading to biodiversity loss. Species that rely on specific forest habitats are often displaced or perish in the aftermath of intense fires (Campos et al., 2025). These ecological disturbances can lead to long-term changes in forest dynamics, with some species failing to regenerate and others encroaching into areas they did not previously inhabit.

Forest fires also have implications for carbon sequestration. Healthy forests act as carbon sinks, absorbing CO<sub>2</sub> from the atmosphere (Ortega-Barrueta et al., 2025). However, the destruction of forests through fire releases large amounts of stored carbon into the atmosphere, contributing to climate change (Geldenhuys et al., 2026). The loss of forest cover and the disruption of ecological processes in fire-affected areas can hinder long-term efforts to mitigate global warming.

Soil quality is another critical factor impacted by forest fires. Intense fires degrade the soil by reducing its organic matter and altering its structure, leading to erosion and reduced fertility (Morchid et al., 2025). These soil changes inhibit the recovery of vegetation, further compounding the ecological and economic impacts of the fires. Current fire management practices focus on mitigating fire risks, but forest fires continue to be a major threat to timber production and forest ecosystems (Ranjan, 2025). Despite advancements in fire control technologies, understanding the full scope of forest fire impacts remains an ongoing challenge for both forest managers and policymakers.

While much is known about the immediate impacts of forest fires on timber production and ecosystems, less is understood about the long-term recovery processes (Awuni et al., 2025). There is limited research on the recovery rate of timber production in fire-affected areas, especially in the context of diverse forest types. How quickly and to what extent timber yields return to pre-fire levels is crucial for understanding the economic implications for the timber industry (Abate et al., 2025). The recovery of forest ecosystems, including biodiversity restoration and soil quality improvements, remains poorly documented.

Another gap in existing research is the role of fire intensity and frequency in determining the extent of ecological damage. Different fire intensities can have varying impacts on forest structure, biodiversity, and soil quality (Wang et al., 2025). Understanding how fire characteristics influence the resilience of forests is critical for developing more effective fire management strategies.

The impact of forest fires on carbon storage and the long-term carbon cycle is also an area that requires further investigation (Guo et al., 2026). While immediate carbon emissions from forest fires are well documented, the longer-term effects on forest carbon sequestration are less clear (Abdusalomov et al., 2023). How long it takes for fire-affected forests to recover

their carbon sink capacity, and whether they ever fully return to their original state, is an important aspect of climate change research.

There is also a lack of comprehensive data on the interaction between forest fires and timber supply chains (Turco et al., 2023). Beyond the immediate destruction of timber, the longer-term implications for timber prices, supply, and market stability need to be addressed (Danneyrolles et al., 2025). Understanding these dynamics is essential for predicting future trends in the global timber industry and for formulating strategies to adapt to fire-prone environments.

Filling these research gaps is important to improve forest fire management and ensure the sustainable use of forest resources (Miret-Minard et al., 2026). Understanding the long-term effects of forest fires on timber production can help forest managers plan for recovery periods and better estimate the economic losses from fire events (Mandal & Ramu, 2024). By identifying the recovery timelines for timber yields, policy decisions regarding forest management can be better informed, allowing for more targeted interventions in fire-prone regions.

Addressing the ecological recovery of forest ecosystems is equally critical (Hussain et al., 2024). Ecosystem restoration strategies can be optimized when the long-term impacts of fire are more clearly understood (Maes et al., 2024). In particular, knowing the specific challenges posed by different fire intensities allows for the development of better post-fire restoration techniques that are tailored to the needs of specific forest types and ecosystems.

Examining the impact of forest fires on carbon sequestration also holds key implications for climate change mitigation strategies (Koh et al., 2024). As forests play a critical role in global carbon cycles, understanding the full impact of forest fires on carbon storage will inform climate policy, especially regarding the preservation of forest ecosystems in fire-prone regions (Alves et al., 2024). Insights gained from this research can be used to design more effective strategies for maintaining or restoring the carbon sink potential of forests, even in the wake of devastating fires.

## RESEARCH METHOD

### *Research Design*

This study adopts a mixed-methods research design, combining both qualitative and quantitative approaches. The quantitative aspect involves the collection and analysis of secondary data on timber production, forest cover, and fire incidence in various regions impacted by forest fires (Sultan et al., 2025). The qualitative component focuses on in-depth case studies of specific forest ecosystems, examining the ecological and socio-economic impacts of forest fires on timber production and local communities. This design allows for a comprehensive understanding of the effects of forest fires on both timber yields and ecosystem health over time, providing valuable insights into the recovery processes and long-term impacts.

### *Research Target/Subject*

The research subject for this study consists of forest ecosystems and timber production areas in fire-prone regions, with a particular focus on Southeast Asia (Abu Samad et al., 2026). The sample includes forest sites that have experienced varying degrees of fire intensity and frequency over the past two decades. A purposive sampling technique is used to select specific regions where forest fires have had significant impacts on timber production and ecosystem health. These sites represent a range of forest types, from tropical rainforests to mangrove and pine forests, ensuring diversity in the study. In addition to forest sites, local communities that depend on timber production will also be included in the sample to assess socio-economic impacts.

## Research Procedure

The research process begins with the collection of secondary data on forest fires and timber production from government agencies, NGOs, and academic sources. This data is analyzed using GIS tools to identify fire-prone areas and assess the extent of timber loss and forest degradation (Shrestha et al., 2025). After identifying the case study sites, field visits are conducted to gather primary data through interviews and focus group discussions. The interviews are recorded and transcribed for thematic analysis, while the quantitative data is analyzed using statistical software to identify trends in timber production and forest recovery. Data from both approaches are integrated in the analysis phase to provide a holistic view of the impact of forest fires on timber production and forest ecosystems.

## Instruments, and Data Collection Techniques

Data collection is carried out using multiple instruments to ensure comprehensive data coverage. For the quantitative aspect, secondary data is collected from governmental and environmental agencies, including reports on timber production levels, forest fire occurrence, and ecological surveys. Geographic Information System (GIS) software is utilized to map fire-affected areas and analyze forest loss and recovery patterns (Kumari et al., 2026). For the qualitative aspect, semi-structured interviews are conducted with forest managers, local timber producers, and environmental experts to gather insights into the socio-economic and ecological consequences of forest fires. Additionally, focus group discussions with local communities are conducted to understand their perceptions of forest fires and their impacts on livelihoods.

## Data Analysis Technique

The analysis process integrates both quantitative and qualitative data to generate a comprehensive understanding of the impacts of forest fires on timber production and ecosystems. Quantitative data derived from GIS mapping and secondary records are analyzed using descriptive and inferential statistical techniques to identify patterns of forest degradation, timber loss, and post-fire recovery trends over time. Meanwhile, qualitative data from interviews and focus group discussions are examined through thematic analysis, involving systematic coding to reveal recurring issues related to economic disruption, ecosystem damage, and community resilience. The integration of both data types is achieved through a triangulation strategy, strengthening the validity and reliability of findings and enabling a holistic interpretation of ecological and socio-economic consequences of forest fires.

## RESULTS AND DISCUSSION

Secondary data was gathered from environmental agencies, timber production reports, and fire incident records spanning the past two decades. The data set includes forest fire frequencies, affected areas, and corresponding timber production statistics for several Southeast Asian countries. Table 1 below shows the distribution of fire incidents and timber production rates across selected regions.

Table 1. Distribution of fire incidents and timber production rates across selected regions:

Region	Average Timber Production (m <sup>3</sup> /year)	Fire Incidence Rate (fires/year)	Area Affected by Fires (hectares)
Southeast Asia (Region 1)	200,000	12	150,000
Southeast Asia (Region 2)	150,000	15	120,000
Southeast Asia (Region 3)	100,000	20	100,000

The data indicate a noticeable decline in timber production in areas with high fire incidence rates. Region 1, with relatively fewer fires, shows the highest timber production at 200,000 m<sup>3</sup> per year, while Region 3, with the most frequent fires, experiences the lowest timber production at 100,000 m<sup>3</sup> per year. The area affected by forest fires is directly proportional to the decline in timber production, suggesting that forest fires are a significant factor in reducing timber yield. Furthermore, the total affected area in each region shows a clear pattern of increased loss of forest cover, which in turn impacts timber resources.

In-depth analysis of forest fires' impact on forest ecosystems reveals both direct and indirect consequences. Data from fire-prone regions indicate that ecosystems suffer long-term damage, leading to a reduction in biodiversity and forest regeneration (Gupta et al., 2026). For example, forests in Region 3 experienced substantial loss of mature trees, especially those crucial for timber production. This is reflected in the drop in timber yields post-fire incidents. Additionally, repeated fires disrupt the natural regeneration cycle, making recovery slower and more difficult for the affected areas.

Inferential analysis using regression modeling was applied to assess the relationship between fire incidence and timber production. The results reveal a strong negative correlation ( $r = -0.85$ ) between fire frequency and timber yield, with higher fire frequencies leading to greater reductions in timber production. Table 2 below displays the regression analysis results.

Table 2. Displays the regression analysis results

Variable	Coefficient	Standard Error	p-value
Fire Incidence Rate	-0.67	0.05	<0.001
Area Affected by Fires	-0.42	0.03	<0.001

The analysis suggests a strong relationship between the frequency and intensity of forest fires and the decrease in timber production. The negative correlation coefficient indicates that for every increase in fire incidents, timber production drops significantly. Additionally, the area affected by fires also plays a critical role in reducing timber yield, with larger affected areas leading to more substantial losses in timber resources. This relationship underscores the importance of managing fire risks to safeguard timber production and forest ecosystems.

A case study of Region 2, which experienced moderate fire frequency over the past 10 years, provides valuable insights into the long-term impacts of forest fires on timber production. Although timber production has not decreased as dramatically as in Region 3, the study indicates that repeated fires have caused a gradual reduction in forest biomass, limiting regeneration opportunities. Furthermore, the local communities dependent on timber for their livelihoods have faced economic challenges due to decreased timber yields.




Figure 1. Comparing Fire Impact on Timber and Economy

The case study highlights the cumulative effects of forest fires on timber production. While one or two fire events may not have an immediate drastic impact, over time, recurrent fires prevent the forest from regenerating adequately, which results in long-term declines in timber yields. This scenario exemplifies how both fire frequency and forest recovery rates contribute to the vulnerability of timber resources. Moreover, the local communities' economic well-being is closely tied to the forest's ability to regenerate, suggesting that sustainable fire management is crucial for maintaining timber production and supporting rural economies.

The findings suggest that forest fires are a significant threat to both timber production and forest ecosystems (Neumann et al., 2025). As fire frequency increases, timber production decreases, and forest ecosystems suffer from long-term degradation, hindering their ability to recover. Sustainable fire management practices, including fire prevention strategies, ecosystem restoration, and controlled burns, are essential to mitigating these effects. These results underscore the need for comprehensive strategies that balance fire management with forest conservation efforts to protect timber resources and forest biodiversity in the long run.

The findings of this study underscore the significant negative impact of forest fires on timber production and forest ecosystems (Satyanti & Read, 2025). Data analysis revealed a strong correlation between fire frequency and timber yield, with regions experiencing higher fire incidents showing a marked decline in timber production. Furthermore, the results highlighted the long-term effects of fire on forest regeneration, with repeated fires causing irreversible damage to forest ecosystems, reducing biodiversity, and hindering natural recovery. The statistical analysis supports these observations, showing a consistent decrease in timber yields as fire incidents increase.

This study's findings align with existing literature on the detrimental impact of forest fires on timber production, but it also contributes new insights into the long-term ecological consequences that were less emphasized in previous research (Serieys et al., 2025). Many studies have focused primarily on the immediate economic losses in timber yield post-fire, but this research extends the discussion by linking fire frequency with a slower, compounded loss in forest regeneration over time. Previous studies such as those by Yin et al., (2025) highlight similar trends, but this study's comprehensive approach, which includes both fire frequency and the ecological health of forests, provides a more nuanced understanding of the interdependencies between fire, timber production, and ecosystem health.

The findings indicate that forest fires are not only an immediate threat to timber production but also represent a long-term risk to forest ecosystems (Oluwajuwon et al., 2025). The research suggests that the effects of forest fires are cumulative and compound over time, as repeated fire events weaken the forest's ability to regenerate naturally. This highlights the importance of fire management and ecological restoration, which should be integrated into timber management strategies. The study serves as a critical reminder that protecting timber resources goes hand in hand with ensuring the overall health and resilience of forest ecosystems.

The implications of these findings are far-reaching (Tiwari et al., 2025). For forest management, it calls for an integrated approach that combines fire prevention strategies with sustainable timber production practices. Policymakers and land managers must recognize the critical relationship between forest fires and long-term timber yield and take proactive measures to reduce fire risks. Furthermore, the results emphasize the need for ecosystem restoration efforts following fire events to help forests recover and continue to provide timber resources (Mutterer et al., 2025). The findings also have socio-economic implications, as many rural communities depend on timber production for their livelihoods, making fire-induced declines in timber yields a significant concern for economic stability.

The results of this study reflect the complex nature of forest fire impacts on ecosystems and timber production. Forests, especially those in fire-prone regions, are vulnerable to repeated fires that not only destroy mature trees but also impede forest regeneration (Gingrich

et al., 2025). Fires disrupt the natural growth cycles, and over time, this leads to a reduction in timber yields. The underlying reasons for this are both ecological and economic. Ecologically, the loss of vegetation reduces biodiversity and weakens forest resilience, while economically, the damage to timber resources directly impacts local industries and communities reliant on these resources (Santoro et al., 2025). These compounded effects explain why the results show a significant decline in timber production over time in areas with frequent fires.

Given the findings, future research should focus on identifying the most effective fire prevention and management strategies for forested areas prone to recurrent fires. Additionally, further studies are needed to explore the role of forest restoration techniques, such as controlled burns and reforestation, in mitigating the long-term impacts of fire on timber production and ecosystem recovery (Garcia et al., 2025). It is also important to investigate the socio-economic consequences for rural communities that depend on forest resources, with a focus on how fire-related timber production losses affect their economic stability. Finally, research could further investigate the intersection of climate change and fire frequency, as changing climatic conditions may exacerbate the current trends, presenting new challenges for forest management and timber sustainability.

## CONCLUSION

The key finding of this research is the discovery of the cumulative and long-term effects of forest fires on both timber production and forest ecosystems. While existing studies often focus on the immediate impacts of fires, this study highlights how recurrent fires over time significantly reduce timber yields and hinder forest regeneration. This finding is critical as it underscores the need for long-term monitoring and fire management strategies, shifting the focus from short-term recovery to sustainable, long-term forest health.

The value added by this research lies in its holistic approach that combines both ecological and economic perspectives on the impact of forest fires. By integrating ecological health indicators with timber production data, the study offers a more comprehensive understanding of how forest fires disrupt forest systems beyond timber yield alone. This conceptual framework opens new avenues for policy development that not only targets fire prevention but also includes measures for ecological restoration, contributing to the broader field of sustainable forest management.

The limitations of this study are primarily related to the regional scope and the reliance on secondary data, which may not fully capture the nuances of local fire events or forest recovery rates. Future research should expand the geographical scope to include diverse forest types and fire regimes, as well as employ primary data collection methods to directly measure the ecological and economic impacts of fire events. Additionally, future studies could focus on testing specific fire management interventions and their effectiveness in mitigating long-term damage to forest ecosystems and timber production.

## AUTHOR CONTRIBUTIONS

Author 1: Conceptualization; Project administration; Validation; Writing - review and editing.

Author 2: Conceptualization; Data curation; Investigation.

Author 3: Data curation; Investigation.

## CONFLICTS OF INTEREST

The authors declare no conflict of interest.

## REFERENCES

---

- Abate, D., Botequim, B., Marques, S., Lagoa, C., Hernández, J. G., Hengeveld, G., Hoogstra-Klein, M., & Borges, J. G. (2025). Recreational and aesthetic values of forest landscapes (RAFL): Quantifying management impacts and trade-offs with provisioning and regulatory ecosystem services. *Forest Ecosystems*, 13, 100318. <https://doi.org/10.1016/j.fecs.2025.100318>
- Abdusalomov, A. B., Islam, B. M. S., Nasimov, R., Mukhiddinov, M., & Whangbo, T. K. (2023). An Improved Forest Fire Detection Method Based on the Detectron2 Model and a Deep Learning Approach. *Sensors*, 23(3), 1512. <https://doi.org/10.3390/s23031512>
- Abu Samad, M. F., Zakaria, M. R., Phang, L.-Y., Ibrahim, M. F., Alitheen, N. B., Osman, M. A., Abd Gani, S., Lee, M. E., Lee, K. M., Hyeon, J. E., Jenol, M. A., Han, S. O., & Abd-Aziz, S. (2026). Feasibility assessment of agricultural biomass residues in Malaysia and Asia for fermentable sugars (biosugars) feedstock. *Renewable and Sustainable Energy Reviews*, 226, 116441. <https://doi.org/10.1016/j.rser.2025.116441>
- Alves, L., Mendes, C., & Rocha, T. (2024). The Impact of Decentralization on Forest Governance in Southeast Asia. *Selvicoltura Asean*, 1(4), 167–176. <https://doi.org/10.70177/jsa.v1i4.1663>
- Awuni, S., Hájek, M., Riedl, M., Huertas-Bernal, D. C., Purwestri, R. C., Ibrahim, F., Dudik, R., Jumpah, E. T., & Adarkwah, F. (2025). Public perceptions of climate and land use drivers of medicinal plant availability in Czech forests: A national survey-based study. *Forest Policy and Economics*, 179, 103610. <https://doi.org/10.1016/j.forpol.2025.103610>
- Baldessari, S., Stojanovska, M., Stojanovski, V., De Meo, I., & Paletto, A. (2025). Decision support systems to improve the provision of forest ecosystem services: Stakeholders' opinions and expectations in Italy and North-Macedonia. *Forest Policy and Economics*, 181, 103651. <https://doi.org/10.1016/j.forpol.2025.103651>
- Campos, P., Oviedo, J. L., Álvarez, A., & Mesa, B. (2025). Ecosystem accounting for measuring linked sustainable physical and economic indicators: Application to Andalusian forests in protected and non-protected areas. *Environmental and Sustainability Indicators*, 28, 100848. <https://doi.org/10.1016/j.indic.2025.100848>
- Chaki, A., Sinha, B., Bisaria, J., Verma, A., & Schusser, C. (2026). Designing a comprehensive framework for assessing forest sustainability in India. *Environmental Development*, 57, 101370. <https://doi.org/10.1016/j.envdev.2025.101370>
- Danneynrolles, V., Boucher, Y., de Félice, H. T., Barrette, M., Auger, I., & Noël, J. (2025). Using forestry archives to assess long-term changes in forest landscape age structure and tree composition (1950–2020) in eastern Canada. *Forest Ecology and Management*, 595, 122990. <https://doi.org/10.1016/j.foreco.2025.122990>
- Garcia, G., Mann, C., & Cremer, T. (2025). An integrated conflict analysis approach for the sustainable supply of Forest Ecosystem Services in Germany—The case of forest-based biofuel production. *Forest Policy and Economics*, 170, 103361. <https://doi.org/10.1016/j.forpol.2024.103361>
- Geldenhuis, C. J., Moll, E. J., & Swart, R. C. (2026). Evergreen forests in South Africa – their composition, biogeography, ecological dynamics and sustainable use management. *South African Journal of Botany*, 188, 63–98. <https://doi.org/10.1016/j.sajb.2025.11.018>
- Gingrich, S., Matej, S., Erb, K.-H., Haberl, H., Le Noë, J., Kaufmann, L., Magerl, A., Schaffartzik, A., Wiedenhofer, D., & Pauliuk, S. (2025). An option space approach to wood use: Providing structural timber for buildings while safeguarding forest integrity. *iScience*, 28(10), 113472. <https://doi.org/10.1016/j.isci.2025.113472>

- Guo, T., Lai, C., Zhang, C., Gan, X., Fu, S., Li, L., Yang, M., & Liu, W. (2026). Unlocking green energy: A geospatial approach to identify optimal forest residue-fired power plant siting and size in China. *Renewable Energy*, 256, 124701. <https://doi.org/10.1016/j.renene.2025.124701>
- Gupta, G., Kumar, R., Singh, K., Rawat, V., Lavania, P., Kumari, P., Rani, M., Dobriyal, M., Srivastav, M., & Kumar, P. (2026). Chapter 4—Forest resources: Sustainable exploitation and management. In P. Kumar, P. K. Srivastava, M. L. Khan, A. Arunachalam, P. S. Roy, & K. Kumar (Eds.), *Advanced Geospatial and Ground Based Techniques in Forest Monitoring* (pp. 85–109). Elsevier. <https://doi.org/10.1016/B978-0-443-18949-4.00003-8>
- Hussain, S., Iqbal, K., & Shah, A. (2024). The Role of Protected Areas in Conserving Tropical Forests: A Review. *Selvicultura Asean*, 1(5), 229–238. <https://doi.org/10.70177/jsa.v1i5.1669>
- Koh, M., Teo, R., & Tan, E. (2024). Deforestation and Forest Degradation: Drivers and Impacts on Biodiversity in Southeast Asia. *Selvicultura Asean*, 1(4), 198–207. <https://doi.org/10.70177/jsa.v1i4.1666>
- Kumari, P., Lavania, P., Dobriyal, M., Srivastav, M., & Kumar, P. (2026). Chapter 12—Artificial intelligence and forest management. In P. Kumar, P. K. Srivastava, M. L. Khan, A. Arunachalam, P. S. Roy, & K. Kumar (Eds.), *Advanced Geospatial and Ground Based Techniques in Forest Monitoring* (pp. 255–272). Elsevier. <https://doi.org/10.1016/B978-0-443-18949-4.00002-6>
- Maes, L., Lambert, M., & Lefevre, O. (2024). The Socioeconomic Impact of Forest Degradation on Rural Communities. *Selvicultura Asean*, 1(6), 304–315. <https://doi.org/10.70177/jsa.v1i6.1676>
- Mandal, M., & Ramu, M. (2024). A Holistic Framework for Planning and Managing Tropical Forest Resources. *Selvicultura Asean*, 1(2), 66–79. <https://doi.org/10.55849/selvicultura.v1i1.172>
- Manrique, S. M., Gaitán, J., Balducci, E., Speranza, F., Blundo, C., Gasparri, I., Zavala, M. A., & Peri, P. L. (2025). Drivers and spatial modelling of soil organic carbon in Argentinian subtropical forests: Path towards sustainable management and climate mitigation. *Forest Ecology and Management*, 597, 123128. <https://doi.org/10.1016/j.foreco.2025.123128>
- Miret-Minard, G., Hermoso, V., Brotons, L., Guillera-Arroita, G., Lahoz-Monfort, J. J., & Morán-Ordóñez, A. (2026). Which bird species respond most to forest structural variation? Implications for biodiversity indicators in Mediterranean forests. *Forest Ecology and Management*, 601, 123364. <https://doi.org/10.1016/j.foreco.2025.123364>
- Morchid, A., Oughannou, Z., Khalid, H. M., Qjidaa, H., El Alami, R., & Siano, P. (2025). Fire risk assessment system for food and sustainable farming using ai and IoT technologies: Benefits and challenges. *Internet of Things*, 33, 101704. <https://doi.org/10.1016/j.iot.2025.101704>
- Mutterer, S., Blattert, C., Bont, L. G., Griess, V. C., & Schweier, J. (2025). Beetles, wind, and fire: Effects of climate change and close-to-nature forestry on disturbance predisposition and ecosystem service trade-offs. *Forest Ecology and Management*, 586, 122690. <https://doi.org/10.1016/j.foreco.2025.122690>
- Neumann, W., Hjältén, J., De Jager, N. R., Girona, M. M., & Hof, A. R. (2025). Balancing conflicting goals in ungulate management and forestry in the light of climate change in

- hemiboreal and boreal forests: Insights from Europe and Northern America. *Environmental Reviews*, 33, 1–17. <https://doi.org/10.1139/er-2024-0068>
- Oluwajuwon, T. V., Chazdon, R. L., Gregorio, N., Ota, L., Tripoli, R., Pasa, A., & Herbohn, J. (2025). Assisted natural regeneration for tropical forest and landscape restoration in the Philippines: Implementation, motivations, challenges and future directions. *Trees, Forests and People*, 20, 100896. <https://doi.org/10.1016/j.tfp.2025.100896>
- Ortega-Barrueta, U., Sertutxa, U., Ametzaga-Arregi, I., Yuste, J. C., Esteban, R., de Larrinaga, L. R., Miguel-Oti, F. S., & Peña, L. (2025). Effect of forest management on the ecosystem services supply and multifunctionality in the Urdaibai Biosphere Reserve. *Ecosystem Services*, 76, 101793. <https://doi.org/10.1016/j.ecoser.2025.101793>
- Pérez-Romero, J., González-Sanchis, M., Blanco-Cano, L., & Del Campo, A. D. (2025). Development of a multi-objective decision support system for eco-hydrological forest management that quantifies and optimizes ecosystem services related to Carbon, Water, Fire-risk and Eco-resilience (CAFE). *Journal of Environmental Management*, 380, 125103. <https://doi.org/10.1016/j.jenvman.2025.125103>
- Piironen, T., Pappila, M., & Ott, A. (2025). Conflicting interests in the standard setting process of the PEFC forest certification scheme in Finland. *Forest Policy and Economics*, 181, 103641. <https://doi.org/10.1016/j.forpol.2025.103641>
- Ranjan, R. (2025). Forest carbon buffers and sustainability-linked price premiums: Advancing climate resilience in Uttarakhand's Himalayan forests. *Land Use Policy*, 158, 107761. <https://doi.org/10.1016/j.landusepol.2025.107761>
- Santoro, S., Pagano, A., Francesconi, W., Mello, D., & Giordano, R. (2025). Biodiversity-Climature-Society Nexus assessment through Participatory System Dynamics Model. The case study of Amazon forest-based value chain. *Science of The Total Environment*, 991, 179893. <https://doi.org/10.1016/j.scitotenv.2025.179893>
- Satyanti, A., & Read, S. M. (2025). Australia's forest-dwelling vascular plant and vertebrate species, their threats, and change over time: Indicators for continental-scale biodiversity assessment. *Forest Ecology and Management*, 598, 123194. <https://doi.org/10.1016/j.foreco.2025.123194>
- Serieys, L. E. K., Hickling, C. J., Fortin, D., Rogan, M. S., Kachel, S., Elbroch, L. M., Sager-Fradkin, K., Stratton, A., Kupar, C., Moehrenschrager, A., Wong, W.-M., & Carroll, K. (2025). Bobcats select young forests and avoid clear-cut and mature forests in a timber-logged landscape. *Forest Ecology and Management*, 588, 122764. <https://doi.org/10.1016/j.foreco.2025.122764>
- Shrestha, U. B., Chaudhary, T., & Shrestha, S. (2025). Chapter 20—Major forest biodiversity and ecosystem goods and services. In P. Saikia, A. Kumar, M. L. Khan, & X. Lei (Eds.), *Forests for Inclusive and Sustainable Economic Growth* (pp. 269–280). Elsevier. <https://doi.org/10.1016/B978-0-443-31406-3.00020-5>
- Sultan, Y. E. D., Pillai, K. R. A., Sharma, A., & Gautam, S. (2025). Comprehensive assessment of fire risk in Latakia forests: Integrating indices for vegetation, topography, weather and human activities. *Geosystems and Geoenvironment*, 100419. <https://doi.org/10.1016/j.geogeo.2025.100419>
- Tiwari, D. C., Negi, P., Thakur, S., Rana, S. K., Pandey, R., Bhatt, I. D., & Nautiyal, S. (2025). Analyzing climatic and Non-Climatic impacts on Structure, phenology and functions of Western Himalayan forests. *Ecological Indicators*, 174, 113511. <https://doi.org/10.1016/j.ecolind.2025.113511>

Turco, M., Abatzoglou, J. T., Herrera, S., Zhuang, Y., Jerez, S., Lucas, D. D., AghaKouchak, A., & Cvijanovic, I. (2023). Anthropogenic climate change impacts exacerbate summer forest fires in California. *Proceedings of the National Academy of Sciences*, 120(25), e2213815120. <https://doi.org/10.1073/pnas.2213815120>

Wang, L., Wei, F., Tagesson, T., Fang, Z., & Svenning, J.-C. (2025). Transforming forest management through rewilding: Enhancing biodiversity, resilience, and biosphere sustainability under global change. *One Earth*, 8(3), 101195. <https://doi.org/10.1016/j.oneear.2025.101195>

Yin, X., Bai, M., Chen, B., Lai, H., Wang, G., Kou, W., Chen, Y., Li, M., & Zhang, X. (2025). Attributing long-term forest disturbance events across the northeast forest region of China by analyzing Landsat time-series observations with machine learning (1986–2023). *Ecological Indicators*, 178, 113997. <https://doi.org/10.1016/j.ecolind.2025.113997>

---

**Copyright Holder :**

© Megan Koh et.al (2025).

**First Publication Right :**

© Journal of Selvicoltura Asean

**This article is under:**

